



## East Bay Community Energy Rate Sheets

Rates effective as of June 1, 2023

This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
A1	Summer	0.16545	0.17798	-0.00268	0.16277	0.17530	0.16780	kWh
A1	Winter	0.12652	0.13785	-0.00268	0.12384	0.13517	0.12767	kWh
A10P	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10P	Summer	0.15006	0.16211	-0.00283	0.14723	0.15928	0.15178	kWh
A10P	Winter	0.13180	0.14329	-0.00283	0.12897	0.14046	0.13296	kWh
A10PX	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10PX	Off-Peak Summer	0.13916	0.15088	-0.00283	0.13633	0.14805	0.14055	kWh
A10PX	Off-Peak Winter	0.13132	0.14279	-0.00283	0.12849	0.13996	0.13246	kWh
A10PX	Part-Peak Summer	0.16372	0.17620	-0.00283	0.16089	0.17337	0.16587	kWh
A10PX	Part-Peak Winter	0.13197	0.14346	-0.00283	0.12914	0.14063	0.13313	kWh
A10PX	Peak Summer	0.16372	0.17620	-0.00283	0.16089	0.17337	0.16587	kWh
A10S	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10S	Summer	0.16577	0.17831	-0.00283	0.16294	0.17548	0.16798	kWh
A10S	Winter	0.14466	0.15655	-0.00283	0.14183	0.15372	0.14622	kWh
A10SX	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10SX	Off-Peak Summer	0.15282	0.16496	-0.00283	0.14999	0.16213	0.15463	kWh
A10SX	Off-Peak Winter	0.14453	0.15641	-0.00283	0.14170	0.15358	0.14608	kWh
A10SX	Part-Peak Summer	0.17880	0.19174	-0.00283	0.17597	0.18891	0.18141	kWh
A10SX	Part-Peak Winter	0.14522	0.15712	-0.00283	0.14239	0.15429	0.14679	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
A10SX	Peak Summer	0.17880	0.19174	-0.00283	0.17597	0.18891	0.18141	kWh
A10T	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10T	Summer	0.12949	0.14091	-0.00283	0.12666	0.13808	0.13058	kWh
A10T	Winter	0.11289	0.12379	-0.00283	0.11006	0.12096	0.11346	kWh
A10TX	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10TX	Off-Peak Summer	0.12035	0.13148	-0.00283	0.11752	0.12865	0.12115	kWh
A10TX	Off-Peak Winter	0.11268	0.12358	-0.00283	0.10985	0.12075	0.11325	kWh
A10TX	Part-Peak Summer	0.14426	0.15613	-0.00283	0.14143	0.15330	0.14580	kWh
A10TX	Part-Peak Winter	0.11332	0.12424	-0.00283	0.11049	0.12141	0.11391	kWh
A10TX	Peak Summer	0.14426	0.15613	-0.00283	0.14143	0.15330	0.14580	kWh
A15	Summer	0.16045	0.17283	-0.00268	0.15777	0.17015	0.16265	kWh
A15	Winter	0.14056	0.15232	-0.00268	0.13788	0.14964	0.14214	kWh
A1X	Off-Peak Summer	0.14428	0.15616	-0.00268	0.14160	0.15348	0.14598	kWh
A1X	Off-Peak Winter	0.13786	0.14954	-0.00268	0.13518	0.14686	0.13936	kWh
A1X	Part-Peak Summer	0.16825	0.18087	-0.00268	0.16557	0.17819	0.17069	kWh
A1X	Part-Peak Winter	0.13842	0.15012	-0.00268	0.13574	0.14744	0.13994	kWh
A1X	Peak Summer	0.16825	0.18087	-0.00268	0.16557	0.17819	0.17069	kWh
A6	Off-Peak Summer	0.14711	0.15908	-0.00268	0.14443	0.15640	0.14890	kWh
A6	Off-Peak Winter	0.13733	0.14899	-0.00268	0.13465	0.14631	0.13881	kWh
A6	Part-Peak Summer	0.17985	0.19283	-0.00268	0.17717	0.19015	0.18265	kWh
A6	Part-Peak Winter	0.13801	0.14970	-0.00268	0.13533	0.14702	0.13952	kWh
A6	Peak Summer	0.17985	0.19283	-0.00268	0.17717	0.19015	0.18265	kWh
AG1A	Connected Load Summer	2.71600	2.80000	0	2.71600	2.80000	2.80000	kW



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
AG1A	Summer	0.12371	0.13496	-0.00249	0.12122	0.13247	0.12497	kWh
AG1A	Winter	0.11051	0.12135	-0.00249	0.10802	0.11886	0.11136	kWh
AG1B	Max Demand Summer	4.04490	4.17000	0	4.04490	4.17000	4.17000	kW
AG1B	Summer	0.13360	0.14516	-0.00249	0.13111	0.14267	0.13517	kWh
AG1B	Winter	0.10443	0.11508	-0.00249	0.10194	0.11259	0.10509	kWh
AG4A	Connected Load Summer	2.22130	2.29000	0	2.22130	2.29000	2.29000	kW
AG4A	Off-Peak Summer	0.11904	0.13014	-0.00249	0.11655	0.12765	0.12015	kWh
AG4A	Off-Peak Winter	0.10450	0.11516	-0.00249	0.10201	0.11267	0.10517	kWh
AG4A	Part-Peak Winter	0.10519	0.11587	-0.00249	0.10270	0.11338	0.10588	kWh
AG4A	Peak Summer	0.11904	0.13014	-0.00249	0.11655	0.12765	0.12015	kWh
AG4B	Max Demand Summer	4.04490	4.17000	0	4.04490	4.17000	4.17000	kW
AG4B	Max Peak Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
AG4B	Off-Peak Summer	0.13367	0.14523	-0.00249	0.13118	0.14274	0.13524	kWh
AG4B	Off-Peak Winter	0.11943	0.13055	-0.00249	0.11694	0.12806	0.12056	kWh
AG4B	Part-Peak Winter	0.12010	0.13124	-0.00249	0.11761	0.12875	0.12125	kWh
AG4B	Peak Summer	0.13367	0.14523	-0.00249	0.13118	0.14274	0.13524	kWh
AG4C	Max Part-Peak Demand Summer	4.26800	4.40000	0	4.26800	4.40000	4.40000	kW
AG4C	Max Peak Demand Summer	4.26800	4.40000	0	4.26800	4.40000	4.40000	kW
AG4C	Off-Peak Summer	0.10157	0.11213	-0.00249	0.09908	0.10964	0.10214	kWh
AG4C	Off-Peak Winter	0.09836	0.10883	-0.00249	0.09587	0.10634	0.09884	kWh
AG4C	Part-Peak Summer	0.11243	0.12333	-0.00249	0.10994	0.12084	0.11334	kWh
AG4C	Part-Peak Winter	0.09905	0.10954	-0.00249	0.09656	0.10705	0.09955	kWh
AG4C	Peak Summer	0.11243	0.12333	-0.00249	0.10994	0.12084	0.11334	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
AG5A	Connected Load Summer	6.13040	6.32000	0	6.13040	6.32000	6.32000	kW
AG5A	Off-Peak Summer	0.12582	0.13713	-0.00249	0.12333	0.13464	0.12714	kWh
AG5A	Off-Peak Winter	0.11322	0.12414	-0.00249	0.11073	0.12165	0.11415	kWh
AG5A	Part-Peak Winter	0.11390	0.12485	-0.00249	0.11141	0.12236	0.11486	kWh
AG5A	Peak Summer	0.12582	0.13713	-0.00249	0.12333	0.13464	0.12714	kWh
AG5B	Max Demand Summer	7.84730	8.09000	0	7.84730	8.09000	8.09000	kW
AG5B	Max Peak Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
AG5B	Off-Peak Summer	0.12167	0.13286	-0.00249	0.11918	0.13037	0.12287	kWh
AG5B	Off-Peak Winter	0.10896	0.11975	-0.00249	0.10647	0.11726	0.10976	kWh
AG5B	Part-Peak Winter	0.10962	0.12043	-0.00249	0.10713	0.11794	0.11044	kWh
AG5B	Peak Summer	0.12167	0.13286	-0.00249	0.11918	0.13037	0.12287	kWh
AG5C	Max Part-Peak Demand Summer	8.80760	9.08000	0	8.80760	9.08000	9.08000	kW
AG5C	Max Peak Demand Summer	8.80760	9.08000	0	8.80760	9.08000	9.08000	kW
AG5C	Off-Peak Summer	0.09623	0.10663	-0.00249	0.09374	0.10414	0.09664	kWh
AG5C	Off-Peak Winter	0.09303	0.10333	-0.00249	0.09054	0.10084	0.09334	kWh
AG5C	Part-Peak Summer	0.10212	0.11270	-0.00249	0.09963	0.11021	0.10271	kWh
AG5C	Part-Peak Winter	0.09372	0.10404	-0.00249	0.09123	0.10155	0.09405	kWh
AG5C	Peak Summer	0.10212	0.11270	-0.00249	0.09963	0.11021	0.10271	kWh
AGA1	Off-Peak Summer	0.14477	0.15667	-0.00249	0.14228	0.15418	0.14668	kWh
AGA1	Off-Peak Winter	0.11589	0.12690	-0.00249	0.11340	0.12441	0.11691	kWh
AGA1	Peak Summer	0.26086	0.27635	-0.00249	0.25837	0.27386	0.26636	kWh
AGA1	Peak Winter	0.14155	0.15335	-0.00249	0.13906	0.15086	0.14336	kWh
AGA2	Off-Peak Summer	0.14477	0.15667	-0.00249	0.14228	0.15418	0.14668	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
AGA2	Off-Peak Winter	0.11589	0.12690	-0.00249	0.11340	0.12441	0.11691	kWh
AGA2	Peak Summer	0.26086	0.27635	-0.00249	0.25837	0.27386	0.26636	kWh
AGA2	Peak Winter	0.14155	0.15335	-0.00249	0.13906	0.15086	0.14336	kWh
AGB	Off-Peak Summer	0.15793	0.17024	-0.00249	0.15544	0.16775	0.16025	kWh
AGB	Off-Peak Winter	0.12734	0.13870	-0.00249	0.12485	0.13621	0.12871	kWh
AGB	Peak Summer	0.27731	0.29331	-0.00249	0.27482	0.29082	0.28332	kWh
AGB	Peak Winter	0.15275	0.16490	-0.00249	0.15026	0.16241	0.15491	kWh
AGC	Max Peak Demand Summer	17.42120	17.96000	0	17.42120	17.96000	17.96000	kW
AGC	Off-Peak Summer	0.10776	0.11852	-0.00249	0.10527	0.11603	0.10853	kWh
AGC	Off-Peak Winter	0.09740	0.10784	-0.00249	0.09491	0.10535	0.09785	kWh
AGC	Peak Summer	0.13636	0.14800	-0.00249	0.13387	0.14551	0.13801	kWh
AGC	Peak Winter	0.12216	0.13336	-0.00249	0.11967	0.13087	0.12337	kWh
AGFA	Off-Peak Summer	0.15284	0.16499	-0.00249	0.15035	0.16250	0.15500	kWh
AGFA	Off-Peak Winter	0.11729	0.12834	-0.00249	0.11480	0.12585	0.11835	kWh
AGFA	Peak Summer	0.22767	0.24213	-0.00249	0.22518	0.23964	0.23214	kWh
AGFA	Peak Winter	0.14295	0.15479	-0.00249	0.14046	0.15230	0.14480	kWh
AGFB	Off-Peak Summer	0.16701	0.17960	-0.00249	0.16452	0.17711	0.16961	kWh
AGFB	Off-Peak Winter	0.12966	0.14109	-0.00249	0.12717	0.13860	0.13110	kWh
AGFB	Peak Summer	0.24588	0.26091	-0.00249	0.24339	0.25842	0.25092	kWh
AGFB	Peak Winter	0.15531	0.16754	-0.00249	0.15282	0.16505	0.15755	kWh
AGFC	Max Peak Demand Summer	17.42120	17.96000	0	17.42120	17.96000	17.96000	kW
AGFC	Off-Peak Summer	0.11784	0.12891	-0.00249	0.11535	0.12642	0.11892	kWh
AGFC	Off-Peak Winter	0.10731	0.11805	-0.00249	0.10482	0.11556	0.10806	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
AGFC	Peak Summer	0.14695	0.15892	-0.00249	0.14446	0.15643	0.14893	kWh
AGFC	Peak Winter	0.13296	0.14450	-0.00249	0.13047	0.14201	0.13451	kWh
AGRA	Connected Load Summer	2.16310	2.23000	0	2.16310	2.23000	2.23000	kW
AGRA	Off-Peak Summer	0.12121	0.13238	-0.00249	0.11872	0.12989	0.12239	kWh
AGRA	Off-Peak Winter	0.10441	0.11506	-0.00249	0.10192	0.11257	0.10507	kWh
AGRA	Part-Peak Winter	0.10510	0.11577	-0.00249	0.10261	0.11328	0.10578	kWh
AGRA	Peak Summer	0.12121	0.13238	-0.00249	0.11872	0.12989	0.12239	kWh
AGRB	Max Demand Summer	3.19130	3.29000	0	3.19130	3.29000	3.29000	kW
AGRB	Max Peak Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
AGRB	Off-Peak Summer	0.11477	0.12574	-0.00249	0.11228	0.12325	0.11575	kWh
AGRB	Off-Peak Winter	0.10302	0.11363	-0.00249	0.10053	0.11114	0.10364	kWh
AGRB	Part-Peak Winter	0.10371	0.11434	-0.00249	0.10122	0.11185	0.10435	kWh
AGRB	Peak Summer	0.11477	0.12574	-0.00249	0.11228	0.12325	0.11575	kWh
AGVA	Connected Load Summer	2.26980	2.34000	0	2.26980	2.34000	2.34000	kW
AGVA	Off-Peak Summer	0.11757	0.12863	-0.00249	0.11508	0.12614	0.11864	kWh
AGVA	Off-Peak Winter	0.10211	0.11269	-0.00249	0.09962	0.11020	0.10270	kWh
AGVA	Part-Peak Winter	0.10280	0.11340	-0.00249	0.10031	0.11091	0.10341	kWh
AGVA	Peak Summer	0.11757	0.12863	-0.00249	0.11508	0.12614	0.11864	kWh
AGVB	Max Demand Summer	3.01670	3.11000	0	3.01670	3.11000	3.11000	kW
AGVB	Max Peak Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
AGVB	Off-Peak Summer	0.11140	0.12227	-0.00249	0.10891	0.11978	0.11228	kWh
AGVB	Off-Peak Winter	0.09868	0.10915	-0.00249	0.09619	0.10666	0.09916	kWh
AGVB	Part-Peak Winter	0.09936	0.10986	-0.00249	0.09687	0.10737	0.09987	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
AGVB	Peak Summer	0.11140	0.12227	-0.00249	0.10891	0.11978	0.11228	kWh
B1	Off-Peak Summer	0.13990	0.15164	-0.00268	0.13722	0.14896	0.14146	kWh
B1	Off-Peak Winter	0.13861	0.15031	-0.00268	0.13593	0.14763	0.14013	kWh
B1	Part-Peak Summer	0.16007	0.17244	-0.00268	0.15739	0.16976	0.16226	kWh
B1	Peak Summer	0.20783	0.22167	-0.00268	0.20515	0.21899	0.21149	kWh
B1	Peak Winter	0.15423	0.16642	-0.00268	0.15155	0.16374	0.15624	kWh
B1	Super-Off-Peak Winter	0.12268	0.13389	-0.00268	0.12000	0.13121	0.12371	kWh
B1-ST	Off-Peak Summer	0.13549	0.14710	-0.00268	0.13281	0.14442	0.13692	kWh
B1-ST	Off-Peak Winter	0.12898	0.14039	-0.00268	0.12630	0.13771	0.13021	kWh
B1-ST	Part-Peak Summer	0.17017	0.18285	-0.00268	0.16749	0.18017	0.17267	kWh
B1-ST	Part-Peak Winter	0.15032	0.16239	-0.00268	0.14764	0.15971	0.15221	kWh
B1-ST	Peak Summer	0.21136	0.22531	-0.00268	0.20868	0.22263	0.21513	kWh
B1-ST	Peak Winter	0.16229	0.17473	-0.00268	0.15961	0.17205	0.16455	kWh
B1-ST	Super-Off-Peak Winter	0.11306	0.12397	-0.00268	0.11038	0.12129	0.11379	kWh
B10P	Off-Peak Summer	0.13019	0.14163	-0.00283	0.12736	0.13880	0.13130	kWh
B10P	Off-Peak Winter	0.13103	0.14250	-0.00283	0.12820	0.13967	0.13217	kWh
B10P	Part-Peak Summer	0.16010	0.17246	-0.00283	0.15727	0.16963	0.16213	kWh
B10P	Peak Summer	0.21666	0.23077	-0.00283	0.21383	0.22794	0.22044	kWh
B10P	Peak Winter	0.16366	0.17613	-0.00283	0.16083	0.17330	0.16580	kWh
B10P	Super-Off-Peak Winter	0.09579	0.10616	-0.00283	0.09296	0.10333	0.09583	kWh
B10S	Off-Peak Summer	0.14211	0.15392	-0.00283	0.13928	0.15109	0.14359	kWh
B10S	Off-Peak Winter	0.14282	0.15465	-0.00283	0.13999	0.15182	0.14432	kWh
B10S	Part-Peak Summer	0.17371	0.18649	-0.00283	0.17088	0.18366	0.17616	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
B10S	Peak Summer	0.23354	0.24818	-0.00283	0.23071	0.24535	0.23785	kWh
B10S	Peak Winter	0.17724	0.19013	-0.00283	0.17441	0.18730	0.17980	kWh
B10S	Super-Off-Peak Winter	0.10757	0.11831	-0.00283	0.10474	0.11548	0.10798	kWh
B10T	Off-Peak Summer	0.11120	0.12205	-0.00283	0.10837	0.11922	0.11172	kWh
B10T	Off-Peak Winter	0.11210	0.12298	-0.00283	0.10927	0.12015	0.11265	kWh
B10T	Part-Peak Summer	0.14037	0.15212	-0.00283	0.13754	0.14929	0.14179	kWh
B10T	Peak Summer	0.19540	0.20886	-0.00283	0.19257	0.20603	0.19853	kWh
B10T	Peak Winter	0.14395	0.15581	-0.00283	0.14112	0.15298	0.14548	kWh
B10T	Super-Off-Peak Winter	0.07685	0.08664	-0.00283	0.07402	0.08381	0.07631	kWh
B19P	Max Part-Peak Demand Summer	2.56080	2.64000	0	2.56080	2.64000	2.64000	kW
B19P	Max Peak Demand Summer	17.49880	18.04000	0	17.49880	18.04000	18.04000	kW
B19P	Max Peak Demand Winter	1.79450	1.85000	0	1.79450	1.85000	1.85000	kW
B19P	Off-Peak Summer	0.09981	0.11031	-0.00265	0.09716	0.10766	0.10016	kWh
B19P	Off-Peak Winter	0.10014	0.11066	-0.00265	0.09749	0.10801	0.10051	kWh
B19P	Part-Peak Summer	0.12716	0.13851	-0.00265	0.12451	0.13586	0.12836	kWh
B19P	Peak Summer	0.15863	0.17095	-0.00265	0.15598	0.16830	0.16080	kWh
B19P	Peak Winter	0.14033	0.15209	-0.00265	0.13768	0.14944	0.14194	kWh
B19P	Super-Off-Peak Winter	0.04297	0.05172	-0.00265	0.04032	0.04907	0.04157	kWh
B19PR	Off-Peak Summer	0.11466	0.12562	-0.00265	0.11201	0.12297	0.11547	kWh
B19PR	Off-Peak Winter	0.11476	0.12573	-0.00265	0.11211	0.12308	0.11558	kWh
B19PR	Part-Peak Summer	0.14898	0.16101	-0.00265	0.14633	0.15836	0.15086	kWh
B19PR	Peak Summer	0.26882	0.28455	-0.00265	0.26617	0.28190	0.27440	kWh
B19PR	Peak Winter	0.15128	0.16338	-0.00265	0.14863	0.16073	0.15323	kWh





This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
B19PR	Super-Off-Peak Winter	0.08002	0.08991	-0.00265	0.07737	0.08726	0.07976	kWh
B19PS	Off-Peak Summer	0.11466	0.12562	-0.00265	0.11201	0.12297	0.11547	kWh
B19PS	Off-Peak Winter	0.11476	0.12573	-0.00265	0.11211	0.12308	0.11558	kWh
B19PS	Part-Peak Summer	0.14898	0.16101	-0.00265	0.14633	0.15836	0.15086	kWh
B19PS	Peak Summer	0.26882	0.28455	-0.00265	0.26617	0.28190	0.27440	kWh
B19PS	Peak Winter	0.15128	0.16338	-0.00265	0.14863	0.16073	0.15323	kWh
B19PS	Super-Off-Peak Winter	0.08002	0.08991	-0.00265	0.07737	0.08726	0.07976	kWh
B19S	Max Part-Peak Demand Summer	3.00700	3.10000	0	3.00700	3.10000	3.10000	kW
B19S	Max Peak Demand Summer	20.69010	21.33000	0	20.69010	21.33000	21.33000	kW
B19S	Max Peak Demand Winter	2.45410	2.53000	0	2.45410	2.53000	2.53000	kW
B19S	Off-Peak Summer	0.10910	0.11989	-0.00265	0.10645	0.11724	0.10974	kWh
B19S	Off-Peak Winter	0.10898	0.11977	-0.00265	0.10633	0.11712	0.10962	kWh
B19S	Part-Peak Summer	0.13821	0.14990	-0.00265	0.13556	0.14725	0.13975	kWh
B19S	Peak Summer	0.17936	0.19233	-0.00265	0.17671	0.18968	0.18218	kWh
B19S	Peak Winter	0.15322	0.16538	-0.00265	0.15057	0.16273	0.15523	kWh
B19S	Super-Off-Peak Winter	0.04963	0.05858	-0.00265	0.04698	0.05593	0.04843	kWh
B19SR	Off-Peak Summer	0.12741	0.13877	-0.00265	0.12476	0.13612	0.12862	kWh
B19SR	Off-Peak Winter	0.12734	0.13870	-0.00265	0.12469	0.13605	0.12855	kWh
B19SR	Part-Peak Summer	0.16477	0.17728	-0.00265	0.16212	0.17463	0.16713	kWh
B19SR	Peak Summer	0.29627	0.31285	-0.00265	0.29362	0.31020	0.30270	kWh
B19SR	Peak Winter	0.16839	0.18102	-0.00265	0.16574	0.17837	0.17087	kWh
B19SR	Super-Off-Peak Winter	0.09260	0.10288	-0.00265	0.08995	0.10023	0.09273	kWh
B19SS	Off-Peak Summer	0.12741	0.13877	-0.00265	0.12476	0.13612	0.12862	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
B19SS	Off-Peak Winter	0.12734	0.13870	-0.00265	0.12469	0.13605	0.12855	kWh
B19SS	Part-Peak Summer	0.16477	0.17728	-0.00265	0.16212	0.17463	0.16713	kWh
B19SS	Peak Summer	0.29627	0.31285	-0.00265	0.29362	0.31020	0.30270	kWh
B19SS	Peak Winter	0.16839	0.18102	-0.00265	0.16574	0.17837	0.17087	kWh
B19SS	Super-Off-Peak Winter	0.09260	0.10288	-0.00265	0.08995	0.10023	0.09273	kWh
B19T	Max Part-Peak Demand Summer	3.88970	4.01000	0	3.88970	4.01000	4.01000	kW
B19T	Max Peak Demand Summer	15.54910	16.03000	0	15.54910	16.03000	16.03000	kW
B19T	Max Peak Demand Winter	1.49380	1.54000	0	1.49380	1.54000	1.54000	kW
B19T	Off-Peak Summer	0.10278	0.11338	-0.00265	0.10013	0.11073	0.10323	kWh
B19T	Off-Peak Winter	0.10340	0.11402	-0.00265	0.10075	0.11137	0.10387	kWh
B19T	Part-Peak Summer	0.13090	0.14237	-0.00265	0.12825	0.13972	0.13222	kWh
B19T	Peak Summer	0.14411	0.15599	-0.00265	0.14146	0.15334	0.14584	kWh
B19T	Peak Winter	0.14322	0.15507	-0.00265	0.14057	0.15242	0.14492	kWh
B19T	Super-Off-Peak Winter	0.04484	0.05364	-0.00265	0.04219	0.05099	0.04349	kWh
B19TR	Off-Peak Summer	0.11484	0.12581	-0.00265	0.11219	0.12316	0.11566	kWh
B19TR	Off-Peak Winter	0.11504	0.12602	-0.00265	0.11239	0.12337	0.11587	kWh
B19TR	Part-Peak Summer	0.15573	0.16796	-0.00265	0.15308	0.16531	0.15781	kWh
B19TR	Peak Summer	0.23478	0.24946	-0.00265	0.23213	0.24681	0.23931	kWh
B19TR	Peak Winter	0.14771	0.15970	-0.00265	0.14506	0.15705	0.14955	kWh
B19TR	Super-Off-Peak Winter	0.08030	0.09020	-0.00265	0.07765	0.08755	0.08005	kWh
B19TS	Off-Peak Summer	0.11484	0.12581	-0.00265	0.11219	0.12316	0.11566	kWh
B19TS	Off-Peak Winter	0.11504	0.12602	-0.00265	0.11239	0.12337	0.11587	kWh
B19TS	Part-Peak Summer	0.15573	0.16796	-0.00265	0.15308	0.16531	0.15781	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
B19TS	Peak Summer	0.23478	0.24946	-0.00265	0.23213	0.24681	0.23931	kWh
B19TS	Peak Winter	0.14771	0.15970	-0.00265	0.14506	0.15705	0.14955	kWh
B19TS	Super-Off-Peak Winter	0.08030	0.09020	-0.00265	0.07765	0.08755	0.08005	kWh
B20P	Max Part-Peak Demand Summer	3.00700	3.10000	0	3.00700	3.10000	3.10000	kW
B20P	Max Peak Demand Summer	21.86380	22.54000	0	21.86380	22.54000	22.54000	kW
B20P	Max Peak Demand Winter	2.51230	2.59000	0	2.51230	2.59000	2.59000	kW
B20P	Off-Peak Summer	0.10071	0.11125	-0.00243	0.09828	0.10882	0.10132	kWh
B20P	Off-Peak Winter	0.10078	0.11132	-0.00243	0.09835	0.10889	0.10139	kWh
B20P	Part-Peak Summer	0.12862	0.14002	-0.00243	0.12619	0.13759	0.13009	kWh
B20P	Peak Summer	0.16864	0.18128	-0.00243	0.16621	0.17885	0.17135	kWh
B20P	Peak Winter	0.14317	0.15502	-0.00243	0.14074	0.15259	0.14509	kWh
B20P	Super-Off-Peak Winter	0.04065	0.04933	-0.00243	0.03822	0.04690	0.03940	kWh
B20PR	Off-Peak Summer	0.11552	0.12652	-0.00243	0.11309	0.12409	0.11659	kWh
B20PR	Off-Peak Winter	0.11557	0.12657	-0.00243	0.11314	0.12414	0.11664	kWh
B20PR	Part-Peak Summer	0.14918	0.16122	-0.00243	0.14675	0.15879	0.15129	kWh
B20PR	Peak Summer	0.27421	0.29012	-0.00243	0.27178	0.28769	0.28019	kWh
B20PR	Peak Winter	0.15444	0.16664	-0.00243	0.15201	0.16421	0.15671	kWh
B20PR	Super-Off-Peak Winter	0.08089	0.09082	-0.00243	0.07846	0.08839	0.08089	kWh
B20PS	Off-Peak Summer	0.11552	0.12652	-0.00243	0.11309	0.12409	0.11659	kWh
B20PS	Off-Peak Winter	0.11557	0.12657	-0.00243	0.11314	0.12414	0.11664	kWh
B20PS	Part-Peak Summer	0.14918	0.16122	-0.00243	0.14675	0.15879	0.15129	kWh
B20PS	Peak Summer	0.27421	0.29012	-0.00243	0.27178	0.28769	0.28019	kWh
B20PS	Peak Winter	0.15444	0.16664	-0.00243	0.15201	0.16421	0.15671	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
B20PS	Super-Off-Peak Winter	0.08089	0.09082	-0.00243	0.07846	0.08839	0.08089	kWh
B20S	Max Part-Peak Demand Summer	2.83240	2.92000	0	2.83240	2.92000	2.92000	kW
B20S	Max Peak Demand Summer	19.54550	20.15000	0	19.54550	20.15000	20.15000	kW
B20S	Max Peak Demand Winter	2.49290	2.57000	0	2.49290	2.57000	2.57000	kW
B20S	Off-Peak Summer	0.10591	0.11661	-0.00254	0.10337	0.11407	0.10657	kWh
B20S	Off-Peak Winter	0.10568	0.11637	-0.00254	0.10314	0.11383	0.10633	kWh
B20S	Part-Peak Summer	0.13530	0.14691	-0.00254	0.13276	0.14437	0.13687	kWh
B20S	Peak Summer	0.17252	0.18528	-0.00254	0.16998	0.18274	0.17524	kWh
B20S	Peak Winter	0.15035	0.16242	-0.00254	0.14781	0.15988	0.15238	kWh
B20S	Super-Off-Peak Winter	0.04584	0.05468	-0.00254	0.04330	0.05214	0.04464	kWh
B20SR	Off-Peak Summer	0.12074	0.13190	-0.00254	0.11820	0.12936	0.12186	kWh
B20SR	Off-Peak Winter	0.12062	0.13177	-0.00254	0.11808	0.12923	0.12173	kWh
B20SR	Part-Peak Summer	0.15708	0.16936	-0.00254	0.15454	0.16682	0.15932	kWh
B20SR	Peak Summer	0.28585	0.30211	-0.00254	0.28331	0.29957	0.29207	kWh
B20SR	Peak Winter	0.16304	0.17550	-0.00254	0.16050	0.17296	0.16546	kWh
B20SR	Super-Off-Peak Winter	0.08594	0.09602	-0.00254	0.08340	0.09348	0.08598	kWh
B20SS	Off-Peak Summer	0.12074	0.13190	-0.00254	0.11820	0.12936	0.12186	kWh
B20SS	Off-Peak Winter	0.12062	0.13177	-0.00254	0.11808	0.12923	0.12173	kWh
B20SS	Part-Peak Summer	0.15708	0.16936	-0.00254	0.15454	0.16682	0.15932	kWh
B20SS	Peak Summer	0.28585	0.30211	-0.00254	0.28331	0.29957	0.29207	kWh
B20SS	Peak Winter	0.16304	0.17550	-0.00254	0.16050	0.17296	0.16546	kWh
B20SS	Super-Off-Peak Winter	0.08594	0.09602	-0.00254	0.08340	0.09348	0.08598	kWh
B20T	Max Part-Peak Demand Summer	5.44170	5.61000	0	5.44170	5.61000	5.61000	kW



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
B20T	Max Peak Demand Summer	22.81440	23.52000	0	22.81440	23.52000	23.52000	kW
B20T	Max Peak Demand Winter	3.04580	3.14000	0	3.04580	3.14000	3.14000	kW
B20T	Off-Peak Summer	0.09285	0.10315	-0.0023	0.09055	0.10085	0.09335	kWh
B20T	Off-Peak Winter	0.08855	0.09872	-0.0023	0.08625	0.09642	0.08892	kWh
B20T	Part-Peak Summer	0.12091	0.13208	-0.0023	0.11861	0.12978	0.12228	kWh
B20T	Peak Summer	0.14606	0.15801	-0.0023	0.14376	0.15571	0.14821	kWh
B20T	Peak Winter	0.13931	0.15105	-0.0023	0.13701	0.14875	0.14125	kWh
B20T	Super-Off-Peak Winter	0.03786	0.04646	-0.0023	0.03556	0.04416	0.03666	kWh
B20TR	Off-Peak Summer	0.10716	0.11790	-0.0023	0.10486	0.11560	0.10810	kWh
B20TR	Off-Peak Winter	0.10432	0.11498	-0.0023	0.10202	0.11268	0.10518	kWh
B20TR	Part-Peak Summer	0.15590	0.16815	-0.0023	0.15360	0.16585	0.15835	kWh
B20TR	Peak Summer	0.27096	0.28677	-0.0023	0.26866	0.28447	0.27697	kWh
B20TR	Peak Winter	0.15574	0.16799	-0.0023	0.15344	0.16569	0.15819	kWh
B20TR	Super-Off-Peak Winter	0.07251	0.08218	-0.0023	0.07021	0.07988	0.07238	kWh
B20TS	Off-Peak Summer	0.10716	0.11790	-0.0023	0.10486	0.11560	0.10810	kWh
B20TS	Off-Peak Winter	0.10432	0.11498	-0.0023	0.10202	0.11268	0.10518	kWh
B20TS	Part-Peak Summer	0.15590	0.16815	-0.0023	0.15360	0.16585	0.15835	kWh
B20TS	Peak Summer	0.27096	0.28677	-0.0023	0.26866	0.28447	0.27697	kWh
B20TS	Peak Winter	0.15574	0.16799	-0.0023	0.15344	0.16569	0.15819	kWh
B20TS	Super-Off-Peak Winter	0.07251	0.08218	-0.0023	0.07021	0.07988	0.07238	kWh
B6	Off-Peak Summer	0.13204	0.14354	-0.00268	0.12936	0.14086	0.13336	kWh
B6	Off-Peak Winter	0.12230	0.13350	-0.00268	0.11962	0.13082	0.12332	kWh
B6	Peak Summer	0.29687	0.31347	-0.00268	0.29419	0.31079	0.30329	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
B6	Peak Winter	0.16066	0.17305	-0.00268	0.15798	0.17037	0.16287	kWh
B6	Super-Off-Peak Winter	0.08730	0.09742	-0.00268	0.08462	0.09474	0.08724	kWh
BEV1	Off-Peak	0.11330	0.12424	-0.00218	0.11112	0.12206	0.11456	kWh
BEV1	Peak	0.29039	0.30680	-0.00218	0.28821	0.30462	0.29712	kWh
BEV1	Super-Off-Peak	0.08867	0.09885	-0.00218	0.08649	0.09667	0.08917	kWh
BEV2P	Off-Peak	0.10925	0.12005	-0.00265	0.10660	0.11740	0.10990	kWh
BEV2P	Peak	0.29935	0.31603	-0.00265	0.29670	0.31338	0.30588	kWh
BEV2P	Super-Off-Peak	0.08578	0.09585	-0.00265	0.08313	0.09320	0.08570	kWh
BEV2S	Off-Peak	0.11216	0.12305	-0.00265	0.10951	0.12040	0.11290	kWh
BEV2S	Peak	0.30942	0.32641	-0.00265	0.30677	0.32376	0.31626	kWh
BEV2S	Super-Off-Peak	0.08753	0.09765	-0.00265	0.08488	0.09500	0.08750	kWh
E1	Flat	0.15427	0.16645	-0.00281	0.15146	0.16364	0.15614	kWh
E19P	Max Part-Peak Demand Summer	11.78550	12.15000	0	11.78550	12.15000	12.15000	kW
E19P	Max Peak Demand Summer	11.78550	12.15000	0	11.78550	12.15000	12.15000	kW
E19P	Off-Peak Summer	0.09891	0.10939	-0.00265	0.09626	0.10674	0.09924	kWh
E19P	Off-Peak Winter	0.09587	0.10625	-0.00265	0.09322	0.10360	0.09610	kWh
E19P	Part-Peak Summer	0.10446	0.11511	-0.00265	0.10181	0.11246	0.10496	kWh
E19P	Part-Peak Winter	0.09652	0.10692	-0.00265	0.09387	0.10427	0.09677	kWh
E19P	Peak Summer	0.10446	0.11511	-0.00265	0.10181	0.11246	0.10496	kWh
E19PR	Off-Peak Summer	0.12712	0.13847	-0.00265	0.12447	0.13582	0.12832	kWh
E19PR	Off-Peak Winter	0.12407	0.13533	-0.00265	0.12142	0.13268	0.12518	kWh
E19PR	Part-Peak Summer	0.15559	0.16782	-0.00265	0.15294	0.16517	0.15767	kWh
E19PR	Part-Peak Winter	0.12472	0.13600	-0.00265	0.12207	0.13335	0.12585	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
E19PR	Peak Summer	0.15559	0.16782	-0.00265	0.15294	0.16517	0.15767	kWh
E19S	Max Part-Peak Demand Summer	13.40540	13.82000	0	13.40540	13.82000	13.82000	kW
E19S	Max Peak Demand Summer	13.40540	13.82000	0	13.40540	13.82000	13.82000	kW
E19S	Off-Peak Summer	0.11065	0.12149	-0.00265	0.10800	0.11884	0.11134	kWh
E19S	Off-Peak Winter	0.10745	0.11819	-0.00265	0.10480	0.11554	0.10804	kWh
E19S	Part-Peak Summer	0.11644	0.12746	-0.00265	0.11379	0.12481	0.11731	kWh
E19S	Part-Peak Winter	0.10814	0.11890	-0.00265	0.10549	0.11625	0.10875	kWh
E19S	Peak Summer	0.11644	0.12746	-0.00265	0.11379	0.12481	0.11731	kWh
E19SR	Off-Peak Summer	0.14249	0.15431	-0.00265	0.13984	0.15166	0.14416	kWh
E19SR	Off-Peak Winter	0.13928	0.15101	-0.00265	0.13663	0.14836	0.14086	kWh
E19SR	Part-Peak Summer	0.17464	0.18746	-0.00265	0.17199	0.18481	0.17731	kWh
E19SR	Part-Peak Winter	0.13997	0.15172	-0.00265	0.13732	0.14907	0.14157	kWh
E19SR	Peak Summer	0.17464	0.18746	-0.00265	0.17199	0.18481	0.17731	kWh
E19T	Max Part-Peak Demand Summer	13.02710	13.43000	0	13.02710	13.43000	13.43000	kW
E19T	Max Peak Demand Summer	13.02710	13.43000	0	13.02710	13.43000	13.43000	kW
E19T	Off-Peak Summer	0.08876	0.09892	-0.00265	0.08611	0.09627	0.08877	kWh
E19T	Off-Peak Winter	0.08576	0.09583	-0.00265	0.08311	0.09318	0.08568	kWh
E19T	Part-Peak Summer	0.09425	0.10458	-0.00265	0.09160	0.10193	0.09443	kWh
E19T	Part-Peak Winter	0.08640	0.09649	-0.00265	0.08375	0.09384	0.08634	kWh
E19T	Peak Summer	0.09425	0.10458	-0.00265	0.09160	0.10193	0.09443	kWh
E19TR	Off-Peak Summer	0.12250	0.13371	-0.00265	0.11985	0.13106	0.12356	kWh
E19TR	Off-Peak Winter	0.11951	0.13062	-0.00265	0.11686	0.12797	0.12047	kWh
E19TR	Part-Peak Summer	0.14739	0.15937	-0.00265	0.14474	0.15672	0.14922	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
E19TR	Part-Peak Winter	0.12015	0.13128	-0.00265	0.11750	0.12863	0.12113	kWh
E19TR	Peak Summer	0.14739	0.15937	-0.00265	0.14474	0.15672	0.14922	kWh
E20P	Max Part-Peak Demand Summer	13.81280	14.24000	0	13.81280	14.24000	14.24000	kW
E20P	Max Peak Demand Summer	13.81280	14.24000	0	13.81280	14.24000	14.24000	kW
E20P	Off-Peak Summer	0.10191	0.11249	-0.00243	0.09948	0.11006	0.10256	kWh
E20P	Off-Peak Winter	0.09887	0.10935	-0.00243	0.09644	0.10692	0.09942	kWh
E20P	Part-Peak Summer	0.10750	0.11825	-0.00243	0.10507	0.11582	0.10832	kWh
E20P	Part-Peak Winter	0.09952	0.11002	-0.00243	0.09709	0.10759	0.10009	kWh
E20P	Peak Summer	0.10750	0.11825	-0.00243	0.10507	0.11582	0.10832	kWh
E20PR	Off-Peak Summer	0.12847	0.13987	-0.00243	0.12604	0.13744	0.12994	kWh
E20PR	Off-Peak Winter	0.12543	0.13673	-0.00243	0.12300	0.13430	0.12680	kWh
E20PR	Part-Peak Summer	0.15908	0.17142	-0.00243	0.15665	0.16899	0.16149	kWh
E20PR	Part-Peak Winter	0.12608	0.13740	-0.00243	0.12365	0.13497	0.12747	kWh
E20PR	Peak Summer	0.15908	0.17142	-0.00243	0.15665	0.16899	0.16149	kWh
E20S	Max Part-Peak Demand Summer	12.86220	13.26000	0	12.86220	13.26000	13.26000	kW
E20S	Max Peak Demand Summer	12.86220	13.26000	0	12.86220	13.26000	13.26000	kW
E20S	Off-Peak Summer	0.10537	0.11605	-0.00254	0.10283	0.11351	0.10601	kWh
E20S	Off-Peak Winter	0.10217	0.11275	-0.00254	0.09963	0.11021	0.10271	kWh
E20S	Part-Peak Summer	0.11111	0.12197	-0.00254	0.10857	0.11943	0.11193	kWh
E20S	Part-Peak Winter	0.10286	0.11346	-0.00254	0.10032	0.11092	0.10342	kWh
E20S	Peak Summer	0.11111	0.12197	-0.00254	0.10857	0.11943	0.11193	kWh
E20SR	Off-Peak Summer	0.13387	0.14543	-0.00254	0.13133	0.14289	0.13539	kWh
E20SR	Off-Peak Winter	0.13067	0.14213	-0.00254	0.12813	0.13959	0.13209	kWh





This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
E20SR	Part-Peak Summer	0.16333	0.17580	-0.00254	0.16079	0.17326	0.16576	kWh
E20SR	Part-Peak Winter	0.13136	0.14284	-0.00254	0.12882	0.14030	0.13280	kWh
E20SR	Peak Summer	0.16333	0.17580	-0.00254	0.16079	0.17326	0.16576	kWh
E20T	Max Part-Peak Demand Summer	16.74220	17.26000	0	16.74220	17.26000	17.26000	kW
E20T	Max Peak Demand Summer	16.74220	17.26000	0	16.74220	17.26000	17.26000	kW
E20T	Off-Peak Summer	0.08868	0.09885	-0.0023	0.08638	0.09655	0.08905	kWh
E20T	Off-Peak Winter	0.08568	0.09576	-0.0023	0.08338	0.09346	0.08596	kWh
E20T	Part-Peak Summer	0.09418	0.10452	-0.0023	0.09188	0.10222	0.09472	kWh
E20T	Part-Peak Winter	0.08632	0.09642	-0.0023	0.08402	0.09412	0.08662	kWh
E20T	Peak Summer	0.09418	0.10452	-0.0023	0.09188	0.10222	0.09472	kWh
E20TR	Off-Peak Summer	0.12110	0.13227	-0.0023	0.11880	0.12997	0.12247	kWh
E20TR	Off-Peak Winter	0.11810	0.12918	-0.0023	0.11580	0.12688	0.11938	kWh
E20TR	Part-Peak Summer	0.15137	0.16348	-0.0023	0.14907	0.16118	0.15368	kWh
E20TR	Part-Peak Winter	0.11874	0.12984	-0.0023	0.11644	0.12754	0.12004	kWh
E20TR	Peak Summer	0.15137	0.16348	-0.0023	0.14907	0.16118	0.15368	kWh
E6	Off-Peak Summer	0.13112	0.14259	-0.00281	0.12831	0.13978	0.13228	kWh
E6	Off-Peak Winter	0.13021	0.14165	-0.00281	0.12740	0.13884	0.13134	kWh
E6	Part-Peak Summer	0.19920	0.21277	-0.00281	0.19639	0.20996	0.20246	kWh
E6	Part-Peak Winter	0.16300	0.17545	-0.00281	0.16019	0.17264	0.16514	kWh
E6	Peak Summer	0.27964	0.29570	-0.00281	0.27683	0.29289	0.28539	kWh
EELEC	Off-Peak Summer	0.14881	0.16083	-0.00281	0.14600	0.15802	0.15052	kWh
EELEC	Off-Peak Winter	0.09911	0.10959	-0.00281	0.09630	0.10678	0.09928	kWh
EELEC	Part-Peak Summer	0.19256	0.20593	-0.00281	0.18975	0.20312	0.19562	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
EELEC	Part-Peak Winter	0.11206	0.12294	-0.00281	0.10925	0.12013	0.11263	kWh
EELEC	Peak Summer	0.28870	0.30504	-0.00281	0.28589	0.30223	0.29473	kWh
EELEC	Peak Winter	0.13143	0.14291	-0.00281	0.12862	0.14010	0.13260	kWh
ETOUB	Off-Peak Summer	0.14817	0.16017	-0.00281	0.14536	0.15736	0.14986	kWh
ETOUB	Off-Peak Winter	0.12709	0.13843	-0.00281	0.12428	0.13562	0.12812	kWh
ETOUB	Peak Summer	0.26754	0.28323	-0.00281	0.26473	0.28042	0.27292	kWh
ETOUB	Peak Winter	0.16472	0.17723	-0.00281	0.16191	0.17442	0.16692	kWh
ETOUC	Off-Peak Summer	0.14580	0.15772	-0.00281	0.14299	0.15491	0.14741	kWh
ETOUC	Off-Peak Winter	0.13591	0.14753	-0.00281	0.13310	0.14472	0.13722	kWh
ETOUC	Peak Summer	0.20733	0.22116	-0.00281	0.20452	0.21835	0.21085	kWh
ETOUC	Peak Winter	0.16019	0.17256	-0.00281	0.15738	0.16975	0.16225	kWh
ETOUD	Off-Peak Summer	0.12875	0.14015	-0.00281	0.12594	0.13734	0.12984	kWh
ETOUD	Off-Peak Winter	0.15689	0.16916	-0.00281	0.15408	0.16635	0.15885	kWh
ETOUD	Peak Summer	0.23057	0.24511	-0.00281	0.22776	0.24230	0.23480	kWh
ETOUD	Peak Winter	0.19092	0.20424	-0.00281	0.18811	0.20143	0.19393	kWh
EV2	Off-Peak Summer	0.13230	0.14380	-0.00281	0.12949	0.14099	0.13349	kWh
EV2	Off-Peak Winter	0.12551	0.13681	-0.00281	0.12270	0.13400	0.12650	kWh
EV2	Part-Peak Summer	0.17220	0.18494	-0.00281	0.16939	0.18213	0.17463	kWh
EV2	Part-Peak Winter	0.14829	0.16029	-0.00281	0.14548	0.15748	0.14998	kWh
EV2	Peak Summer	0.21557	0.22965	-0.00281	0.21276	0.22684	0.21934	kWh
EV2	Peak Winter	0.16041	0.17278	-0.00281	0.15760	0.16997	0.16247	kWh
EVA	Off-Peak Summer	0.12259	0.13379	-0.00281	0.11978	0.13098	0.12348	kWh
EVA	Off-Peak Winter	0.09400	0.10432	-0.00281	0.09119	0.10151	0.09401	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	June 2023 PG&E Generation Rate	Unit
EVA	Part-Peak Summer	0.16757	0.18017	-0.00281	0.16476	0.17736	0.16986	kWh
EVA	Part-Peak Winter	0.09400	0.10432	-0.00281	0.09119	0.10151	0.09401	kWh
EVA	Peak Summer	0.30674	0.32364	-0.00281	0.30393	0.32083	0.31333	kWh
EVA	Peak Winter	0.11810	0.12917	-0.00281	0.11529	0.12636	0.11886	kWh
EVB	Off-Peak Summer	0.12259	0.13379	-0.00281	0.11978	0.13098	0.12348	kWh
EVB	Off-Peak Winter	0.09400	0.10432	-0.00281	0.09119	0.10151	0.09401	kWh
EVB	Part-Peak Summer	0.16757	0.18017	-0.00281	0.16476	0.17736	0.16986	kWh
EVB	Part-Peak Winter	0.09400	0.10432	-0.00281	0.09119	0.10151	0.09401	kWh
EVB	Peak Summer	0.30674	0.32364	-0.00281	0.30393	0.32083	0.31333	kWh
EVB	Peak Winter	0.11810	0.12917	-0.00281	0.11529	0.12636	0.11886	kWh
LS	Flat	0.12583	0.13715	-0.00228	0.12355	0.13487	0.12737	kWh
TC1	Flat	0.13667	0.14831	-0.00268	0.13399	0.14563	0.13813	kWh