



East Bay Community Energy Rate Sheets

Rates effective as of March 1, 2020

This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| A1 | Summer | 0.10371 | 0.10571 | 0.11571 | 0.02765 | 0.13136 | 0.13336 | 0.14336 | 0.13336 | kWh |
| A1 | Winter | 0.06418 | 0.06558 | 0.07558 | 0.02765 | 0.09183 | 0.09323 | 0.10323 | 0.09323 | kWh |
| A10P | Max Demand Summer | 4.93485 | 5.01000 | 5.01000 | | 4.93485 | 5.01000 | 5.01000 | 5.01000 | kW |
| A10P | Summer | 0.08251 | 0.08420 | 0.09420 | 0.02879 | 0.11130 | 0.11299 | 0.12299 | 0.11299 | kWh |
| A10P | Winter | 0.05911 | 0.06045 | 0.07045 | 0.02879 | 0.08790 | 0.08924 | 0.09924 | 0.08924 | kWh |
| A10PX | Max Demand Summer | 4.93485 | 5.01000 | 5.01000 | | 4.93485 | 5.01000 | 5.01000 | 5.01000 | kW |
| A10PX | Off-Peak Summer | 0.05716 | 0.05847 | 0.06847 | 0.02879 | 0.08595 | 0.08726 | 0.09726 | 0.08726 | kWh |
| A10PX | Off-Peak Winter | 0.05426 | 0.05552 | 0.06552 | 0.02879 | 0.08305 | 0.08431 | 0.09431 | 0.08431 | kWh |
| A10PX | Part-Peak Summer | 0.08339 | 0.08510 | 0.09510 | 0.02879 | 0.11218 | 0.11389 | 0.12389 | 0.11389 | kWh |
| A10PX | Part-Peak Winter | 0.06990 | 0.07140 | 0.08140 | 0.02879 | 0.09869 | 0.10019 | 0.11019 | 0.10019 | kWh |
| A10PX | Peak Summer | 0.13319 | 0.13566 | 0.14566 | 0.02879 | 0.16198 | 0.16445 | 0.17445 | 0.16445 | kWh |
| A10S | Max Demand Summer | 5.65390 | 5.74000 | 5.74000 | | 5.65390 | 5.74000 | 5.74000 | 5.74000 | kW |
| A10S | Summer | 0.09202 | 0.09386 | 0.10386 | 0.02879 | 0.12081 | 0.12265 | 0.13265 | 0.12265 | kWh |
| A10S | Winter | 0.06512 | 0.06655 | 0.07655 | 0.02879 | 0.09391 | 0.09534 | 0.10534 | 0.09534 | kWh |
| A10SX | Max Demand Summer | 5.65390 | 5.74000 | 5.74000 | | 5.65390 | 5.74000 | 5.74000 | 5.74000 | kW |
| A10SX | Off-Peak Summer | 0.06302 | 0.06442 | 0.07442 | 0.02879 | 0.09181 | 0.09321 | 0.10321 | 0.09321 | kWh |
| A10SX | Off-Peak Winter | 0.05817 | 0.05949 | 0.06949 | 0.02879 | 0.08696 | 0.08828 | 0.09828 | 0.08828 | kWh |
| A10SX | Part-Peak Summer | 0.09067 | 0.09249 | 0.10249 | 0.02879 | 0.11946 | 0.12128 | 0.13128 | 0.12128 | kWh |
| A10SX | Part-Peak Winter | 0.07497 | 0.07655 | 0.08655 | 0.02879 | 0.10376 | 0.10534 | 0.11534 | 0.10534 | kWh |
| A10SX | Peak Summer | 0.14497 | 0.14762 | 0.15762 | 0.02879 | 0.17376 | 0.17641 | 0.18641 | 0.17641 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| A10T | Max Demand Summer | 3.90060 | 3.96000 | 3.96000 | | 3.90060 | 3.96000 | 3.96000 | 3.96000 | kW |
| A10T | Summer | 0.07323 | 0.07478 | 0.08478 | 0.02879 | 0.10202 | 0.10357 | 0.11357 | 0.10357 | kWh |
| A10T | Winter | 0.05277 | 0.05401 | 0.06401 | 0.02879 | 0.08156 | 0.08280 | 0.09280 | 0.08280 | kWh |
| A10TX | Max Demand Summer | 3.90060 | 3.96000 | 3.96000 | | 3.90060 | 3.96000 | 3.96000 | 3.96000 | kW |
| A10TX | Off-Peak Summer | 0.04814 | 0.04931 | 0.05931 | 0.02879 | 0.07693 | 0.07810 | 0.08810 | 0.07810 | kWh |
| A10TX | Off-Peak Winter | 0.04709 | 0.04825 | 0.05825 | 0.02879 | 0.07588 | 0.07704 | 0.08704 | 0.07704 | kWh |
| A10TX | Part-Peak Summer | 0.07307 | 0.07462 | 0.08462 | 0.02879 | 0.10186 | 0.10341 | 0.11341 | 0.10341 | kWh |
| A10TX | Part-Peak Winter | 0.06146 | 0.06283 | 0.07283 | 0.02879 | 0.09025 | 0.09162 | 0.10162 | 0.09162 | kWh |
| A10TX | Peak Summer | 0.11924 | 0.12149 | 0.13149 | 0.02879 | 0.14803 | 0.15028 | 0.16028 | 0.15028 | kWh |
| A15 | Summer | 0.10371 | 0.10571 | 0.11571 | 0.02765 | 0.13136 | 0.13336 | 0.14336 | 0.13336 | kWh |
| A15 | Winter | 0.06418 | 0.06558 | 0.07558 | 0.02765 | 0.09183 | 0.09323 | 0.10323 | 0.09323 | kWh |
| A1X | Off-Peak Summer | 0.06788 | 0.06933 | 0.07933 | 0.02765 | 0.09553 | 0.09698 | 0.10698 | 0.09698 | kWh |
| A1X | Off-Peak Winter | 0.07403 | 0.07558 | 0.08558 | 0.02765 | 0.10168 | 0.10323 | 0.11323 | 0.10323 | kWh |
| A1X | Part-Peak Summer | 0.09482 | 0.09669 | 0.10669 | 0.02765 | 0.12247 | 0.12434 | 0.13434 | 0.12434 | kWh |
| A1X | Part-Peak Winter | 0.09463 | 0.09649 | 0.10649 | 0.02765 | 0.12228 | 0.12414 | 0.13414 | 0.12414 | kWh |
| A1X | Peak Summer | 0.11812 | 0.12034 | 0.13034 | 0.02765 | 0.14577 | 0.14799 | 0.15799 | 0.14799 | kWh |
| A6 | Off-Peak Summer | 0.06087 | 0.06222 | 0.07222 | 0.02765 | 0.08852 | 0.08987 | 0.09987 | 0.08987 | kWh |
| A6 | Off-Peak Winter | 0.06872 | 0.07019 | 0.08019 | 0.02765 | 0.09637 | 0.09784 | 0.10784 | 0.09784 | kWh |
| A6 | Part-Peak Summer | 0.11829 | 0.12051 | 0.13051 | 0.02765 | 0.14594 | 0.14816 | 0.15816 | 0.14816 | kWh |
| A6 | Part-Peak Winter | 0.08595 | 0.08768 | 0.09768 | 0.02765 | 0.11360 | 0.11533 | 0.12533 | 0.11533 | kWh |
| A6 | Peak Summer | 0.35428 | 0.36010 | 0.37010 | 0.02765 | 0.38193 | 0.38775 | 0.39775 | 0.38775 | kWh |
| AGA1 | Peak Summer | 0.19918 | 0.20259 | 0.21259 | 0.02458 | 0.22376 | 0.22717 | 0.23717 | 0.22717 | kWh |
| AGA1 | Off-Peak Summer | 0.08130 | 0.08291 | 0.09291 | 0.02458 | 0.10588 | 0.10749 | 0.11749 | 0.10749 | kWh |
| AGA1 | Peak Winter | 0.07803 | 0.07959 | 0.08959 | 0.02458 | 0.10261 | 0.10417 | 0.11417 | 0.10417 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|------|----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| AGA1 | Off-Peak Winter | 0.05197 | 0.05314 | 0.06314 | 0.02458 | 0.07655 | 0.07772 | 0.08772 | 0.07772 | kWh |
| AGA2 | Peak Summer | 0.19918 | 0.20259 | 0.21259 | 0.02458 | 0.22376 | 0.22717 | 0.23717 | 0.22717 | kWh |
| AGA2 | Off-Peak Summer | 0.08130 | 0.08291 | 0.09291 | 0.02458 | 0.10588 | 0.10749 | 0.11749 | 0.10749 | kWh |
| AGA2 | Peak Winter | 0.07803 | 0.07959 | 0.08959 | 0.02458 | 0.10261 | 0.10417 | 0.11417 | 0.10417 | kWh |
| AGA2 | Off-Peak Winter | 0.05197 | 0.05314 | 0.06314 | 0.02458 | 0.07655 | 0.07772 | 0.08772 | 0.07772 | kWh |
| AGB | Peak Summer | 0.22261 | 0.22637 | 0.23637 | 0.02458 | 0.24719 | 0.25095 | 0.26095 | 0.25095 | kWh |
| AGB | Off-Peak Summer | 0.10138 | 0.10330 | 0.11330 | 0.02458 | 0.12596 | 0.12788 | 0.13788 | 0.12788 | kWh |
| AGB | Peak Winter | 0.09612 | 0.09796 | 0.10796 | 0.02458 | 0.12070 | 0.12254 | 0.13254 | 0.12254 | kWh |
| AGB | Off-Peak Winter | 0.07031 | 0.07176 | 0.08176 | 0.02458 | 0.09489 | 0.09634 | 0.10634 | 0.09634 | kWh |
| AGC | Maximum Peak Demand Summer | 12.98230 | 13.18000 | 13.18000 | | 12.98230 | 13.18000 | 13.18000 | 13.18000 | kW |
| AGC | Peak Summer | 0.09419 | 0.09600 | 0.10600 | 0.02458 | 0.11877 | 0.12058 | 0.13058 | 0.12058 | kWh |
| AGC | Off-Peak Summer | 0.06515 | 0.06652 | 0.07652 | 0.02458 | 0.08973 | 0.09110 | 0.10110 | 0.09110 | kWh |
| AGC | Peak Winter | 0.07977 | 0.08136 | 0.09136 | 0.02458 | 0.10435 | 0.10594 | 0.11594 | 0.10594 | kWh |
| AGC | Off-Peak Winter | 0.05463 | 0.05584 | 0.06584 | 0.02458 | 0.07921 | 0.08042 | 0.09042 | 0.08042 | kWh |
| AGFC | Maximum Peak Demand Summer | 12.98230 | 13.18000 | 13.18000 | | 12.98230 | 13.18000 | 13.18000 | 13.18000 | kW |
| AGFA | Peak Summer | 0.16520 | 0.16809 | 0.17809 | 0.02458 | 0.18978 | 0.19267 | 0.20267 | 0.19267 | kWh |
| AGFA | Off-Peak Summer | 0.08922 | 0.09095 | 0.10095 | 0.02458 | 0.11380 | 0.11553 | 0.12553 | 0.11553 | kWh |
| AGFA | Peak Winter | 0.07917 | 0.08075 | 0.09075 | 0.02458 | 0.10375 | 0.10533 | 0.11533 | 0.10533 | kWh |
| AGFA | Off-Peak Winter | 0.05312 | 0.05430 | 0.06430 | 0.02458 | 0.07770 | 0.07888 | 0.08888 | 0.07888 | kWh |
| AGFB | Peak Summer | 0.18986 | 0.19313 | 0.20313 | 0.02458 | 0.21444 | 0.21771 | 0.22771 | 0.21771 | kWh |
| AGFB | Off-Peak Summer | 0.10977 | 0.11182 | 0.12182 | 0.02458 | 0.13435 | 0.13640 | 0.14640 | 0.13640 | kWh |
| AGFB | Peak Winter | 0.09789 | 0.09976 | 0.10976 | 0.02458 | 0.12247 | 0.12434 | 0.13434 | 0.12434 | kWh |
| AGFB | Off-Peak Winter | 0.07184 | 0.07331 | 0.08331 | 0.02458 | 0.09642 | 0.09789 | 0.10789 | 0.09789 | kWh |
| AGFC | Peak Summer | 0.09827 | 0.10014 | 0.11014 | 0.02458 | 0.12285 | 0.12472 | 0.13472 | 0.12472 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|------|-----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| AGFC | Off-Peak Summer | 0.06871 | 0.07013 | 0.08013 | 0.02458 | 0.09329 | 0.09471 | 0.10471 | 0.09471 | kWh |
| AGFC | Peak Winter | 0.08407 | 0.08572 | 0.09572 | 0.02458 | 0.10865 | 0.11030 | 0.12030 | 0.11030 | kWh |
| AGFC | Off-Peak Winter | 0.05801 | 0.05927 | 0.06927 | 0.02458 | 0.08259 | 0.08385 | 0.09385 | 0.08385 | kWh |
| AG1A | Connected Load Summer | 1.53660 | 1.56000 | 1.56000 | | 1.53660 | 1.56000 | 1.56000 | 1.56000 | kW |
| AG1A | Summer | 0.08703 | 0.08873 | 0.09873 | 0.02458 | 0.11161 | 0.11331 | 0.12331 | 0.11331 | kWh |
| AG1A | Winter | 0.06592 | 0.06730 | 0.07730 | 0.02458 | 0.09050 | 0.09188 | 0.10188 | 0.09188 | kWh |
| AG1B | Max Demand Summer | 2.31475 | 2.35000 | 2.35000 | | 2.31475 | 2.35000 | 2.35000 | 2.35000 | kW |
| AG1B | Summer | 0.09073 | 0.09249 | 0.10249 | 0.02458 | 0.11531 | 0.11707 | 0.12707 | 0.11707 | kWh |
| AG1B | Winter | 0.06645 | 0.06784 | 0.07784 | 0.02458 | 0.09103 | 0.09242 | 0.10242 | 0.09242 | kWh |
| AG4A | Connected Load Summer | 1.55630 | 1.58000 | 1.58000 | | 1.55630 | 1.58000 | 1.58000 | 1.58000 | kW |
| AG4A | Off-Peak Summer | 0.05516 | 0.05637 | 0.06637 | 0.02458 | 0.07974 | 0.08095 | 0.09095 | 0.08095 | kWh |
| AG4A | Off-Peak Winter | 0.04786 | 0.04896 | 0.05896 | 0.02458 | 0.07244 | 0.07354 | 0.08354 | 0.07354 | kWh |
| AG4A | Part-Peak Winter | 0.05965 | 0.06093 | 0.07093 | 0.02458 | 0.08423 | 0.08551 | 0.09551 | 0.08551 | kWh |
| AG4A | Peak Summer | 0.15410 | 0.15682 | 0.16682 | 0.02458 | 0.17868 | 0.18140 | 0.19140 | 0.18140 | kWh |
| AG4B | Max Demand Summer | 2.73830 | 2.78000 | 2.78000 | | 2.73830 | 2.78000 | 2.78000 | 2.78000 | kW |
| AG4B | Max Peak Demand Summer | 2.91560 | 2.96000 | 2.96000 | | 2.91560 | 2.96000 | 2.96000 | 2.96000 | kW |
| AG4B | Off-Peak Summer | 0.05648 | 0.05771 | 0.06771 | 0.02458 | 0.08106 | 0.08229 | 0.09229 | 0.08229 | kWh |
| AG4B | Off-Peak Winter | 0.04337 | 0.04440 | 0.05440 | 0.02458 | 0.06795 | 0.06898 | 0.07898 | 0.06898 | kWh |
| AG4B | Part-Peak Winter | 0.05456 | 0.05577 | 0.06577 | 0.02458 | 0.07914 | 0.08035 | 0.09035 | 0.08035 | kWh |
| AG4B | Peak Summer | 0.11220 | 0.11428 | 0.12428 | 0.02458 | 0.13678 | 0.13886 | 0.14886 | 0.13886 | kWh |
| AG4C | Max Part-Peak Demand Summer | 1.15245 | 1.17000 | 1.17000 | | 1.15245 | 1.17000 | 1.17000 | 1.17000 | kW |
| AG4C | Max Peak Demand Summer | 6.76695 | 6.87000 | 6.87000 | | 6.76695 | 6.87000 | 6.87000 | 6.87000 | kW |
| AG4C | Off-Peak Summer | 0.04170 | 0.04271 | 0.05271 | 0.02458 | 0.06628 | 0.06729 | 0.07729 | 0.06729 | kWh |
| AG4C | Off-Peak Winter | 0.03818 | 0.03914 | 0.04914 | 0.02458 | 0.06276 | 0.06372 | 0.07372 | 0.06372 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|------|-----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| AG4C | Part-Peak Summer | 0.06592 | 0.06730 | 0.07730 | 0.02458 | 0.09050 | 0.09188 | 0.10188 | 0.09188 | kWh |
| AG4C | Part-Peak Winter | 0.04859 | 0.04970 | 0.05970 | 0.02458 | 0.07317 | 0.07428 | 0.08428 | 0.07428 | kWh |
| AG4C | Peak Summer | 0.13255 | 0.13494 | 0.14494 | 0.02458 | 0.15713 | 0.15952 | 0.16952 | 0.15952 | kWh |
| AG5A | Connected Load Summer | 4.22565 | 4.29000 | 4.29000 | | 4.22565 | 4.29000 | 4.29000 | 4.29000 | kW |
| AG5A | Off-Peak Summer | 0.05978 | 0.06106 | 0.07106 | 0.02458 | 0.08436 | 0.08564 | 0.09564 | 0.08564 | kWh |
| AG5A | Off-Peak Winter | 0.05125 | 0.05240 | 0.06240 | 0.02458 | 0.07583 | 0.07698 | 0.08698 | 0.07698 | kWh |
| AG5A | Part-Peak Winter | 0.06355 | 0.06489 | 0.07489 | 0.02458 | 0.08813 | 0.08947 | 0.09947 | 0.08947 | kWh |
| AG5A | Peak Summer | 0.14145 | 0.14398 | 0.15398 | 0.02458 | 0.16603 | 0.16856 | 0.17856 | 0.16856 | kWh |
| AG5B | Max Demand Summer | 5.14170 | 5.22000 | 5.22000 | | 5.14170 | 5.22000 | 5.22000 | 5.22000 | kW |
| AG5B | Max Peak Demand Summer | 6.43205 | 6.53000 | 6.53000 | | 6.43205 | 6.53000 | 6.53000 | 6.53000 | kW |
| AG5B | Off-Peak Summer | 0.03256 | 0.03343 | 0.04343 | 0.02458 | 0.05714 | 0.05801 | 0.06801 | 0.05801 | kWh |
| AG5B | Off-Peak Winter | 0.02342 | 0.02415 | 0.03415 | 0.02458 | 0.04800 | 0.04873 | 0.05873 | 0.04873 | kWh |
| AG5B | Part-Peak Winter | 0.05466 | 0.05587 | 0.06587 | 0.02458 | 0.07924 | 0.08045 | 0.09045 | 0.08045 | kWh |
| AG5B | Peak Summer | 0.13860 | 0.14109 | 0.15109 | 0.02458 | 0.16318 | 0.16567 | 0.17567 | 0.16567 | kWh |
| AG5C | Max Part-Peak Demand Summer | 2.24580 | 2.28000 | 2.28000 | | 2.24580 | 2.28000 | 2.28000 | 2.28000 | kW |
| AG5C | Max Peak Demand Summer | 11.92835 | 12.11000 | 12.11000 | | 11.92835 | 12.11000 | 12.11000 | 12.11000 | kW |
| AG5C | Off-Peak Summer | 0.03447 | 0.03537 | 0.04537 | 0.02458 | 0.05905 | 0.05995 | 0.06995 | 0.05995 | kWh |
| AG5C | Off-Peak Winter | 0.03124 | 0.03209 | 0.04209 | 0.02458 | 0.05582 | 0.05667 | 0.06667 | 0.05667 | kWh |
| AG5C | Part-Peak Summer | 0.05529 | 0.05651 | 0.06651 | 0.02458 | 0.07987 | 0.08109 | 0.09109 | 0.08109 | kWh |
| AG5C | Part-Peak Winter | 0.04071 | 0.04170 | 0.05170 | 0.02458 | 0.06529 | 0.06628 | 0.07628 | 0.06628 | kWh |
| AG5C | Peak Summer | 0.11123 | 0.11330 | 0.12330 | 0.02458 | 0.13581 | 0.13788 | 0.14788 | 0.13788 | kWh |
| AGRA | Connected Load Summer | 1.51690 | 1.54000 | 1.54000 | | 1.51690 | 1.54000 | 1.54000 | 1.54000 | kW |
| AGRA | Off-Peak Summer | 0.05373 | 0.05492 | 0.06492 | 0.02458 | 0.07831 | 0.07950 | 0.08950 | 0.07950 | kWh |
| AGRA | Off-Peak Winter | 0.04937 | 0.05050 | 0.06050 | 0.02458 | 0.07395 | 0.07508 | 0.08508 | 0.07508 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| AGRA | Part-Peak Winter | 0.06156 | 0.06287 | 0.07287 | 0.02458 | 0.08614 | 0.08745 | 0.09745 | 0.08745 | kWh |
| AGRA | Peak Summer | 0.27373 | 0.27827 | 0.28827 | 0.02458 | 0.29831 | 0.30285 | 0.31285 | 0.30285 | kWh |
| AGRB | Max Demand Summer | 2.24580 | 2.28000 | 2.28000 | | 2.24580 | 2.28000 | 2.28000 | 2.28000 | kW |
| AGRB | Max Peak Demand Summer | 2.53145 | 2.57000 | 2.57000 | | 2.53145 | 2.57000 | 2.57000 | 2.57000 | kW |
| AGRB | Off-Peak Summer | 0.05304 | 0.05422 | 0.06422 | 0.02458 | 0.07762 | 0.07880 | 0.08880 | 0.07880 | kWh |
| AGRB | Off-Peak Winter | 0.03690 | 0.03784 | 0.04784 | 0.02458 | 0.06148 | 0.06242 | 0.07242 | 0.06242 | kWh |
| AGRB | Part-Peak Winter | 0.04694 | 0.04803 | 0.05803 | 0.02458 | 0.07152 | 0.07261 | 0.08261 | 0.07261 | kWh |
| AGRB | Peak Summer | 0.24572 | 0.24984 | 0.25984 | 0.02458 | 0.27030 | 0.27442 | 0.28442 | 0.27442 | kWh |
| AGVA | Connected Load Summer | 1.58585 | 1.61000 | 1.61000 | | 1.58585 | 1.61000 | 1.61000 | 1.61000 | kW |
| AGVA | Off-Peak Summer | 0.05071 | 0.05186 | 0.06186 | 0.02458 | 0.07529 | 0.07644 | 0.08644 | 0.07644 | kWh |
| AGVA | Off-Peak Winter | 0.04794 | 0.04904 | 0.05904 | 0.02458 | 0.07252 | 0.07362 | 0.08362 | 0.07362 | kWh |
| AGVA | Part-Peak Winter | 0.05986 | 0.06115 | 0.07115 | 0.02458 | 0.08444 | 0.08573 | 0.09573 | 0.08573 | kWh |
| AGVA | Peak Summer | 0.23694 | 0.24092 | 0.25092 | 0.02458 | 0.26152 | 0.26550 | 0.27550 | 0.26550 | kWh |
| AGVB | Max Demand Summer | 2.08820 | 2.12000 | 2.12000 | | 2.08820 | 2.12000 | 2.12000 | 2.12000 | kW |
| AGVB | Max Peak Demand Summer | 2.68905 | 2.73000 | 2.73000 | | 2.68905 | 2.73000 | 2.73000 | 2.73000 | kW |
| AGVB | Off-Peak Summer | 0.05153 | 0.05269 | 0.06269 | 0.02458 | 0.07611 | 0.07727 | 0.08727 | 0.07727 | kWh |
| AGVB | Off-Peak Winter | 0.03747 | 0.03841 | 0.04841 | 0.02458 | 0.06205 | 0.06299 | 0.07299 | 0.06299 | kWh |
| AGVB | Part-Peak Winter | 0.04765 | 0.04875 | 0.05875 | 0.02458 | 0.07223 | 0.07333 | 0.08333 | 0.07333 | kWh |
| AGVB | Peak Summer | 0.21989 | 0.22361 | 0.23361 | 0.02458 | 0.24447 | 0.24819 | 0.25819 | 0.24819 | kWh |
| B10PX | Peak Summer | 0.15611 | 0.15893 | 0.16893 | 0.02879 | 0.18490 | 0.18772 | 0.19772 | 0.18772 | kWh |
| B10PX | Part-Peak Summer | 0.09869 | 0.10063 | 0.11063 | 0.02879 | 0.12748 | 0.12942 | 0.13942 | 0.12942 | kWh |
| B10PX | Off-Peak Summer | 0.06831 | 0.06979 | 0.07979 | 0.02879 | 0.09710 | 0.09858 | 0.10858 | 0.09858 | kWh |
| B10PX | Peak Winter | 0.10230 | 0.10430 | 0.11430 | 0.02879 | 0.13109 | 0.13309 | 0.14309 | 0.13309 | kWh |
| B10PX | Off-Peak Winter | 0.06918 | 0.07067 | 0.08067 | 0.02879 | 0.09797 | 0.09946 | 0.10946 | 0.09946 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| B10PX | Super-Off-Peak Winter | 0.03338 | 0.03433 | 0.04433 | 0.02879 | 0.06217 | 0.06312 | 0.07312 | 0.06312 | kWh |
| B10SX | Peak Summer | 0.16866 | 0.17167 | 0.18167 | 0.02879 | 0.19745 | 0.20046 | 0.21046 | 0.20046 | kWh |
| B10SX | Part-Peak Summer | 0.10790 | 0.10998 | 0.11998 | 0.02879 | 0.13669 | 0.13877 | 0.14877 | 0.13877 | kWh |
| B10SX | Off-Peak Summer | 0.07583 | 0.07742 | 0.08742 | 0.02879 | 0.10462 | 0.10621 | 0.11621 | 0.10621 | kWh |
| B10SX | Peak Winter | 0.11149 | 0.11363 | 0.12363 | 0.02879 | 0.14028 | 0.14242 | 0.15242 | 0.14242 | kWh |
| B10SX | Off-Peak Winter | 0.07655 | 0.07815 | 0.08815 | 0.02879 | 0.10534 | 0.10694 | 0.11694 | 0.10694 | kWh |
| B10SX | Super-Off-Peak Winter | 0.04075 | 0.04181 | 0.05181 | 0.02879 | 0.06954 | 0.07060 | 0.08060 | 0.07060 | kWh |
| B10TX | Peak Summer | 0.14829 | 0.15099 | 0.16099 | 0.02879 | 0.17708 | 0.17978 | 0.18978 | 0.17978 | kWh |
| B10TX | Part-Peak Summer | 0.09240 | 0.09425 | 0.10425 | 0.02879 | 0.12119 | 0.12304 | 0.13304 | 0.12304 | kWh |
| B10TX | Off-Peak Summer | 0.06279 | 0.06418 | 0.07418 | 0.02879 | 0.09158 | 0.09297 | 0.10297 | 0.09297 | kWh |
| B10TX | Peak Winter | 0.09604 | 0.09794 | 0.10794 | 0.02879 | 0.12483 | 0.12673 | 0.13673 | 0.12673 | kWh |
| B10TX | Off-Peak Winter | 0.06369 | 0.06510 | 0.07510 | 0.02879 | 0.09248 | 0.09389 | 0.10389 | 0.09389 | kWh |
| B10TX | Super-Off-Peak Winter | 0.02790 | 0.02876 | 0.03876 | 0.02879 | 0.05669 | 0.05755 | 0.06755 | 0.05755 | kWh |
| B19P | Max Peak Demand Summer | 12.57845 | 12.77000 | 12.77000 | | 12.57845 | 12.77000 | 12.77000 | 12.77000 | kW |
| B19P | Max Part-Peak Demand Summer | 1.84195 | 1.87000 | 1.87000 | | 1.84195 | 1.87000 | 1.87000 | 1.87000 | kW |
| B19P | Max Peak Demand Winter | 1.29035 | 1.31000 | 1.31000 | | 1.29035 | 1.31000 | 1.31000 | 1.31000 | kW |
| B19P | Peak Summer | 0.09409 | 0.09594 | 0.10594 | 0.02718 | 0.12127 | 0.12312 | 0.13312 | 0.12312 | kWh |
| B19P | Part-Peak Summer | 0.07178 | 0.07329 | 0.08329 | 0.02718 | 0.09896 | 0.10047 | 0.11047 | 0.10047 | kWh |
| B19P | Off-Peak Summer | 0.05239 | 0.05360 | 0.06360 | 0.02718 | 0.07957 | 0.08078 | 0.09078 | 0.08078 | kWh |
| B19P | Peak Winter | 0.08200 | 0.08366 | 0.09366 | 0.02718 | 0.10918 | 0.11084 | 0.12084 | 0.11084 | kWh |
| B19P | Off-Peak Winter | 0.05252 | 0.05373 | 0.06373 | 0.02718 | 0.07970 | 0.08091 | 0.09091 | 0.08091 | kWh |
| B19P | Super-Off-Peak Winter | 0.01057 | 0.01114 | 0.02114 | 0.02718 | 0.03775 | 0.03832 | 0.04832 | 0.03832 | kWh |
| B19PR | Peak Summer | 0.21224 | 0.21589 | 0.22589 | 0.02718 | 0.23942 | 0.24307 | 0.25307 | 0.24307 | kWh |
| B19PR | Part-Peak Summer | 0.09056 | 0.09235 | 0.10235 | 0.02718 | 0.11774 | 0.11953 | 0.12953 | 0.11953 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| B19PR | Off-Peak Summer | 0.05569 | 0.05695 | 0.06695 | 0.02718 | 0.08287 | 0.08413 | 0.09413 | 0.08413 | kWh |
| B19PR | Peak Winter | 0.09289 | 0.09472 | 0.10472 | 0.02718 | 0.12007 | 0.12190 | 0.13190 | 0.12190 | kWh |
| B19PR | Off-Peak Winter | 0.05580 | 0.05706 | 0.06706 | 0.02718 | 0.08298 | 0.08424 | 0.09424 | 0.08424 | kWh |
| B19PR | Super-Off-Peak Winter | 0.02051 | 0.02124 | 0.03124 | 0.02718 | 0.04769 | 0.04842 | 0.05842 | 0.04842 | kWh |
| B19PS | Peak Summer | 0.21224 | 0.21589 | 0.22589 | 0.02718 | 0.23942 | 0.24307 | 0.25307 | 0.24307 | kWh |
| B19PS | Part-Peak Summer | 0.09056 | 0.09235 | 0.10235 | 0.02718 | 0.11774 | 0.11953 | 0.12953 | 0.11953 | kWh |
| B19PS | Off-Peak Summer | 0.05569 | 0.05695 | 0.06695 | 0.02718 | 0.08287 | 0.08413 | 0.09413 | 0.08413 | kWh |
| B19PS | Peak Winter | 0.09289 | 0.09472 | 0.10472 | 0.02718 | 0.12007 | 0.12190 | 0.13190 | 0.12190 | kWh |
| B19PS | Off-Peak Winter | 0.05580 | 0.05706 | 0.06706 | 0.02718 | 0.08298 | 0.08424 | 0.09424 | 0.08424 | kWh |
| B19PS | Super-Off-Peak Winter | 0.02051 | 0.02124 | 0.03124 | 0.02718 | 0.04769 | 0.04842 | 0.05842 | 0.04842 | kWh |
| B19S | Max Peak Demand Summer | 14.80455 | 15.03000 | 15.03000 | | 14.80455 | 15.03000 | 15.03000 | 15.03000 | kW |
| B19S | Max Part-Peak Demand Summer | 2.15715 | 2.19000 | 2.19000 | | 2.15715 | 2.19000 | 2.19000 | 2.19000 | kW |
| B19S | Max Peak Demand Winter | 1.76315 | 1.79000 | 1.79000 | | 1.76315 | 1.79000 | 1.79000 | 1.79000 | kW |
| B19S | Peak Summer | 0.11052 | 0.11262 | 0.12262 | 0.02718 | 0.13770 | 0.13980 | 0.14980 | 0.13980 | kWh |
| B19S | Part-Peak Summer | 0.08096 | 0.08261 | 0.09261 | 0.02718 | 0.10814 | 0.10979 | 0.11979 | 0.10979 | kWh |
| B19S | Off-Peak Summer | 0.06006 | 0.06139 | 0.07139 | 0.02718 | 0.08724 | 0.08857 | 0.09857 | 0.08857 | kWh |
| B19S | Peak Winter | 0.09175 | 0.09356 | 0.10356 | 0.02718 | 0.11893 | 0.12074 | 0.13074 | 0.12074 | kWh |
| B19S | Off-Peak Winter | 0.05998 | 0.06131 | 0.07131 | 0.02718 | 0.08716 | 0.08849 | 0.09849 | 0.08849 | kWh |
| B19S | Super-Off-Peak Winter | 0.01735 | 0.01803 | 0.02803 | 0.02718 | 0.04453 | 0.04521 | 0.05521 | 0.04521 | kWh |
| B19SR | Peak Summer | 0.23558 | 0.23958 | 0.24958 | 0.02718 | 0.26276 | 0.26676 | 0.27676 | 0.26676 | kWh |
| B19SR | Part-Peak Summer | 0.10204 | 0.10401 | 0.11401 | 0.02718 | 0.12922 | 0.13119 | 0.14119 | 0.13119 | kWh |
| B19SR | Off-Peak Summer | 0.06412 | 0.06551 | 0.07551 | 0.02718 | 0.09130 | 0.09269 | 0.10269 | 0.09269 | kWh |
| B19SR | Peak Winter | 0.10573 | 0.10775 | 0.11775 | 0.02718 | 0.13291 | 0.13493 | 0.14493 | 0.13493 | kWh |
| B19SR | Off-Peak Winter | 0.06405 | 0.06544 | 0.07544 | 0.02718 | 0.09123 | 0.09262 | 0.10262 | 0.09262 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| B19SR | Super-Off-Peak Winter | 0.02877 | 0.02962 | 0.03962 | 0.02718 | 0.05595 | 0.05680 | 0.06680 | 0.05680 | kWh |
| B19SS | Peak Summer | 0.23558 | 0.23958 | 0.24958 | 0.02718 | 0.26276 | 0.26676 | 0.27676 | 0.26676 | kWh |
| B19SS | Part-Peak Summer | 0.10204 | 0.10401 | 0.11401 | 0.02718 | 0.12922 | 0.13119 | 0.14119 | 0.13119 | kWh |
| B19SS | Off-Peak Summer | 0.06412 | 0.06551 | 0.07551 | 0.02718 | 0.09130 | 0.09269 | 0.10269 | 0.09269 | kWh |
| B19SS | Peak Winter | 0.10573 | 0.10775 | 0.11775 | 0.02718 | 0.13291 | 0.13493 | 0.14493 | 0.13493 | kWh |
| B19SS | Off-Peak Winter | 0.06405 | 0.06544 | 0.07544 | 0.02718 | 0.09123 | 0.09262 | 0.10262 | 0.09262 | kWh |
| B19SS | Super-Off-Peak Winter | 0.02877 | 0.02962 | 0.03962 | 0.02718 | 0.05595 | 0.05680 | 0.06680 | 0.05680 | kWh |
| B19T | Max Peak Demand Summer | 9.52495 | 9.67000 | 9.67000 | | 9.52495 | 9.67000 | 9.67000 | 9.67000 | kW |
| B19T | Max Part-Peak Demand Summer | 2.38370 | 2.42000 | 2.42000 | | 2.38370 | 2.42000 | 2.42000 | 2.42000 | kW |
| B19T | Max Peak Demand Winter | 0.91605 | 0.93000 | 0.93000 | | 0.91605 | 0.93000 | 0.93000 | 0.93000 | kW |
| B19T | Peak Summer | 0.08007 | 0.08170 | 0.09170 | 0.02718 | 0.10725 | 0.10888 | 0.11888 | 0.10888 | kWh |
| B19T | Part-Peak Summer | 0.07105 | 0.07255 | 0.08255 | 0.02718 | 0.09823 | 0.09973 | 0.10973 | 0.09973 | kWh |
| B19T | Off-Peak Summer | 0.05185 | 0.05305 | 0.06305 | 0.02718 | 0.07903 | 0.08023 | 0.09023 | 0.08023 | kWh |
| B19T | Peak Winter | 0.08127 | 0.08292 | 0.09292 | 0.02718 | 0.10845 | 0.11010 | 0.12010 | 0.11010 | kWh |
| B19T | Off-Peak Winter | 0.05210 | 0.05331 | 0.06331 | 0.02718 | 0.07928 | 0.08049 | 0.09049 | 0.08049 | kWh |
| B19T | Super-Off-Peak Winter | 0.00919 | 0.00974 | 0.01974 | 0.02718 | 0.03637 | 0.03692 | 0.04692 | 0.03692 | kWh |
| B19TR | Peak Summer | 0.17748 | 0.18060 | 0.19060 | 0.02718 | 0.20466 | 0.20778 | 0.21778 | 0.20778 | kWh |
| B19TR | Part-Peak Summer | 0.09721 | 0.09910 | 0.10910 | 0.02718 | 0.12439 | 0.12628 | 0.13628 | 0.12628 | kWh |
| B19TR | Off-Peak Summer | 0.05569 | 0.05695 | 0.06695 | 0.02718 | 0.08287 | 0.08413 | 0.09413 | 0.08413 | kWh |
| B19TR | Peak Winter | 0.08907 | 0.09084 | 0.10084 | 0.02718 | 0.11625 | 0.11802 | 0.12802 | 0.11802 | kWh |
| B19TR | Off-Peak Winter | 0.05589 | 0.05716 | 0.06716 | 0.02718 | 0.08307 | 0.08434 | 0.09434 | 0.08434 | kWh |
| B19TR | Super-Off-Peak Winter | 0.02061 | 0.02134 | 0.03134 | 0.02718 | 0.04779 | 0.04852 | 0.05852 | 0.04852 | kWh |
| B19TS | Peak Summer | 0.17748 | 0.18060 | 0.19060 | 0.02718 | 0.20466 | 0.20778 | 0.21778 | 0.20778 | kWh |
| B19TS | Part-Peak Summer | 0.09721 | 0.09910 | 0.10910 | 0.02718 | 0.12439 | 0.12628 | 0.13628 | 0.12628 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| B19TS | Off-Peak Summer | 0.05569 | 0.05695 | 0.06695 | 0.02718 | 0.08287 | 0.08413 | 0.09413 | 0.08413 | kWh |
| B19TS | Peak Winter | 0.08907 | 0.09084 | 0.10084 | 0.02718 | 0.11625 | 0.11802 | 0.12802 | 0.11802 | kWh |
| B19TS | Off-Peak Winter | 0.05589 | 0.05716 | 0.06716 | 0.02718 | 0.08307 | 0.08434 | 0.09434 | 0.08434 | kWh |
| B19TS | Super-Off-Peak Winter | 0.02061 | 0.02134 | 0.03134 | 0.02718 | 0.04779 | 0.04852 | 0.05852 | 0.04852 | kWh |
| B1X | Peak Summer | 0.14689 | 0.14955 | 0.15955 | 0.02765 | 0.17454 | 0.17720 | 0.18720 | 0.17720 | kWh |
| B1X | Part-Peak Summer | 0.09840 | 0.10032 | 0.11032 | 0.02765 | 0.12605 | 0.12797 | 0.13797 | 0.12797 | kWh |
| B1X | Off-Peak Summer | 0.07790 | 0.07951 | 0.08951 | 0.02765 | 0.10555 | 0.10716 | 0.11716 | 0.10716 | kWh |
| B1X | Peak Winter | 0.09247 | 0.09430 | 0.10430 | 0.02765 | 0.12012 | 0.12195 | 0.13195 | 0.12195 | kWh |
| B1X | Off-Peak Winter | 0.07659 | 0.07818 | 0.08818 | 0.02765 | 0.10424 | 0.10583 | 0.11583 | 0.10583 | kWh |
| B1X | Super-Off-Peak Winter | 0.06043 | 0.06177 | 0.07177 | 0.02765 | 0.08808 | 0.08942 | 0.09942 | 0.08942 | kWh |
| B20P | Max Peak Demand Summer | 15.86835 | 16.11000 | 16.11000 | | 15.86835 | 16.11000 | 16.11000 | 16.11000 | kW |
| B20P | Max Part-Peak Demand Summer | 2.17685 | 2.21000 | 2.21000 | | 2.17685 | 2.21000 | 2.21000 | 2.21000 | kW |
| B20P | Max Peak Demand Winter | 1.82225 | 1.85000 | 1.85000 | | 1.82225 | 1.85000 | 1.85000 | 1.85000 | kW |
| B20P | Peak Summer | 0.10251 | 0.10445 | 0.11445 | 0.02461 | 0.12712 | 0.12906 | 0.13906 | 0.12906 | kWh |
| B20P | Part-Peak Summer | 0.07434 | 0.07585 | 0.08585 | 0.02461 | 0.09895 | 0.10046 | 0.11046 | 0.10046 | kWh |
| B20P | Off-Peak Summer | 0.05468 | 0.05589 | 0.06589 | 0.02461 | 0.07929 | 0.08050 | 0.09050 | 0.08050 | kWh |
| B20P | Peak Winter | 0.08459 | 0.08625 | 0.09625 | 0.02461 | 0.10920 | 0.11086 | 0.12086 | 0.11086 | kWh |
| B20P | Off-Peak Winter | 0.05474 | 0.05595 | 0.06595 | 0.02461 | 0.07935 | 0.08056 | 0.09056 | 0.08056 | kWh |
| B20P | Super-Off-Peak Winter | 0.01241 | 0.01297 | 0.02297 | 0.02461 | 0.03702 | 0.03758 | 0.04758 | 0.03758 | kWh |
| B20PR | Peak Summer | 0.21943 | 0.22315 | 0.23315 | 0.02461 | 0.24404 | 0.24776 | 0.25776 | 0.24776 | kWh |
| B20PR | Part-Peak Summer | 0.09248 | 0.09426 | 0.10426 | 0.02461 | 0.11709 | 0.11887 | 0.12887 | 0.11887 | kWh |
| B20PR | Off-Peak Summer | 0.05829 | 0.05955 | 0.06955 | 0.02461 | 0.08290 | 0.08416 | 0.09416 | 0.08416 | kWh |
| B20PR | Peak Winter | 0.09781 | 0.09967 | 0.10967 | 0.02461 | 0.12242 | 0.12428 | 0.13428 | 0.12428 | kWh |
| B20PR | Off-Peak Winter | 0.05834 | 0.05960 | 0.06960 | 0.02461 | 0.08295 | 0.08421 | 0.09421 | 0.08421 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| B20PR | Super-Off-Peak Winter | 0.02312 | 0.02385 | 0.03385 | 0.02461 | 0.04773 | 0.04846 | 0.05846 | 0.04846 | kWh |
| B20PS | Peak Summer | 0.21943 | 0.22315 | 0.23315 | 0.02461 | 0.24404 | 0.24776 | 0.25776 | 0.24776 | kWh |
| B20PS | Part-Peak Summer | 0.09248 | 0.09426 | 0.10426 | 0.02461 | 0.11709 | 0.11887 | 0.12887 | 0.11887 | kWh |
| B20PS | Off-Peak Summer | 0.05829 | 0.05955 | 0.06955 | 0.02461 | 0.08290 | 0.08416 | 0.09416 | 0.08416 | kWh |
| B20PS | Peak Winter | 0.09781 | 0.09967 | 0.10967 | 0.02461 | 0.12242 | 0.12428 | 0.13428 | 0.12428 | kWh |
| B20PS | Off-Peak Winter | 0.05834 | 0.05960 | 0.06960 | 0.02461 | 0.08295 | 0.08421 | 0.09421 | 0.08421 | kWh |
| B20PS | Super-Off-Peak Winter | 0.02312 | 0.02385 | 0.03385 | 0.02461 | 0.04773 | 0.04846 | 0.05846 | 0.04846 | kWh |
| B20S | Max Peak Demand Summer | 14.64695 | 14.87000 | 14.87000 | | 14.64695 | 14.87000 | 14.87000 | 14.87000 | kW |
| B20S | Max Part-Peak Demand Summer | 2.12760 | 2.16000 | 2.16000 | | 2.12760 | 2.16000 | 2.16000 | 2.16000 | kW |
| B20S | Max Peak Demand Winter | 1.87150 | 1.90000 | 1.90000 | | 1.87150 | 1.90000 | 1.90000 | 1.90000 | kW |
| B20S | Peak Summer | 0.10646 | 0.10848 | 0.11848 | 0.02621 | 0.13267 | 0.13469 | 0.14469 | 0.13469 | kWh |
| B20S | Part-Peak Summer | 0.07948 | 0.08109 | 0.09109 | 0.02621 | 0.10569 | 0.10730 | 0.11730 | 0.10730 | kWh |
| B20S | Off-Peak Summer | 0.05817 | 0.05946 | 0.06946 | 0.02621 | 0.08438 | 0.08567 | 0.09567 | 0.08567 | kWh |
| B20S | Peak Winter | 0.09038 | 0.09216 | 0.10216 | 0.02621 | 0.11659 | 0.11837 | 0.12837 | 0.11837 | kWh |
| B20S | Off-Peak Winter | 0.05801 | 0.05929 | 0.06929 | 0.02621 | 0.08422 | 0.08550 | 0.09550 | 0.08550 | kWh |
| B20S | Super-Off-Peak Winter | 0.01462 | 0.01524 | 0.02524 | 0.02621 | 0.04083 | 0.04145 | 0.05145 | 0.04145 | kWh |
| B20SR | Peak Summer | 0.23013 | 0.23403 | 0.24403 | 0.02621 | 0.25634 | 0.26024 | 0.27024 | 0.26024 | kWh |
| B20SR | Part-Peak Summer | 0.09937 | 0.10128 | 0.11128 | 0.02621 | 0.12558 | 0.12749 | 0.13749 | 0.12749 | kWh |
| B20SR | Off-Peak Summer | 0.06247 | 0.06382 | 0.07382 | 0.02621 | 0.08868 | 0.09003 | 0.10003 | 0.09003 | kWh |
| B20SR | Peak Winter | 0.10542 | 0.10742 | 0.11742 | 0.02621 | 0.13163 | 0.13363 | 0.14363 | 0.13363 | kWh |
| B20SR | Off-Peak Winter | 0.06234 | 0.06369 | 0.07369 | 0.02621 | 0.08855 | 0.08990 | 0.09990 | 0.08990 | kWh |
| B20SR | Super-Off-Peak Winter | 0.02713 | 0.02794 | 0.03794 | 0.02621 | 0.05334 | 0.05415 | 0.06415 | 0.05415 | kWh |
| B20SS | Peak Summer | 0.23013 | 0.23403 | 0.24403 | 0.02621 | 0.25634 | 0.26024 | 0.27024 | 0.26024 | kWh |
| B20SS | Part-Peak Summer | 0.09937 | 0.10128 | 0.11128 | 0.02621 | 0.12558 | 0.12749 | 0.13749 | 0.12749 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| B20SS | Off-Peak Summer | 0.06247 | 0.06382 | 0.07382 | 0.02621 | 0.08868 | 0.09003 | 0.10003 | 0.09003 | kWh |
| B20SS | Peak Winter | 0.10542 | 0.10742 | 0.11742 | 0.02621 | 0.13163 | 0.13363 | 0.14363 | 0.13363 | kWh |
| B20SS | Off-Peak Winter | 0.06234 | 0.06369 | 0.07369 | 0.02621 | 0.08855 | 0.08990 | 0.09990 | 0.08990 | kWh |
| B20SS | Super-Off-Peak Winter | 0.02713 | 0.02794 | 0.03794 | 0.02621 | 0.05334 | 0.05415 | 0.06415 | 0.05415 | kWh |
| B20T | Max Peak Demand Summer | 17.83835 | 18.11000 | 18.11000 | | 17.83835 | 18.11000 | 18.11000 | 18.11000 | kW |
| B20T | Max Part-Peak Demand Summer | 4.24535 | 4.31000 | 4.31000 | | 4.24535 | 4.31000 | 4.31000 | 4.31000 | kW |
| B20T | Max Peak Demand Winter | 2.38370 | 2.42000 | 2.42000 | | 2.38370 | 2.42000 | 2.42000 | 2.42000 | kW |
| B20T | Peak Summer | 0.08473 | 0.08637 | 0.09637 | 0.02312 | 0.10785 | 0.10949 | 0.11949 | 0.10949 | kWh |
| B20T | Part-Peak Summer | 0.06747 | 0.06885 | 0.07885 | 0.02312 | 0.09059 | 0.09197 | 0.10197 | 0.09197 | kWh |
| B20T | Off-Peak Summer | 0.04819 | 0.04928 | 0.05928 | 0.02312 | 0.07131 | 0.07240 | 0.08240 | 0.07240 | kWh |
| B20T | Peak Winter | 0.08390 | 0.08553 | 0.09553 | 0.02312 | 0.10702 | 0.10865 | 0.11865 | 0.10865 | kWh |
| B20T | Off-Peak Winter | 0.04471 | 0.04574 | 0.05574 | 0.02312 | 0.06783 | 0.06886 | 0.07886 | 0.06886 | kWh |
| B20T | Super-Off-Peak Winter | 0.00556 | 0.00600 | 0.01600 | 0.02312 | 0.02868 | 0.02912 | 0.03912 | 0.02912 | kWh |
| B20TR | Peak Summer | 0.21891 | 0.22260 | 0.23260 | 0.02312 | 0.24203 | 0.24572 | 0.25572 | 0.24572 | kWh |
| B20TR | Part-Peak Summer | 0.10207 | 0.10398 | 0.11398 | 0.02312 | 0.12519 | 0.12710 | 0.13710 | 0.12710 | kWh |
| B20TR | Off-Peak Summer | 0.05258 | 0.05373 | 0.06373 | 0.02312 | 0.07570 | 0.07685 | 0.08685 | 0.07685 | kWh |
| B20TR | Peak Winter | 0.10192 | 0.10382 | 0.11382 | 0.02312 | 0.12504 | 0.12694 | 0.13694 | 0.12694 | kWh |
| B20TR | Off-Peak Winter | 0.04970 | 0.05081 | 0.06081 | 0.02312 | 0.07282 | 0.07393 | 0.08393 | 0.07393 | kWh |
| B20TR | Super-Off-Peak Winter | 0.01739 | 0.01801 | 0.02801 | 0.02312 | 0.04051 | 0.04113 | 0.05113 | 0.04113 | kWh |
| B20TS | Peak Summer | 0.21891 | 0.22260 | 0.23260 | 0.02312 | 0.24203 | 0.24572 | 0.25572 | 0.24572 | kWh |
| B20TS | Part-Peak Summer | 0.10207 | 0.10398 | 0.11398 | 0.02312 | 0.12519 | 0.12710 | 0.13710 | 0.12710 | kWh |
| B20TS | Off-Peak Summer | 0.05258 | 0.05373 | 0.06373 | 0.02312 | 0.07570 | 0.07685 | 0.08685 | 0.07685 | kWh |
| B20TS | Peak Winter | 0.10192 | 0.10382 | 0.11382 | 0.02312 | 0.12504 | 0.12694 | 0.13694 | 0.12694 | kWh |
| B20TS | Off-Peak Winter | 0.04970 | 0.05081 | 0.06081 | 0.02312 | 0.07282 | 0.07393 | 0.08393 | 0.07393 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| B20TS | Super-Off-Peak Winter | 0.01739 | 0.01801 | 0.02801 | 0.02312 | 0.04051 | 0.04113 | 0.05113 | 0.04113 | kWh |
| B6 | Peak Summer | 0.15182 | 0.15455 | 0.16455 | 0.02765 | 0.17947 | 0.18220 | 0.19220 | 0.18220 | kWh |
| B6 | Off-Peak Summer | 0.08172 | 0.08339 | 0.09339 | 0.02765 | 0.10937 | 0.11104 | 0.12104 | 0.11104 | kWh |
| B6 | Peak Winter | 0.08925 | 0.09103 | 0.10103 | 0.02765 | 0.11690 | 0.11868 | 0.12868 | 0.11868 | kWh |
| B6 | Off-Peak Winter | 0.07246 | 0.07398 | 0.08398 | 0.02765 | 0.10011 | 0.10163 | 0.11163 | 0.10163 | kWh |
| B6 | Super-Off-Peak Winter | 0.05628 | 0.05756 | 0.06756 | 0.02765 | 0.08393 | 0.08521 | 0.09521 | 0.08521 | kWh |
| E1 | Flat | 0.08832 | 0.09009 | 0.10009 | 0.02769 | 0.11601 | 0.11778 | 0.12778 | 0.11778 | kWh |
| E19P | Max Part-Peak Demand Summer | 3.17170 | 3.22000 | 3.22000 | | 3.17170 | 3.22000 | 3.22000 | 3.22000 | kW |
| E19P | Max Peak Demand Summer | 13.04140 | 13.24000 | 13.24000 | | 13.04140 | 13.24000 | 13.24000 | 13.24000 | kW |
| E19P | Off-Peak Summer | 0.03444 | 0.03538 | 0.04538 | 0.02718 | 0.06162 | 0.06256 | 0.07256 | 0.06256 | kWh |
| E19P | Off-Peak Winter | 0.04148 | 0.04253 | 0.05253 | 0.02718 | 0.06866 | 0.06971 | 0.07971 | 0.06971 | kWh |
| E19P | Part-Peak Summer | 0.06295 | 0.06432 | 0.07432 | 0.02718 | 0.09013 | 0.09150 | 0.10150 | 0.09150 | kWh |
| E19P | Part-Peak Winter | 0.05696 | 0.05824 | 0.06824 | 0.02718 | 0.08414 | 0.08542 | 0.09542 | 0.08542 | kWh |
| E19P | Peak Summer | 0.10728 | 0.10933 | 0.11933 | 0.02718 | 0.13446 | 0.13651 | 0.14651 | 0.13651 | kWh |
| E19PR | Off-Peak Summer | 0.03871 | 0.03971 | 0.04971 | 0.02718 | 0.06589 | 0.06689 | 0.07689 | 0.06689 | kWh |
| E19PR | Off-Peak Winter | 0.04550 | 0.04661 | 0.05661 | 0.02718 | 0.07268 | 0.07379 | 0.08379 | 0.07379 | kWh |
| E19PR | Part-Peak Summer | 0.10126 | 0.10322 | 0.11322 | 0.02718 | 0.12844 | 0.13040 | 0.14040 | 0.13040 | kWh |
| E19PR | Part-Peak Winter | 0.06043 | 0.06176 | 0.07176 | 0.02718 | 0.08761 | 0.08894 | 0.09894 | 0.08894 | kWh |
| E19PR | Peak Summer | 0.26203 | 0.26643 | 0.27643 | 0.02718 | 0.28921 | 0.29361 | 0.30361 | 0.29361 | kWh |
| E19S | Max Part-Peak Demand Summer | 3.62480 | 3.68000 | 3.68000 | | 3.62480 | 3.68000 | 3.68000 | 3.68000 | kW |
| E19S | Max Peak Demand Summer | 14.65680 | 14.88000 | 14.88000 | | 14.65680 | 14.88000 | 14.88000 | 14.88000 | kW |
| E19S | Off-Peak Summer | 0.04032 | 0.04135 | 0.05135 | 0.02718 | 0.06750 | 0.06853 | 0.07853 | 0.06853 | kWh |
| E19S | Off-Peak Winter | 0.04804 | 0.04919 | 0.05919 | 0.02718 | 0.07522 | 0.07637 | 0.08637 | 0.07637 | kWh |
| E19S | Part-Peak Summer | 0.07144 | 0.07294 | 0.08294 | 0.02718 | 0.09862 | 0.10012 | 0.11012 | 0.10012 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| E19S | Part-Peak Winter | 0.06501 | 0.06641 | 0.07641 | 0.02718 | 0.09219 | 0.09359 | 0.10359 | 0.09359 | kWh |
| E19S | Peak Summer | 0.11843 | 0.12065 | 0.13065 | 0.02718 | 0.14561 | 0.14783 | 0.15783 | 0.14783 | kWh |
| E19SR | Off-Peak Summer | 0.04469 | 0.04578 | 0.05578 | 0.02718 | 0.07187 | 0.07296 | 0.08296 | 0.07296 | kWh |
| E19SR | Off-Peak Winter | 0.05213 | 0.05334 | 0.06334 | 0.02718 | 0.07931 | 0.08052 | 0.09052 | 0.08052 | kWh |
| E19SR | Part-Peak Summer | 0.11108 | 0.11319 | 0.12319 | 0.02718 | 0.13826 | 0.14037 | 0.15037 | 0.14037 | kWh |
| E19SR | Part-Peak Winter | 0.06849 | 0.06995 | 0.07995 | 0.02718 | 0.09567 | 0.09713 | 0.10713 | 0.09713 | kWh |
| E19SR | Peak Summer | 0.27641 | 0.28103 | 0.29103 | 0.02718 | 0.30359 | 0.30821 | 0.31821 | 0.30821 | kWh |
| E19T | Max Part-Peak Demand Summer | 3.59525 | 3.65000 | 3.65000 | | 3.59525 | 3.65000 | 3.65000 | 3.65000 | kW |
| E19T | Max Peak Demand Summer | 14.34160 | 14.56000 | 14.56000 | | 14.34160 | 14.56000 | 14.56000 | 14.56000 | kW |
| E19T | Off-Peak Summer | 0.03176 | 0.03266 | 0.04266 | 0.02718 | 0.05894 | 0.05984 | 0.06984 | 0.05984 | kWh |
| E19T | Off-Peak Winter | 0.03851 | 0.03951 | 0.04951 | 0.02718 | 0.06569 | 0.06669 | 0.07669 | 0.06669 | kWh |
| E19T | Part-Peak Summer | 0.05101 | 0.05220 | 0.06220 | 0.02718 | 0.07819 | 0.07938 | 0.08938 | 0.07938 | kWh |
| E19T | Part-Peak Winter | 0.05330 | 0.05453 | 0.06453 | 0.02718 | 0.08048 | 0.08171 | 0.09171 | 0.08171 | kWh |
| E19T | Peak Summer | 0.06557 | 0.06698 | 0.07698 | 0.02718 | 0.09275 | 0.09416 | 0.10416 | 0.09416 | kWh |
| E19TR | Off-Peak Summer | 0.03847 | 0.03947 | 0.04947 | 0.02718 | 0.06565 | 0.06665 | 0.07665 | 0.06665 | kWh |
| E19TR | Off-Peak Winter | 0.04498 | 0.04608 | 0.05608 | 0.02718 | 0.07216 | 0.07326 | 0.08326 | 0.07326 | kWh |
| E19TR | Part-Peak Summer | 0.10018 | 0.10212 | 0.11212 | 0.02718 | 0.12736 | 0.12930 | 0.13930 | 0.12930 | kWh |
| E19TR | Part-Peak Winter | 0.05924 | 0.06056 | 0.07056 | 0.02718 | 0.08642 | 0.08774 | 0.09774 | 0.08774 | kWh |
| E19TR | Peak Summer | 0.25394 | 0.25822 | 0.26822 | 0.02718 | 0.28112 | 0.28540 | 0.29540 | 0.28540 | kWh |
| E20P | Max Part-Peak Demand Summer | 3.68390 | 3.74000 | 3.74000 | | 3.68390 | 3.74000 | 3.74000 | 3.74000 | kW |
| E20P | Max Peak Demand Summer | 15.57285 | 15.81000 | 15.81000 | | 15.57285 | 15.81000 | 15.81000 | 15.81000 | kW |
| E20P | Off-Peak Summer | 0.03765 | 0.03860 | 0.04860 | 0.02461 | 0.06226 | 0.06321 | 0.07321 | 0.06321 | kWh |
| E20P | Off-Peak Winter | 0.04476 | 0.04582 | 0.05582 | 0.02461 | 0.06937 | 0.07043 | 0.08043 | 0.07043 | kWh |
| E20P | Part-Peak Summer | 0.06661 | 0.06800 | 0.07800 | 0.02461 | 0.09122 | 0.09261 | 0.10261 | 0.09261 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| E20P | Part-Peak Winter | 0.06041 | 0.06170 | 0.07170 | 0.02461 | 0.08502 | 0.08631 | 0.09631 | 0.08631 | kWh |
| E20P | Peak Summer | 0.11368 | 0.11579 | 0.12579 | 0.02461 | 0.13829 | 0.14040 | 0.15040 | 0.14040 | kWh |
| E20PR | Off-Peak Summer | 0.04080 | 0.04180 | 0.05180 | 0.02461 | 0.06541 | 0.06641 | 0.07641 | 0.06641 | kWh |
| E20PR | Off-Peak Winter | 0.04767 | 0.04877 | 0.05877 | 0.02461 | 0.07228 | 0.07338 | 0.08338 | 0.07338 | kWh |
| E20PR | Part-Peak Summer | 0.10273 | 0.10467 | 0.11467 | 0.02461 | 0.12734 | 0.12928 | 0.13928 | 0.12928 | kWh |
| E20PR | Part-Peak Winter | 0.06275 | 0.06408 | 0.07408 | 0.02461 | 0.08736 | 0.08869 | 0.09869 | 0.08869 | kWh |
| E20PR | Peak Summer | 0.26876 | 0.27323 | 0.28323 | 0.02461 | 0.29337 | 0.29784 | 0.30784 | 0.29784 | kWh |
| E20S | Max Part-Peak Demand Summer | 3.50660 | 3.56000 | 3.56000 | | 3.50660 | 3.56000 | 3.56000 | 3.56000 | kW |
| E20S | Max Peak Demand Summer | 14.21355 | 14.43000 | 14.43000 | | 14.21355 | 14.43000 | 14.43000 | 14.43000 | kW |
| E20S | Off-Peak Summer | 0.03713 | 0.03809 | 0.04809 | 0.02621 | 0.06334 | 0.06430 | 0.07430 | 0.06430 | kWh |
| E20S | Off-Peak Winter | 0.04438 | 0.04545 | 0.05545 | 0.02621 | 0.07059 | 0.07166 | 0.08166 | 0.07166 | kWh |
| E20S | Part-Peak Summer | 0.06651 | 0.06792 | 0.07792 | 0.02621 | 0.09272 | 0.09413 | 0.10413 | 0.09413 | kWh |
| E20S | Part-Peak Winter | 0.06028 | 0.06160 | 0.07160 | 0.02621 | 0.08649 | 0.08781 | 0.09781 | 0.08781 | kWh |
| E20S | Peak Summer | 0.10929 | 0.11135 | 0.12135 | 0.02621 | 0.13550 | 0.13756 | 0.14756 | 0.13756 | kWh |
| E20SR | Off-Peak Summer | 0.04084 | 0.04186 | 0.05186 | 0.02621 | 0.06705 | 0.06807 | 0.07807 | 0.06807 | kWh |
| E20SR | Off-Peak Winter | 0.04783 | 0.04896 | 0.05896 | 0.02621 | 0.07404 | 0.07517 | 0.08517 | 0.07517 | kWh |
| E20SR | Part-Peak Summer | 0.10310 | 0.10507 | 0.11507 | 0.02621 | 0.12931 | 0.13128 | 0.14128 | 0.13128 | kWh |
| E20SR | Part-Peak Winter | 0.06318 | 0.06454 | 0.07454 | 0.02621 | 0.08939 | 0.09075 | 0.10075 | 0.09075 | kWh |
| E20SR | Peak Summer | 0.25078 | 0.25500 | 0.26500 | 0.02621 | 0.27699 | 0.28121 | 0.29121 | 0.28121 | kWh |
| E20T | Max Part-Peak Demand Summer | 4.42265 | 4.49000 | 4.49000 | | 4.42265 | 4.49000 | 4.49000 | 4.49000 | kW |
| E20T | Max Peak Demand Summer | 18.55740 | 18.84000 | 18.84000 | | 18.55740 | 18.84000 | 18.84000 | 18.84000 | kW |
| E20T | Off-Peak Summer | 0.03475 | 0.03563 | 0.04563 | 0.02312 | 0.05787 | 0.05875 | 0.06875 | 0.05875 | kWh |
| E20T | Off-Peak Winter | 0.04138 | 0.04236 | 0.05236 | 0.02312 | 0.06450 | 0.06548 | 0.07548 | 0.06548 | kWh |
| E20T | Part-Peak Summer | 0.05365 | 0.05482 | 0.06482 | 0.02312 | 0.07677 | 0.07794 | 0.08794 | 0.07794 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| E20T | Part-Peak Winter | 0.05590 | 0.05710 | 0.06710 | 0.02312 | 0.07902 | 0.08022 | 0.09022 | 0.08022 | kWh |
| E20T | Peak Summer | 0.06794 | 0.06933 | 0.07933 | 0.02312 | 0.09106 | 0.09245 | 0.10245 | 0.09245 | kWh |
| E20TR | Off-Peak Summer | 0.03705 | 0.03797 | 0.04797 | 0.02312 | 0.06017 | 0.06109 | 0.07109 | 0.06109 | kWh |
| E20TR | Off-Peak Winter | 0.04345 | 0.04446 | 0.05446 | 0.02312 | 0.06657 | 0.06758 | 0.07758 | 0.06758 | kWh |
| E20TR | Part-Peak Summer | 0.09621 | 0.09803 | 0.10803 | 0.02312 | 0.11933 | 0.12115 | 0.13115 | 0.12115 | kWh |
| E20TR | Part-Peak Winter | 0.05745 | 0.05868 | 0.06868 | 0.02312 | 0.08057 | 0.08180 | 0.09180 | 0.08180 | kWh |
| E20TR | Peak Summer | 0.26232 | 0.26667 | 0.27667 | 0.02312 | 0.28544 | 0.28979 | 0.29979 | 0.28979 | kWh |
| E6 | Off-Peak Summer | 0.06198 | 0.06335 | 0.07335 | 0.02769 | 0.08967 | 0.09104 | 0.10104 | 0.09104 | kWh |
| E6 | Off-Peak Winter | 0.07575 | 0.07733 | 0.08733 | 0.02769 | 0.10344 | 0.10502 | 0.11502 | 0.10502 | kWh |
| E6 | Part-Peak Summer | 0.11113 | 0.11324 | 0.12324 | 0.02769 | 0.13882 | 0.14093 | 0.15093 | 0.14093 | kWh |
| E6 | Part-Peak Winter | 0.08926 | 0.09104 | 0.10104 | 0.02769 | 0.11695 | 0.11873 | 0.12873 | 0.11873 | kWh |
| E6 | Peak Summer | 0.23151 | 0.23546 | 0.24546 | 0.02769 | 0.25920 | 0.26315 | 0.27315 | 0.26315 | kWh |
| ETOUA | Off-Peak Summer | 0.09630 | 0.09819 | 0.10819 | 0.02769 | 0.12399 | 0.12588 | 0.13588 | 0.12588 | kWh |
| ETOUA | Off-Peak Winter | 0.07063 | 0.07213 | 0.08213 | 0.02769 | 0.09832 | 0.09982 | 0.10982 | 0.09982 | kWh |
| ETOUA | Peak Summer | 0.17075 | 0.17377 | 0.18377 | 0.02769 | 0.19844 | 0.20146 | 0.21146 | 0.20146 | kWh |
| ETOUA | Peak Winter | 0.08472 | 0.08643 | 0.09643 | 0.02769 | 0.11241 | 0.11412 | 0.12412 | 0.11412 | kWh |
| ETOUB | Off-Peak Summer | 0.09081 | 0.09261 | 0.10261 | 0.02769 | 0.11850 | 0.12030 | 0.13030 | 0.12030 | kWh |
| ETOUB | Off-Peak Winter | 0.06857 | 0.07004 | 0.08004 | 0.02769 | 0.09626 | 0.09773 | 0.10773 | 0.09773 | kWh |
| ETOUB | Peak Summer | 0.19232 | 0.19567 | 0.20567 | 0.02769 | 0.22001 | 0.22336 | 0.23336 | 0.22336 | kWh |
| ETOUB | Peak Winter | 0.08709 | 0.08884 | 0.09884 | 0.02769 | 0.11478 | 0.11653 | 0.12653 | 0.11653 | kWh |
| ETOUC | Off-Peak Summer | 0.08522 | 0.08694 | 0.09694 | 0.02769 | 0.11291 | 0.11463 | 0.12463 | 0.11463 | kWh |
| ETOUC | Off-Peak Winter | 0.07503 | 0.07659 | 0.08659 | 0.02769 | 0.10272 | 0.10428 | 0.11428 | 0.10428 | kWh |
| ETOUC | Peak Summer | 0.13786 | 0.14038 | 0.15038 | 0.02769 | 0.16555 | 0.16807 | 0.17807 | 0.16807 | kWh |
| ETOUC | Peak Winter | 0.08983 | 0.09162 | 0.10162 | 0.02769 | 0.11752 | 0.11931 | 0.12931 | 0.11931 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| EV2 | Off-Peak Summer | 0.07102 | 0.07252 | 0.08252 | 0.02769 | 0.09871 | 0.10021 | 0.11021 | 0.10021 | kWh |
| EV2 | Off-Peak Winter | 0.06412 | 0.06552 | 0.07552 | 0.02769 | 0.09181 | 0.09321 | 0.10321 | 0.09321 | kWh |
| EV2 | Part-Peak Summer | 0.11154 | 0.11366 | 0.12366 | 0.02769 | 0.13923 | 0.14135 | 0.15135 | 0.14135 | kWh |
| EV2 | Part-Peak Winter | 0.08725 | 0.08900 | 0.09900 | 0.02769 | 0.11494 | 0.11669 | 0.12669 | 0.11669 | kWh |
| EV2 | Peak Summer | 0.15558 | 0.15837 | 0.16837 | 0.02769 | 0.18327 | 0.18606 | 0.19606 | 0.18606 | kWh |
| EV2 | Peak Winter | 0.09955 | 0.10149 | 0.11149 | 0.02769 | 0.12724 | 0.12918 | 0.13918 | 0.12918 | kWh |
| EVA | Off-Peak Summer | 0.03886 | 0.03987 | 0.04987 | 0.02769 | 0.06655 | 0.06756 | 0.07756 | 0.06756 | kWh |
| EVA | Off-Peak Winter | 0.04123 | 0.04228 | 0.05228 | 0.02769 | 0.06892 | 0.06997 | 0.07997 | 0.06997 | kWh |
| EVA | Part-Peak Summer | 0.10472 | 0.10674 | 0.11674 | 0.02769 | 0.13241 | 0.13443 | 0.14443 | 0.13443 | kWh |
| EVA | Part-Peak Winter | 0.03645 | 0.03743 | 0.04743 | 0.02769 | 0.06414 | 0.06512 | 0.07512 | 0.06512 | kWh |
| EVA | Peak Summer | 0.24708 | 0.25126 | 0.26126 | 0.02769 | 0.27477 | 0.27895 | 0.28895 | 0.27895 | kWh |
| EVA | Peak Winter | 0.07499 | 0.07655 | 0.08655 | 0.02769 | 0.10268 | 0.10424 | 0.11424 | 0.10424 | kWh |
| EVB | Off-Peak Summer | 0.03886 | 0.03987 | 0.04987 | 0.02769 | 0.06655 | 0.06756 | 0.07756 | 0.06756 | kWh |
| EVB | Off-Peak Winter | 0.04123 | 0.04228 | 0.05228 | 0.02769 | 0.06892 | 0.06997 | 0.07997 | 0.06997 | kWh |
| EVB | Part-Peak Summer | 0.10472 | 0.10674 | 0.11674 | 0.02769 | 0.13241 | 0.13443 | 0.14443 | 0.13443 | kWh |
| EVB | Part-Peak Winter | 0.03645 | 0.03743 | 0.04743 | 0.02769 | 0.06414 | 0.06512 | 0.07512 | 0.06512 | kWh |
| EVB | Peak Summer | 0.24708 | 0.25126 | 0.26126 | 0.02769 | 0.27477 | 0.27895 | 0.28895 | 0.27895 | kWh |
| EVB | Peak Winter | 0.07499 | 0.07655 | 0.08655 | 0.02769 | 0.10268 | 0.10424 | 0.11424 | 0.10424 | kWh |
| LS | Flat | 0.06873 | 0.07014 | 0.08014 | 0.02375 | 0.09248 | 0.09389 | 0.10389 | 0.09389 | kWh |
| STOUP | Reservation Charge | 0.46295 | 0.47000 | 0.47000 | | 0.46295 | 0.47000 | 0.47000 | 0.47000 | |
| STOUP | Off-Peak Summer | 0.05405 | 0.05519 | 0.06519 | 0.02107 | 0.07512 | 0.07626 | 0.08626 | 0.07626 | kWh |
| STOUP | Off-Peak Winter | 0.06259 | 0.06386 | 0.07386 | 0.02107 | 0.08366 | 0.08493 | 0.09493 | 0.08493 | kWh |
| STOUP | Part-Peak Summer | 0.07866 | 0.08018 | 0.09018 | 0.02107 | 0.09973 | 0.10125 | 0.11125 | 0.10125 | kWh |
| STOUP | Part-Peak Winter | 0.08166 | 0.08322 | 0.09322 | 0.02107 | 0.10273 | 0.10429 | 0.11429 | 0.10429 | kWh |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Brilliant 100 Rate | Renewable 100 Rate | System Fees - 2017 Vintage | Total Bright Choice Rate | Total Brilliant 100 Rate | Total Renewable 100 Rate | March 2020 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------------|------|
| STOUP | Peak Summer | 0.09746 | 0.09927 | 0.10927 | 0.02107 | 0.11853 | 0.12034 | 0.13034 | 0.12034 | kWh |
| STOUS | Reservation Charge | 0.46295 | 0.47000 | 0.47000 | | 0.46295 | 0.47000 | 0.47000 | 0.47000 | |
| STOUS | Off-Peak Summer | 0.05405 | 0.05519 | 0.06519 | 0.02107 | 0.07512 | 0.07626 | 0.08626 | 0.07626 | kWh |
| STOUS | Off-Peak Winter | 0.06259 | 0.06386 | 0.07386 | 0.02107 | 0.08366 | 0.08493 | 0.09493 | 0.08493 | kWh |
| STOUS | Part-Peak Summer | 0.07866 | 0.08018 | 0.09018 | 0.02107 | 0.09973 | 0.10125 | 0.11125 | 0.10125 | kWh |
| STOUS | Part-Peak Winter | 0.08166 | 0.08322 | 0.09322 | 0.02107 | 0.10273 | 0.10429 | 0.11429 | 0.10429 | kWh |
| STOUS | Peak Summer | 0.09746 | 0.09927 | 0.10927 | 0.02107 | 0.11853 | 0.12034 | 0.13034 | 0.12034 | kWh |
| STOUT | Reservation Charge | 0.38415 | 0.39000 | 0.39000 | | 0.38415 | 0.39000 | 0.39000 | 0.39000 | |
| STOUT | Off-Peak Summer | 0.04168 | 0.04264 | 0.05264 | 0.02107 | 0.06275 | 0.06371 | 0.07371 | 0.06371 | kWh |
| STOUT | Off-Peak Winter | 0.04887 | 0.04994 | 0.05994 | 0.02107 | 0.06994 | 0.07101 | 0.08101 | 0.07101 | kWh |
| STOUT | Part-Peak Summer | 0.06218 | 0.06345 | 0.07345 | 0.02107 | 0.08325 | 0.08452 | 0.09452 | 0.08452 | kWh |
| STOUT | Part-Peak Winter | 0.06463 | 0.06593 | 0.07593 | 0.02107 | 0.08570 | 0.08700 | 0.09700 | 0.08700 | kWh |
| STOUT | Peak Summer | 0.07768 | 0.07918 | 0.08918 | 0.02107 | 0.09875 | 0.10025 | 0.11025 | 0.10025 | kWh |
| TC1 | Flat | 0.07552 | 0.07709 | 0.08709 | 0.02765 | 0.10317 | 0.10474 | 0.11474 | 0.10474 | kWh |