



Ava Community Energy Rate Sheets

Rates effective as of January 1, 2024

This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
A1	Summer	0.18207	0.19394	-0.00411	0.17796	0.18983	0.18733	kWh
A1	Winter	0.14394	0.15380	-0.00411	0.13983	0.14969	0.14719	kWh
A10P	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10P	Summer	0.16593	0.17694	-0.00434	0.16159	0.17260	0.17010	kWh
A10P	Winter	0.14805	0.15811	-0.00434	0.14371	0.15377	0.15127	kWh
A10PX	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10PX	Off-Peak Summer	0.15535	0.16580	-0.00434	0.15101	0.16146	0.15896	kWh
A10PX	Off-Peak Winter	0.14767	0.15771	-0.00434	0.14333	0.15337	0.15087	kWh
A10PX	Part-Peak Summer	0.17940	0.19111	-0.00434	0.17506	0.18677	0.18427	kWh
A10PX	Part-Peak Winter	0.14830	0.15838	-0.00434	0.14396	0.15404	0.15154	kWh
A10PX	Peak Summer	0.17940	0.19111	-0.00434	0.17506	0.18677	0.18427	kWh
A10S	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10S	Summer	0.18439	0.19637	-0.00434	0.18005	0.19203	0.18953	kWh
A10S	Winter	0.16372	0.17461	-0.00434	0.15938	0.17027	0.16777	kWh
A10SX	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10SX	Off-Peak Summer	0.17182	0.18313	-0.00434	0.16748	0.17879	0.17629	kWh
A10SX	Off-Peak Winter	0.16369	0.17458	-0.00434	0.15935	0.17024	0.16774	kWh
A10SX	Part-Peak Summer	0.19726	0.20991	-0.00434	0.19292	0.20557	0.20307	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
A10SX	Part-Peak Winter	0.16437	0.17529	-0.00434	0.16003	0.17095	0.16845	kWh
A10SX	Peak Summer	0.19726	0.20991	-0.00434	0.19292	0.20557	0.20307	kWh
A10T	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10T	Summer	0.14237	0.15213	-0.00434	0.13803	0.14779	0.14529	kWh
A10T	Winter	0.12610	0.13501	-0.00434	0.12176	0.13067	0.12817	kWh
A10TX	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10TX	Off-Peak Summer	0.13268	0.14194	-0.00434	0.12834	0.13760	0.13510	kWh
A10TX	Off-Peak Winter	0.12519	0.13405	-0.00434	0.12085	0.12971	0.12721	kWh
A10TX	Part-Peak Summer	0.15610	0.16659	-0.00434	0.15176	0.16225	0.15975	kWh
A10TX	Part-Peak Winter	0.12582	0.13471	-0.00434	0.12148	0.13037	0.12787	kWh
A10TX	Peak Summer	0.15610	0.16659	-0.00434	0.15176	0.16225	0.15975	kWh
A15	Summer	0.17717	0.18878	-0.00411	0.17306	0.18467	0.18217	kWh
A15	Winter	0.15769	0.16827	-0.00411	0.15358	0.16416	0.16166	kWh
A1X	Off-Peak Summer	0.16131	0.17208	-0.00411	0.15720	0.16797	0.16547	kWh
A1X	Off-Peak Winter	0.15502	0.16546	-0.00411	0.15091	0.16135	0.15885	kWh
A1X	Part-Peak Summer	0.18477	0.19678	-0.00411	0.18066	0.19267	0.19017	kWh
A1X	Part-Peak Winter	0.15557	0.16604	-0.00411	0.15146	0.16193	0.15943	kWh
A1X	Peak Summer	0.18477	0.19678	-0.00411	0.18066	0.19267	0.19017	kWh
A6	Off-Peak Summer	0.16570	0.17671	-0.00411	0.16159	0.17260	0.17010	kWh
A6	Off-Peak Winter	0.15612	0.16662	-0.00411	0.15201	0.16251	0.16001	kWh
A6	Part-Peak Summer	0.19777	0.21046	-0.00411	0.19366	0.20635	0.20385	kWh
A6	Part-Peak Winter	0.15679	0.16733	-0.00411	0.15268	0.16322	0.16072	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
A6	Peak Summer	0.19777	0.21046	-0.00411	0.19366	0.20635	0.20385	kWh
AG1A	Connected Load Summer	3.76200	3.96000	0.00000	3.76200	3.96000	3.96000	kW
AG1A	Summer	0.14414	0.15402	-0.00386	0.14028	0.15016	0.14766	kWh
AG1A	Winter	0.13127	0.14048	-0.00386	0.12741	0.13662	0.13412	kWh
AG1B	Max Demand Summer	5.13950	5.41000	0.00000	5.13950	5.41000	5.41000	kW
AG1B	Summer	0.14926	0.15941	-0.00386	0.14540	0.15555	0.15305	kWh
AG1B	Winter	0.11423	0.12254	-0.00386	0.11037	0.11868	0.11618	kWh
AG4A	Connected Load Summer	2.77400	2.92000	0.00000	2.77400	2.92000	2.92000	kW
AG4A	Off-Peak Summer	0.14123	0.15096	-0.00386	0.13737	0.14710	0.14460	kWh
AG4A	Off-Peak Winter	0.12700	0.13598	-0.00386	0.12314	0.13212	0.12962	kWh
AG4A	Part-Peak Winter	0.12767	0.13669	-0.00386	0.12381	0.13283	0.13033	kWh
AG4A	Peak Summer	0.14123	0.15096	-0.00386	0.13737	0.14710	0.14460	kWh
AG4B	Max Demand Summer	4.70250	4.95000	0.00000	4.70250	4.95000	4.95000	kW
AG4B	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AG4B	Off-Peak Summer	0.14945	0.15961	-0.00386	0.14559	0.15575	0.15325	kWh
AG4B	Off-Peak Winter	0.13550	0.14493	-0.00386	0.13164	0.14107	0.13857	kWh
AG4B	Part-Peak Winter	0.13616	0.14562	-0.00386	0.13230	0.14176	0.13926	kWh
AG4B	Peak Summer	0.14945	0.15961	-0.00386	0.14559	0.15575	0.15325	kWh
AG4C	Max Part-Peak Demand Summer	4.96850	5.23000	0.00000	4.96850	5.23000	5.23000	kW
AG4C	Max Peak Demand Summer	4.96850	5.23000	0.00000	4.96850	5.23000	5.23000	kW



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
AG4C	Off-Peak Summer	0.11280	0.12103	-0.00386	0.10894	0.11717	0.11467	kWh
AG4C	Off-Peak Winter	0.10966	0.11773	-0.00386	0.10580	0.11387	0.11137	kWh
AG4C	Part-Peak Summer	0.12344	0.13223	-0.00386	0.11958	0.12837	0.12587	kWh
AG4C	Part-Peak Winter	0.11034	0.11844	-0.00386	0.10648	0.11458	0.11208	kWh
AG4C	Peak Summer	0.12344	0.13223	-0.00386	0.11958	0.12837	0.12587	kWh
AG5A	Connected Load Summer	7.68550	8.09000	0.00000	7.68550	8.09000	8.09000	kW
AG5A	Off-Peak Summer	0.14968	0.15986	-0.00386	0.14582	0.15600	0.15350	kWh
AG5A	Off-Peak Winter	0.13734	0.14687	-0.00386	0.13348	0.14301	0.14051	kWh
AG5A	Part-Peak Winter	0.13802	0.14758	-0.00386	0.13416	0.14372	0.14122	kWh
AG5A	Peak Summer	0.14968	0.15986	-0.00386	0.14582	0.15600	0.15350	kWh
AG5B	Max Demand Summer	9.12950	9.61000	0.00000	9.12950	9.61000	9.61000	kW
AG5B	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AG5B	Off-Peak Summer	0.13518	0.14459	-0.00386	0.13132	0.14073	0.13823	kWh
AG5B	Off-Peak Winter	0.12272	0.13148	-0.00386	0.11886	0.12762	0.12512	kWh
AG5B	Part-Peak Winter	0.12337	0.13216	-0.00386	0.11951	0.12830	0.12580	kWh
AG5B	Peak Summer	0.13518	0.14459	-0.00386	0.13132	0.14073	0.13823	kWh
AG5C	Max Part-Peak Demand Summer	10.25050	10.79000	0.00000	10.25050	10.79000	10.79000	kW
AG5C	Max Peak Demand Summer	10.25050	10.79000	0.00000	10.25050	10.79000	10.79000	kW
AG5C	Off-Peak Summer	0.10631	0.11420	-0.00386	0.10245	0.11034	0.10784	kWh
AG5C	Off-Peak Winter	0.10317	0.11090	-0.00386	0.09931	0.10704	0.10454	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
AG5C	Part-Peak Summer	0.11207	0.12027	-0.00386	0.10821	0.11641	0.11391	kWh
AG5C	Part-Peak Winter	0.10385	0.11161	-0.00386	0.09999	0.10775	0.10525	kWh
AG5C	Peak Summer	0.11207	0.12027	-0.00386	0.10821	0.11641	0.11391	kWh
AGA1	Off-Peak Summer	0.16119	0.17197	-0.00386	0.15733	0.16811	0.16561	kWh
AGA1	Off-Peak Winter	0.13291	0.14220	-0.00386	0.12905	0.13834	0.13584	kWh
AGA1	Peak Summer	0.27489	0.29165	-0.00386	0.27103	0.28779	0.28529	kWh
AGA1	Peak Winter	0.15804	0.16865	-0.00386	0.15418	0.16479	0.16229	kWh
AGA2	Off-Peak Summer	0.16119	0.17197	-0.00386	0.15733	0.16811	0.16561	kWh
AGA2	Off-Peak Winter	0.13291	0.14220	-0.00386	0.12905	0.13834	0.13584	kWh
AGA2	Peak Summer	0.27489	0.29165	-0.00386	0.27103	0.28779	0.28529	kWh
AGA2	Peak Winter	0.15804	0.16865	-0.00386	0.15418	0.16479	0.16229	kWh
AGB	Off-Peak Summer	0.17743	0.18907	-0.00386	0.17357	0.18521	0.18271	kWh
AGB	Off-Peak Winter	0.14747	0.15753	-0.00386	0.14361	0.15367	0.15117	kWh
AGB	Peak Summer	0.29435	0.31214	-0.00386	0.29049	0.30828	0.30578	kWh
AGB	Peak Winter	0.17236	0.18373	-0.00386	0.16850	0.17987	0.17737	kWh
AGC	Max Peak Demand Summer	20.15900	21.22000	0.00000	20.15900	21.22000	21.22000	kW
AGC	Off-Peak Summer	0.11879	0.12734	-0.00386	0.11493	0.12348	0.12098	kWh
AGC	Off-Peak Winter	0.10864	0.11666	-0.00386	0.10478	0.11280	0.11030	kWh
AGC	Peak Summer	0.14680	0.15682	-0.00386	0.14294	0.15296	0.15046	kWh
AGC	Peak Winter	0.13289	0.14218	-0.00386	0.12903	0.13832	0.13582	kWh
AGFA	Off-Peak Summer	0.16862	0.17979	-0.00386	0.16476	0.17593	0.17343	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
AGFA	Off-Peak Winter	0.13380	0.14314	-0.00386	0.12994	0.13928	0.13678	kWh
AGFA	Peak Summer	0.24190	0.25693	-0.00386	0.23804	0.25307	0.25057	kWh
AGFA	Peak Winter	0.15893	0.16959	-0.00386	0.15507	0.16573	0.16323	kWh
AGFB	Off-Peak Summer	0.18616	0.19825	-0.00386	0.18230	0.19439	0.19189	kWh
AGFB	Off-Peak Winter	0.14957	0.15974	-0.00386	0.14571	0.15588	0.15338	kWh
AGFB	Peak Summer	0.26340	0.27956	-0.00386	0.25954	0.27570	0.27320	kWh
AGFB	Peak Winter	0.17470	0.18619	-0.00386	0.17084	0.18233	0.17983	kWh
AGFC	Max Peak Demand Summer	20.15900	21.22000	0.00000	20.15900	21.22000	21.22000	kW
AGFC	Off-Peak Summer	0.12688	0.13585	-0.00386	0.12302	0.13199	0.12949	kWh
AGFC	Off-Peak Winter	0.11656	0.12499	-0.00386	0.11270	0.12113	0.11863	kWh
AGFC	Peak Summer	0.15538	0.16586	-0.00386	0.15152	0.16200	0.15950	kWh
AGFC	Peak Winter	0.14169	0.15144	-0.00386	0.13783	0.14758	0.14508	kWh
AGRA	Connected Load Summer	2.70750	2.85000	0.00000	2.70750	2.85000	2.85000	kW
AGRA	Off-Peak Summer	0.14382	0.15369	-0.00386	0.13996	0.14983	0.14733	kWh
AGRA	Off-Peak Winter	0.12737	0.13637	-0.00386	0.12351	0.13251	0.13001	kWh
AGRA	Part-Peak Winter	0.12804	0.13708	-0.00386	0.12418	0.13322	0.13072	kWh
AGRA	Peak Summer	0.14382	0.15369	-0.00386	0.13996	0.14983	0.14733	kWh
AGRB	Max Demand Summer	3.71450	3.91000	0.00000	3.71450	3.91000	3.91000	kW
AGRB	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AGRB	Off-Peak Summer	0.12738	0.13638	-0.00386	0.12352	0.13252	0.13002	kWh
AGRB	Off-Peak Winter	0.11587	0.12427	-0.00386	0.11201	0.12041	0.11791	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
AGRB	Part-Peak Winter	0.11655	0.12498	-0.00386	0.11269	0.12112	0.11862	kWh
AGRB	Peak Summer	0.12738	0.13638	-0.00386	0.12352	0.13252	0.13002	kWh
AGVA	Connected Load Summer	2.84050	2.99000	0.00000	2.84050	2.99000	2.99000	kW
AGVA	Off-Peak Summer	0.13921	0.14883	-0.00386	0.13535	0.14497	0.14247	kWh
AGVA	Off-Peak Winter	0.12406	0.13289	-0.00386	0.12020	0.12903	0.12653	kWh
AGVA	Part-Peak Winter	0.12474	0.13360	-0.00386	0.12088	0.12974	0.12724	kWh
AGVA	Peak Summer	0.13921	0.14883	-0.00386	0.13535	0.14497	0.14247	kWh
AGVB	Max Demand Summer	3.51500	3.70000	0.00000	3.51500	3.70000	3.70000	kW
AGVB	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AGVB	Off-Peak Summer	0.12340	0.13219	-0.00386	0.11954	0.12833	0.12583	kWh
AGVB	Off-Peak Winter	0.11093	0.11907	-0.00386	0.10707	0.11521	0.11271	kWh
AGVB	Part-Peak Winter	0.11161	0.11978	-0.00386	0.10775	0.11592	0.11342	kWh
AGVB	Peak Summer	0.12340	0.13219	-0.00386	0.11954	0.12833	0.12583	kWh
B1	Off-Peak Summer	0.15702	0.16757	-0.00411	0.15291	0.16346	0.16096	kWh
B1	Off-Peak Winter	0.15576	0.16624	-0.00411	0.15165	0.16213	0.15963	kWh
B1	Part-Peak Summer	0.17679	0.18838	-0.00411	0.17268	0.18427	0.18177	kWh
B1	Peak Summer	0.22356	0.23761	-0.00411	0.21945	0.23350	0.23100	kWh
B1	Peak Winter	0.17107	0.18236	-0.00411	0.16696	0.17825	0.17575	kWh
B1	Super-Off-Peak Winter	0.14017	0.14983	-0.00411	0.13606	0.14572	0.14322	kWh
B1-ST	Off-Peak Summer	0.15392	0.16430	-0.00411	0.14981	0.16019	0.15769	kWh
B1-ST	Off-Peak Winter	0.14754	0.15759	-0.00411	0.14343	0.15348	0.15098	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
B1-ST	Part-Peak Summer	0.18788	0.20005	-0.00411	0.18377	0.19594	0.19344	kWh
B1-ST	Part-Peak Winter	0.16844	0.17959	-0.00411	0.16433	0.17548	0.17298	kWh
B1-ST	Peak Summer	0.22821	0.24251	-0.00411	0.22410	0.23840	0.23590	kWh
B1-ST	Peak Winter	0.18016	0.19193	-0.00411	0.17605	0.18782	0.18532	kWh
B1-ST	Super-Off-Peak Winter	0.13194	0.14117	-0.00411	0.12783	0.13706	0.13456	kWh
B10P	Off-Peak Summer	0.14631	0.15628	-0.00434	0.14197	0.15194	0.14944	kWh
B10P	Off-Peak Winter	0.14713	0.15715	-0.00434	0.14279	0.15281	0.15031	kWh
B10P	Part-Peak Summer	0.17561	0.18712	-0.00434	0.17127	0.18278	0.18028	kWh
B10P	Peak Summer	0.23099	0.24542	-0.00434	0.22665	0.24108	0.23858	kWh
B10P	Peak Winter	0.17909	0.19079	-0.00434	0.17475	0.18645	0.18395	kWh
B10P	Super-Off-Peak Winter	0.11261	0.12081	-0.00434	0.10827	0.11647	0.11397	kWh
B10S	Off-Peak Summer	0.16117	0.17192	-0.00434	0.15683	0.16758	0.16508	kWh
B10S	Off-Peak Winter	0.16186	0.17265	-0.00434	0.15752	0.16831	0.16581	kWh
B10S	Part-Peak Summer	0.19211	0.20449	-0.00434	0.18777	0.20015	0.19765	kWh
B10S	Peak Summer	0.25071	0.26618	-0.00434	0.24637	0.26184	0.25934	kWh
B10S	Peak Winter	0.19557	0.20813	-0.00434	0.19123	0.20379	0.20129	kWh
B10S	Super-Off-Peak Winter	0.12734	0.13631	-0.00434	0.12300	0.13197	0.12947	kWh
B10T	Off-Peak Summer	0.12393	0.13272	-0.00434	0.11959	0.12838	0.12588	kWh
B10T	Off-Peak Winter	0.12481	0.13365	-0.00434	0.12047	0.12931	0.12681	kWh
B10T	Part-Peak Summer	0.15249	0.16279	-0.00434	0.14815	0.15845	0.15595	kWh
B10T	Peak Summer	0.20640	0.21953	-0.00434	0.20206	0.21519	0.21269	kWh
B10T	Peak Winter	0.15600	0.16648	-0.00434	0.15166	0.16214	0.15964	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
B10T	Super-Off-Peak Winter	0.09029	0.09731	-0.00434	0.08595	0.09297	0.09047	kWh
B19P	Max Part-Peak Demand Summer	2.97350	3.13000	0.00000	2.97350	3.13000	3.13000	kW
B19P	Max Peak Demand Summer	20.28250	21.35000	0.00000	20.28250	21.35000	21.35000	kW
B19P	Max Peak Demand Winter	2.08050	2.19000	0.00000	2.08050	2.19000	2.19000	kW
B19P	Off-Peak Summer	0.10956	0.11761	-0.00407	0.10549	0.11354	0.11104	kWh
B19P	Off-Peak Winter	0.10996	0.11803	-0.00407	0.10589	0.11396	0.11146	kWh
B19P	Part-Peak Summer	0.14128	0.15100	-0.00407	0.13721	0.14693	0.14443	kWh
B19P	Peak Summer	0.17775	0.18939	-0.00407	0.17368	0.18532	0.18282	kWh
B19P	Peak Winter	0.15655	0.16708	-0.00407	0.15248	0.16301	0.16051	kWh
B19P	Super-Off-Peak Winter	0.04367	0.04825	-0.00407	0.03960	0.04418	0.04168	kWh
B19PR	Off-Peak Summer	0.12879	0.13785	-0.00407	0.12472	0.13378	0.13128	kWh
B19PR	Off-Peak Winter	0.12889	0.13796	-0.00407	0.12482	0.13389	0.13139	kWh
B19PR	Part-Peak Summer	0.16241	0.17324	-0.00407	0.15834	0.16917	0.16667	kWh
B19PR	Peak Summer	0.27977	0.29678	-0.00407	0.27570	0.29271	0.29021	kWh
B19PR	Peak Winter	0.16466	0.17561	-0.00407	0.16059	0.17154	0.16904	kWh
B19PR	Super-Off-Peak Winter	0.09486	0.10214	-0.00407	0.09079	0.09807	0.09557	kWh
B19PS	Off-Peak Summer	0.12879	0.13785	-0.00407	0.12472	0.13378	0.13128	kWh
B19PS	Off-Peak Winter	0.12889	0.13796	-0.00407	0.12482	0.13389	0.13139	kWh
B19PS	Part-Peak Summer	0.16241	0.17324	-0.00407	0.15834	0.16917	0.16667	kWh
B19PS	Peak Summer	0.27977	0.29678	-0.00407	0.27570	0.29271	0.29021	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
B19PS	Peak Winter	0.16466	0.17561	-0.00407	0.16059	0.17154	0.16904	kWh
B19PS	Super-Off-Peak Winter	0.09486	0.10214	-0.00407	0.09079	0.09807	0.09557	kWh
B19S	Max Part-Peak Demand Summer	3.51500	3.70000	0.00000	3.51500	3.70000	3.70000	kW
B19S	Max Peak Demand Summer	24.14900	25.42000	0.00000	24.14900	25.42000	25.42000	kW
B19S	Max Peak Demand Winter	2.86900	3.02000	0.00000	2.86900	3.02000	3.02000	kW
B19S	Off-Peak Summer	0.12107	0.12973	-0.00407	0.11700	0.12566	0.12316	kWh
B19S	Off-Peak Winter	0.12094	0.12959	-0.00407	0.11687	0.12552	0.12302	kWh
B19S	Part-Peak Summer	0.15505	0.16550	-0.00407	0.15098	0.16143	0.15893	kWh
B19S	Peak Summer	0.20309	0.21607	-0.00407	0.19902	0.21200	0.20950	kWh
B19S	Peak Winter	0.17258	0.18395	-0.00407	0.16851	0.17988	0.17738	kWh
B19S	Super-Off-Peak Winter	0.05166	0.05666	-0.00407	0.04759	0.05259	0.05009	kWh
B19SR	Off-Peak Summer	0.14646	0.15645	-0.00407	0.14239	0.15238	0.14988	kWh
B19SR	Off-Peak Winter	0.14639	0.15638	-0.00407	0.14232	0.15231	0.14981	kWh
B19SR	Part-Peak Summer	0.18304	0.19496	-0.00407	0.17897	0.19089	0.18839	kWh
B19SR	Peak Summer	0.31183	0.33053	-0.00407	0.30776	0.32646	0.32396	kWh
B19SR	Peak Winter	0.18659	0.19870	-0.00407	0.18252	0.19463	0.19213	kWh
B19SR	Super-Off-Peak Winter	0.11236	0.12056	-0.00407	0.10829	0.11649	0.11399	kWh
B19SS	Off-Peak Summer	0.14646	0.15645	-0.00407	0.14239	0.15238	0.14988	kWh
B19SS	Off-Peak Winter	0.14639	0.15638	-0.00407	0.14232	0.15231	0.14981	kWh
B19SS	Part-Peak Summer	0.18304	0.19496	-0.00407	0.17897	0.19089	0.18839	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
B19SS	Peak Summer	0.31183	0.33053	-0.00407	0.30776	0.32646	0.32396	kWh
B19SS	Peak Winter	0.18659	0.19870	-0.00407	0.18252	0.19463	0.19213	kWh
B19SS	Super-Off-Peak Winter	0.11236	0.12056	-0.00407	0.10829	0.11649	0.11399	kWh
B19T	Max Part-Peak Demand Summer	4.55050	4.79000	0.00000	4.55050	4.79000	4.79000	kW
B19T	Max Peak Demand Summer	18.21150	19.17000	0.00000	18.21150	19.17000	19.17000	kW
B19T	Max Peak Demand Winter	1.75750	1.85000	0.00000	1.75750	1.85000	1.85000	kW
B19T	Off-Peak Summer	0.11404	0.12233	-0.00407	0.10997	0.11826	0.11576	kWh
B19T	Off-Peak Winter	0.11477	0.12310	-0.00407	0.11070	0.11903	0.11653	kWh
B19T	Part-Peak Summer	0.14698	0.15700	-0.00407	0.14291	0.15293	0.15043	kWh
B19T	Peak Summer	0.16245	0.17329	-0.00407	0.15838	0.16922	0.16672	kWh
B19T	Peak Winter	0.16141	0.17219	-0.00407	0.15734	0.16812	0.16562	kWh
B19T	Super-Off-Peak Winter	0.04617	0.05089	-0.00407	0.04210	0.04682	0.04432	kWh
B19TR	Off-Peak Summer	0.13037	0.13952	-0.00407	0.12630	0.13545	0.13295	kWh
B19TR	Off-Peak Winter	0.13057	0.13973	-0.00407	0.12650	0.13566	0.13316	kWh
B19TR	Part-Peak Summer	0.17041	0.18167	-0.00407	0.16634	0.17760	0.17510	kWh
B19TR	Peak Summer	0.24784	0.26317	-0.00407	0.24377	0.25910	0.25660	kWh
B19TR	Peak Winter	0.16257	0.17341	-0.00407	0.15850	0.16934	0.16684	kWh
B19TR	Super-Off-Peak Winter	0.09654	0.10391	-0.00407	0.09247	0.09984	0.09734	kWh
B19TS	Off-Peak Summer	0.13037	0.13952	-0.00407	0.12630	0.13545	0.13295	kWh
B19TS	Off-Peak Winter	0.13057	0.13973	-0.00407	0.12650	0.13566	0.13316	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
B19TS	Part-Peak Summer	0.17041	0.18167	-0.00407	0.16634	0.17760	0.17510	kWh
B19TS	Peak Summer	0.24784	0.26317	-0.00407	0.24377	0.25910	0.25660	kWh
B19TS	Peak Winter	0.16257	0.17341	-0.00407	0.15850	0.16934	0.16684	kWh
B19TS	Super-Off-Peak Winter	0.09654	0.10391	-0.00407	0.09247	0.09984	0.09734	kWh
B20P	Max Part-Peak Demand Summer	3.47700	3.66000	0.00000	3.47700	3.66000	3.66000	kW
B20P	Max Peak Demand Summer	25.29850	26.63000	0.00000	25.29850	26.63000	26.63000	kW
B20P	Max Peak Demand Winter	2.90700	3.06000	0.00000	2.90700	3.06000	3.06000	kW
B20P	Off-Peak Summer	0.11088	0.11902	-0.00373	0.10715	0.11529	0.11279	kWh
B20P	Off-Peak Winter	0.11096	0.11910	-0.00373	0.10723	0.11537	0.11287	kWh
B20P	Part-Peak Summer	0.14316	0.15300	-0.00373	0.13943	0.14927	0.14677	kWh
B20P	Peak Summer	0.18945	0.20173	-0.00373	0.18572	0.19800	0.19550	kWh
B20P	Peak Winter	0.16000	0.17072	-0.00373	0.15627	0.16699	0.16449	kWh
B20P	Super-Off-Peak Winter	0.04140	0.04588	-0.00373	0.03767	0.04215	0.03965	kWh
B20PR	Off-Peak Summer	0.13194	0.14119	-0.00373	0.12821	0.13746	0.13496	kWh
B20PR	Off-Peak Winter	0.13199	0.14124	-0.00373	0.12826	0.13751	0.13501	kWh
B20PR	Part-Peak Summer	0.16491	0.17589	-0.00373	0.16118	0.17216	0.16966	kWh
B20PR	Peak Summer	0.28736	0.30479	-0.00373	0.28363	0.30106	0.29856	kWh
B20PR	Peak Winter	0.17006	0.18131	-0.00373	0.16633	0.17758	0.17508	kWh
B20PR	Super-Off-Peak Winter	0.09803	0.10549	-0.00373	0.09430	0.10176	0.09926	kWh
B20PS	Off-Peak Summer	0.13194	0.14119	-0.00373	0.12821	0.13746	0.13496	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
B20PS	Off-Peak Winter	0.13199	0.14124	-0.00373	0.12826	0.13751	0.13501	kWh
B20PS	Part-Peak Summer	0.16491	0.17589	-0.00373	0.16118	0.17216	0.16966	kWh
B20PS	Peak Summer	0.28736	0.30479	-0.00373	0.28363	0.30106	0.29856	kWh
B20PS	Peak Winter	0.17006	0.18131	-0.00373	0.16633	0.17758	0.17508	kWh
B20PS	Super-Off-Peak Winter	0.09803	0.10549	-0.00373	0.09430	0.10176	0.09926	kWh
B20S	Max Part-Peak Demand Summer	3.27750	3.45000	0.00000	3.27750	3.45000	3.45000	kW
B20S	Max Peak Demand Summer	22.61000	23.80000	0.00000	22.61000	23.80000	23.80000	kW
B20S	Max Peak Demand Winter	2.87850	3.03000	0.00000	2.87850	3.03000	3.03000	kW
B20S	Off-Peak Summer	0.11682	0.12526	-0.00396	0.11286	0.12130	0.11880	kWh
B20S	Off-Peak Winter	0.11654	0.12497	-0.00396	0.11258	0.12101	0.11851	kWh
B20S	Part-Peak Summer	0.15081	0.16104	-0.00396	0.14685	0.15708	0.15458	kWh
B20S	Peak Summer	0.19385	0.20634	-0.00396	0.18989	0.20238	0.19988	kWh
B20S	Peak Winter	0.16822	0.17936	-0.00396	0.16426	0.17540	0.17290	kWh
B20S	Super-Off-Peak Winter	0.04734	0.05212	-0.00396	0.04338	0.04816	0.04566	kWh
B20SR	Off-Peak Summer	0.13994	0.14960	-0.00396	0.13598	0.14564	0.14314	kWh
B20SR	Off-Peak Winter	0.13982	0.14947	-0.00396	0.13586	0.14551	0.14301	kWh
B20SR	Part-Peak Summer	0.17553	0.18706	-0.00396	0.17157	0.18310	0.18060	kWh
B20SR	Peak Summer	0.30164	0.31981	-0.00396	0.29768	0.31585	0.31335	kWh
B20SR	Peak Winter	0.18136	0.19320	-0.00396	0.17740	0.18924	0.18674	kWh
B20SR	Super-Off-Peak Winter	0.10586	0.11372	-0.00396	0.10190	0.10976	0.10726	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
B20SS	Off-Peak Summer	0.13994	0.14960	-0.00396	0.13598	0.14564	0.14314	kWh
B20SS	Off-Peak Winter	0.13982	0.14947	-0.00396	0.13586	0.14551	0.14301	kWh
B20SS	Part-Peak Summer	0.17553	0.18706	-0.00396	0.17157	0.18310	0.18060	kWh
B20SS	Peak Summer	0.30164	0.31981	-0.00396	0.29768	0.31585	0.31335	kWh
B20SS	Peak Winter	0.18136	0.19320	-0.00396	0.17740	0.18924	0.18674	kWh
B20SS	Super-Off-Peak Winter	0.10586	0.11372	-0.00396	0.10190	0.10976	0.10726	kWh
B20T	Max Part-Peak Demand Summer	6.34600	6.68000	0.00000	6.34600	6.68000	6.68000	kW
B20T	Max Peak Demand Summer	26.63800	28.04000	0.00000	26.63800	28.04000	28.04000	kW
B20T	Max Peak Demand Winter	3.55300	3.74000	0.00000	3.55300	3.74000	3.74000	kW
B20T	Off-Peak Summer	0.10290	0.11063	-0.00346	0.09944	0.10717	0.10467	kWh
B20T	Off-Peak Winter	0.09789	0.10536	-0.00346	0.09443	0.10190	0.09940	kWh
B20T	Part-Peak Summer	0.13568	0.14514	-0.00346	0.13222	0.14168	0.13918	kWh
B20T	Peak Summer	0.16505	0.17606	-0.00346	0.16159	0.17260	0.17010	kWh
B20T	Peak Winter	0.15716	0.16775	-0.00346	0.15370	0.16429	0.16179	kWh
B20T	Super-Off-Peak Winter	0.03869	0.04304	-0.00346	0.03523	0.03958	0.03708	kWh
B20TR	Off-Peak Summer	0.12042	0.12908	-0.00346	0.11696	0.12562	0.12312	kWh
B20TR	Off-Peak Winter	0.11765	0.12616	-0.00346	0.11419	0.12270	0.12020	kWh
B20TR	Part-Peak Summer	0.16816	0.17933	-0.00346	0.16470	0.17587	0.17337	kWh
B20TR	Peak Summer	0.28085	0.29795	-0.00346	0.27739	0.29449	0.29199	kWh
B20TR	Peak Winter	0.16801	0.17917	-0.00346	0.16455	0.17571	0.17321	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
B20TR	Super-Off-Peak Winter	0.08649	0.09336	-0.00346	0.08303	0.08990	0.08740	kWh
B20TS	Off-Peak Summer	0.12042	0.12908	-0.00346	0.11696	0.12562	0.12312	kWh
B20TS	Off-Peak Winter	0.11765	0.12616	-0.00346	0.11419	0.12270	0.12020	kWh
B20TS	Part-Peak Summer	0.16816	0.17933	-0.00346	0.16470	0.17587	0.17337	kWh
B20TS	Peak Summer	0.28085	0.29795	-0.00346	0.27739	0.29449	0.29199	kWh
B20TS	Peak Winter	0.16801	0.17917	-0.00346	0.16455	0.17571	0.17321	kWh
B20TS	Super-Off-Peak Winter	0.08649	0.09336	-0.00346	0.08303	0.08990	0.08740	kWh
B6	Off-Peak Summer	0.15167	0.16194	-0.00411	0.14756	0.15783	0.15533	kWh
B6	Off-Peak Winter	0.14214	0.15190	-0.00411	0.13803	0.14779	0.14529	kWh
B6	Peak Summer	0.31311	0.33187	-0.00411	0.30900	0.32776	0.32526	kWh
B6	Peak Winter	0.17971	0.19145	-0.00411	0.17560	0.18734	0.18484	kWh
B6	Super-Off-Peak Winter	0.10786	0.11582	-0.00411	0.10375	0.11171	0.10921	kWh
BEV1	Off-Peak	0.13084	0.14004	-0.00348	0.12736	0.13656	0.13406	kWh
BEV1	Peak	0.30427	0.32260	-0.00348	0.30079	0.31912	0.31662	kWh
BEV1	Super-Off-Peak	0.10672	0.11465	-0.00348	0.10324	0.11117	0.10867	kWh
BEV2P	Off-Peak	0.12703	0.13600	-0.00404	0.12299	0.13196	0.12946	kWh
BEV2P	Peak	0.31321	0.33198	-0.00404	0.30917	0.32794	0.32544	kWh
BEV2P	Super-Off-Peak	0.10404	0.11180	-0.00404	0.10000	0.10776	0.10526	kWh
BEV2S	Off-Peak	0.12988	0.13900	-0.00404	0.12584	0.13496	0.13246	kWh
BEV2S	Peak	0.32307	0.34236	-0.00404	0.31903	0.33832	0.33582	kWh
BEV2S	Super-Off-Peak	0.10575	0.11360	-0.00404	0.10171	0.10956	0.10706	kWh
E1	Flat	0.17186	0.18318	-0.00430	0.16756	0.17888	0.17638	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
E19P	Max Part-Peak Demand Summer	13.70850	14.43000	0.00000	13.70850	14.43000	14.43000	kW
E19P	Max Peak Demand Summer	13.70850	14.43000	0.00000	13.70850	14.43000	14.43000	kW
E19P	Off-Peak Summer	0.10886	0.11688	-0.00407	0.10479	0.11281	0.11031	kWh
E19P	Off-Peak Winter	0.10532	0.11315	-0.00407	0.10125	0.10908	0.10658	kWh
E19P	Part-Peak Summer	0.11531	0.12367	-0.00407	0.11124	0.11960	0.11710	kWh
E19P	Part-Peak Winter	0.10607	0.11394	-0.00407	0.10200	0.10987	0.10737	kWh
E19P	Peak Summer	0.11531	0.12367	-0.00407	0.11124	0.11960	0.11710	kWh
E19PR	Off-Peak Summer	0.14124	0.15096	-0.00407	0.13717	0.14689	0.14439	kWh
E19PR	Off-Peak Winter	0.13826	0.14782	-0.00407	0.13419	0.14375	0.14125	kWh
E19PR	Part-Peak Summer	0.16912	0.18031	-0.00407	0.16505	0.17624	0.17374	kWh
E19PR	Part-Peak Winter	0.13889	0.14849	-0.00407	0.13482	0.14442	0.14192	kWh
E19PR	Peak Summer	0.16912	0.18031	-0.00407	0.16505	0.17624	0.17374	kWh
E19S	Max Part-Peak Demand Summer	15.42800	16.24000	0.00000	15.42800	16.24000	16.24000	kW
E19S	Max Peak Demand Summer	15.42800	16.24000	0.00000	15.42800	16.24000	16.24000	kW
E19S	Off-Peak Summer	0.12132	0.12999	-0.00407	0.11725	0.12592	0.12342	kWh
E19S	Off-Peak Winter	0.11763	0.12611	-0.00407	0.11356	0.12204	0.11954	kWh
E19S	Part-Peak Summer	0.12799	0.13701	-0.00407	0.12392	0.13294	0.13044	kWh
E19S	Part-Peak Winter	0.11842	0.12694	-0.00407	0.11435	0.12287	0.12037	kWh
E19S	Peak Summer	0.12799	0.13701	-0.00407	0.12392	0.13294	0.13044	kWh
E19SR	Off-Peak Summer	0.16090	0.17165	-0.00407	0.15683	0.16758	0.16508	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
E19SR	Off-Peak Winter	0.15776	0.16835	-0.00407	0.15369	0.16428	0.16178	kWh
E19SR	Part-Peak Summer	0.19239	0.20480	-0.00407	0.18832	0.20073	0.19823	kWh
E19SR	Part-Peak Winter	0.15844	0.16906	-0.00407	0.15437	0.16499	0.16249	kWh
E19SR	Peak Summer	0.19239	0.20480	-0.00407	0.18832	0.20073	0.19823	kWh
E19T	Max Part-Peak Demand Summer	15.01000	15.80000	0.00000	15.01000	15.80000	15.80000	kW
E19T	Max Peak Demand Summer	15.01000	15.80000	0.00000	15.01000	15.80000	15.80000	kW
E19T	Off-Peak Summer	0.09624	0.10359	-0.00407	0.09217	0.09952	0.09702	kWh
E19T	Off-Peak Winter	0.09279	0.09996	-0.00407	0.08872	0.09589	0.09339	kWh
E19T	Part-Peak Summer	0.10258	0.11026	-0.00407	0.09851	0.10619	0.10369	kWh
E19T	Part-Peak Winter	0.09352	0.10073	-0.00407	0.08945	0.09666	0.09416	kWh
E19T	Peak Summer	0.10258	0.11026	-0.00407	0.09851	0.10619	0.10369	kWh
E19TR	Off-Peak Summer	0.13773	0.14726	-0.00407	0.13366	0.14319	0.14069	kWh
E19TR	Off-Peak Winter	0.13479	0.14417	-0.00407	0.13072	0.14010	0.13760	kWh
E19TR	Part-Peak Summer	0.16210	0.17292	-0.00407	0.15803	0.16885	0.16635	kWh
E19TR	Part-Peak Winter	0.13542	0.14483	-0.00407	0.13135	0.14076	0.13826	kWh
E19TR	Peak Summer	0.16210	0.17292	-0.00407	0.15803	0.16885	0.16635	kWh
E20P	Max Part-Peak Demand Summer	15.94100	16.78000	0.00000	15.94100	16.78000	16.78000	kW
E20P	Max Peak Demand Summer	15.94100	16.78000	0.00000	15.94100	16.78000	16.78000	kW
E20P	Off-Peak Summer	0.11206	0.12026	-0.00373	0.10833	0.11653	0.11403	kWh
E20P	Off-Peak Winter	0.10854	0.11656	-0.00373	0.10481	0.11283	0.11033	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
E20P	Part-Peak Summer	0.11852	0.12706	-0.00373	0.11479	0.12333	0.12083	kWh
E20P	Part-Peak Winter	0.10929	0.11735	-0.00373	0.10556	0.11362	0.11112	kWh
E20P	Peak Summer	0.11852	0.12706	-0.00373	0.11479	0.12333	0.12083	kWh
E20PR	Off-Peak Summer	0.14451	0.15442	-0.00373	0.14078	0.15069	0.14819	kWh
E20PR	Off-Peak Winter	0.14153	0.15128	-0.00373	0.13780	0.14755	0.14505	kWh
E20PR	Part-Peak Summer	0.17448	0.18597	-0.00373	0.17075	0.18224	0.17974	kWh
E20PR	Part-Peak Winter	0.14216	0.15195	-0.00373	0.13843	0.14822	0.14572	kWh
E20PR	Peak Summer	0.17448	0.18597	-0.00373	0.17075	0.18224	0.17974	kWh
E20S	Max Part-Peak Demand Summer	14.62050	15.39000	0.00000	14.62050	15.39000	15.39000	kW
E20S	Max Peak Demand Summer	14.62050	15.39000	0.00000	14.62050	15.39000	15.39000	kW
E20S	Off-Peak Summer	0.11432	0.12263	-0.00396	0.11036	0.11867	0.11617	kWh
E20S	Off-Peak Winter	0.11069	0.11881	-0.00396	0.10673	0.11485	0.11235	kWh
E20S	Part-Peak Summer	0.12085	0.12950	-0.00396	0.11689	0.12554	0.12304	kWh
E20S	Part-Peak Winter	0.11147	0.11963	-0.00396	0.10751	0.11567	0.11317	kWh
E20S	Peak Summer	0.12085	0.12950	-0.00396	0.11689	0.12554	0.12304	kWh
E20SR	Off-Peak Summer	0.15274	0.16307	-0.00396	0.14878	0.15911	0.15661	kWh
E20SR	Off-Peak Winter	0.14960	0.15977	-0.00396	0.14564	0.15581	0.15331	kWh
E20SR	Part-Peak Summer	0.18159	0.19344	-0.00396	0.17763	0.18948	0.18698	kWh
E20SR	Part-Peak Winter	0.15028	0.16048	-0.00396	0.14632	0.15652	0.15402	kWh
E20SR	Peak Summer	0.18159	0.19344	-0.00396	0.17763	0.18948	0.18698	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
E20T	Max Part-Peak Demand Summer	19.86450	20.91000	0.00000	19.86450	20.91000	20.91000	kW
E20T	Max Peak Demand Summer	19.86450	20.91000	0.00000	19.86450	20.91000	20.91000	kW
E20T	Off-Peak Summer	0.09944	0.10699	-0.00346	0.09598	0.10353	0.10103	kWh
E20T	Off-Peak Winter	0.09589	0.10325	-0.00346	0.09243	0.09979	0.09729	kWh
E20T	Part-Peak Summer	0.10596	0.11386	-0.00346	0.10250	0.11040	0.10790	kWh
E20T	Part-Peak Winter	0.09665	0.10405	-0.00346	0.09319	0.10059	0.09809	kWh
E20T	Peak Summer	0.10596	0.11386	-0.00346	0.10250	0.11040	0.10790	kWh
E20TR	Off-Peak Summer	0.13425	0.14363	-0.00346	0.13079	0.14017	0.13767	kWh
E20TR	Off-Peak Winter	0.13131	0.14054	-0.00346	0.12785	0.13708	0.13458	kWh
E20TR	Part-Peak Summer	0.16390	0.17484	-0.00346	0.16044	0.17138	0.16888	kWh
E20TR	Part-Peak Winter	0.13194	0.14120	-0.00346	0.12848	0.13774	0.13524	kWh
E20TR	Peak Summer	0.16390	0.17484	-0.00346	0.16044	0.17138	0.16888	kWh
E6	Off-Peak Summer	0.14823	0.15831	-0.00430	0.14393	0.15401	0.15151	kWh
E6	Off-Peak Winter	0.14121	0.15092	-0.00430	0.13691	0.14662	0.14412	kWh
E6	Part-Peak Summer	0.21491	0.22849	-0.00430	0.21061	0.22419	0.22169	kWh
E6	Part-Peak Winter	0.17332	0.18472	-0.00430	0.16902	0.18042	0.17792	kWh
E6	Peak Summer	0.29369	0.31142	-0.00430	0.28939	0.30712	0.30462	kWh
EELEC	Off-Peak Summer	0.16467	0.17561	-0.00430	0.16037	0.17131	0.16881	kWh
EELEC	Off-Peak Winter	0.11599	0.12437	-0.00430	0.11169	0.12007	0.11757	kWh
EELEC	Part-Peak Summer	0.20751	0.22071	-0.00430	0.20321	0.21641	0.21391	kWh
EELEC	Part-Peak Winter	0.12867	0.13772	-0.00430	0.12437	0.13342	0.13092	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
EELEC	Peak Summer	0.30167	0.31982	-0.00430	0.29737	0.31552	0.31302	kWh
EELEC	Peak Winter	0.14765	0.15769	-0.00430	0.14335	0.15339	0.15089	kWh
EMTOU	Off-Peak Summer	0.16385	0.17475	-0.00430	0.15955	0.17045	0.16795	kWh
EMTOU	Off-Peak Winter	0.15418	0.16457	-0.00430	0.14988	0.16027	0.15777	kWh
EMTOU	Peak Summer	0.22412	0.23819	-0.00430	0.21982	0.23389	0.23139	kWh
EMTOU	Peak Winter	0.17796	0.18960	-0.00430	0.17366	0.18530	0.18280	kWh
ETOUB	Off-Peak Summer	0.16439	0.17532	-0.00430	0.16009	0.17102	0.16852	kWh
ETOUB	Off-Peak Winter	0.14374	0.15358	-0.00430	0.13944	0.14928	0.14678	kWh
ETOUB	Peak Summer	0.28130	0.29838	-0.00430	0.27700	0.29408	0.29158	kWh
ETOUB	Peak Winter	0.18060	0.19238	-0.00430	0.17630	0.18808	0.18558	kWh
ETOUC	Off-Peak Summer	0.16385	0.17475	-0.00430	0.15955	0.17045	0.16795	kWh
ETOUC	Off-Peak Winter	0.15418	0.16457	-0.00430	0.14988	0.16027	0.15777	kWh
ETOUC	Peak Summer	0.22412	0.23819	-0.00430	0.21982	0.23389	0.23139	kWh
ETOUC	Peak Winter	0.17796	0.18960	-0.00430	0.17366	0.18530	0.18280	kWh
ETOUD	Off-Peak Summer	0.14645	0.15643	-0.00430	0.14215	0.15213	0.14963	kWh
ETOUD	Off-Peak Winter	0.17401	0.18544	-0.00430	0.16971	0.18114	0.17864	kWh
ETOUD	Peak Summer	0.24616	0.26139	-0.00430	0.24186	0.25709	0.25459	kWh
ETOUD	Peak Winter	0.20733	0.22052	-0.00430	0.20303	0.21622	0.21372	kWh
EV2	Off-Peak Summer	0.14920	0.15933	-0.00430	0.14490	0.15503	0.15253	kWh
EV2	Off-Peak Winter	0.14256	0.15234	-0.00430	0.13826	0.14804	0.14554	kWh
EV2	Part-Peak Summer	0.18829	0.20047	-0.00430	0.18399	0.19617	0.19367	kWh
EV2	Part-Peak Winter	0.16487	0.17582	-0.00430	0.16057	0.17152	0.16902	kWh



This rate sheet is for **2021** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2021 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	January 2024 PG&E Generation Rate	Unit
EV2	Peak Summer	0.23076	0.24518	-0.00430	0.22646	0.24088	0.23838	kWh
EV2	Peak Winter	0.17673	0.18831	-0.00430	0.17243	0.18401	0.18151	kWh
EVA	Off-Peak Summer	0.15232	0.16261	-0.00430	0.14802	0.15831	0.15581	kWh
EVA	Off-Peak Winter	0.12432	0.13314	-0.00430	0.12002	0.12884	0.12634	kWh
EVA	Part-Peak Summer	0.19638	0.20899	-0.00430	0.19208	0.20469	0.20219	kWh
EVA	Part-Peak Winter	0.12432	0.13314	-0.00430	0.12002	0.12884	0.12634	kWh
EVA	Peak Summer	0.33268	0.35246	-0.00430	0.32838	0.34816	0.34566	kWh
EVA	Peak Winter	0.14793	0.15799	-0.00430	0.14363	0.15369	0.15119	kWh
EVB	Off-Peak Summer	0.15232	0.16261	-0.00430	0.14802	0.15831	0.15581	kWh
EVB	Off-Peak Winter	0.12432	0.13314	-0.00430	0.12002	0.12884	0.12634	kWh
EVB	Part-Peak Summer	0.19638	0.20899	-0.00430	0.19208	0.20469	0.20219	kWh
EVB	Part-Peak Winter	0.12432	0.13314	-0.00430	0.12002	0.12884	0.12634	kWh
EVB	Peak Summer	0.33268	0.35246	-0.00430	0.32838	0.34816	0.34566	kWh
EVB	Peak Winter	0.14793	0.15799	-0.00430	0.14363	0.15369	0.15119	kWh
LS	Flat	0.14002	0.14971	-0.00347	0.13655	0.14624	0.14374	kWh
TC1	Flat	0.15172	0.16199	-0.00411	0.14761	0.15788	0.15538	kWh