



## Ava Community Energy Rate Sheets

Rates effective as of July 1, 2024

This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| A1    | Summer                   | 0.14819            | 0.15910            | 0.01158                  | 0.15977                  | 0.17068                  | 0.16818                        | kWh  |
| A1    | Winter                   | 0.11006            | 0.11896            | 0.01158                  | 0.12164                  | 0.13054                  | 0.12804                        | kWh  |
| A10P  | Max Demand Summer        | 0.00000            | 0.00000            | 0.00000                  | 0.00000                  | 0.00000                  | 0.00000                        | kW   |
| A10P  | Summer                   | 0.13222            | 0.14232            | 0.01222                  | 0.14444                  | 0.15454                  | 0.15204                        | kWh  |
| A10P  | Winter                   | 0.11434            | 0.12350            | 0.01222                  | 0.12656                  | 0.13572                  | 0.13322                        | kWh  |
| A10PX | Max Demand Summer        | 0.00000            | 0.00000            | 0.00000                  | 0.00000                  | 0.00000                  | 0.00000                        | kW   |
| A10PX | Off-Peak Summer          | 0.12164            | 0.13118            | 0.01222                  | 0.13386                  | 0.14340                  | 0.14090                        | kWh  |
| A10PX | Off-Peak Winter          | 0.11395            | 0.12309            | 0.01222                  | 0.12617                  | 0.13531                  | 0.13281                        | kWh  |
| A10PX | Part-Peak Summer         | 0.14569            | 0.15650            | 0.01222                  | 0.15791                  | 0.16872                  | 0.16622                        | kWh  |
| A10PX | Part-Peak Winter         | 0.11459            | 0.12376            | 0.01222                  | 0.12681                  | 0.13598                  | 0.13348                        | kWh  |
| A10PX | Peak Summer              | 0.14569            | 0.15650            | 0.01222                  | 0.15791                  | 0.16872                  | 0.16622                        | kWh  |
| A10S  | Max Demand Summer        | 0.00000            | 0.00000            | 0.00000                  | 0.00000                  | 0.00000                  | 0.00000                        | kW   |
| A10S  | Summer                   | 0.14862            | 0.15958            | 0.01222                  | 0.16084                  | 0.17180                  | 0.16930                        | kWh  |
| A10S  | Winter                   | 0.12794            | 0.13782            | 0.01222                  | 0.14016                  | 0.15004                  | 0.14754                        | kWh  |
| A10SX | Max Demand Summer        | 0.00000            | 0.00000            | 0.00000                  | 0.00000                  | 0.00000                  | 0.00000                        | kW   |
| A10SX | Off-Peak Summer          | 0.13603            | 0.14633            | 0.01222                  | 0.14825                  | 0.15855                  | 0.15605                        | kWh  |
| A10SX | Off-Peak Winter          | 0.12791            | 0.13779            | 0.01222                  | 0.14013                  | 0.15001                  | 0.14751                        | kWh  |
| A10SX | Part-Peak Summer         | 0.16148            | 0.17312            | 0.01222                  | 0.17370                  | 0.18534                  | 0.18284                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| A10SX | Part-Peak Winter         | 0.12859            | 0.13850            | 0.01222                  | 0.14081                  | 0.15072                  | 0.14822                        | kWh  |
| A10SX | Peak Summer              | 0.16148            | 0.17312            | 0.01222                  | 0.17370                  | 0.18534                  | 0.18284                        | kWh  |
| A10T  | Max Demand Summer        | 0.00000            | 0.00000            | 0.00000                  | 0.00000                  | 0.00000                  | 0.00000                        | kW   |
| A10T  | Summer                   | 0.11140            | 0.12041            | 0.01222                  | 0.12362                  | 0.13263                  | 0.13013                        | kWh  |
| A10T  | Winter                   | 0.09514            | 0.10329            | 0.01222                  | 0.10736                  | 0.11551                  | 0.11301                        | kWh  |
| A10TX | Max Demand Summer        | 0.00000            | 0.00000            | 0.00000                  | 0.00000                  | 0.00000                  | 0.00000                        | kW   |
| A10TX | Off-Peak Summer          | 0.10172            | 0.11022            | 0.01222                  | 0.11394                  | 0.12244                  | 0.11994                        | kWh  |
| A10TX | Off-Peak Winter          | 0.09422            | 0.10232            | 0.01222                  | 0.10644                  | 0.11454                  | 0.11204                        | kWh  |
| A10TX | Part-Peak Summer         | 0.12514            | 0.13487            | 0.01222                  | 0.13736                  | 0.14709                  | 0.14459                        | kWh  |
| A10TX | Part-Peak Winter         | 0.09484            | 0.10298            | 0.01222                  | 0.10706                  | 0.11520                  | 0.11270                        | kWh  |
| A10TX | Peak Summer              | 0.12514            | 0.13487            | 0.01222                  | 0.13736                  | 0.14709                  | 0.14459                        | kWh  |
| A15   | Summer                   | 0.14329            | 0.15394            | 0.01158                  | 0.15487                  | 0.16552                  | 0.16302                        | kWh  |
| A15   | Winter                   | 0.12380            | 0.13342            | 0.01158                  | 0.13538                  | 0.14500                  | 0.14250                        | kWh  |
| A1X   | Off-Peak Summer          | 0.12742            | 0.13724            | 0.01158                  | 0.13900                  | 0.14882                  | 0.14632                        | kWh  |
| A1X   | Off-Peak Winter          | 0.12113            | 0.13062            | 0.01158                  | 0.13271                  | 0.14220                  | 0.13970                        | kWh  |
| A1X   | Part-Peak Summer         | 0.15089            | 0.16194            | 0.01158                  | 0.16247                  | 0.17352                  | 0.17102                        | kWh  |
| A1X   | Part-Peak Winter         | 0.12169            | 0.13120            | 0.01158                  | 0.13327                  | 0.14278                  | 0.14028                        | kWh  |
| A1X   | Peak Summer              | 0.15089            | 0.16194            | 0.01158                  | 0.16247                  | 0.17352                  | 0.17102                        | kWh  |
| A6    | Off-Peak Summer          | 0.13182            | 0.14187            | 0.01158                  | 0.14340                  | 0.15345                  | 0.15095                        | kWh  |
| A6    | Off-Peak Winter          | 0.12224            | 0.13178            | 0.01158                  | 0.13382                  | 0.14336                  | 0.14086                        | kWh  |
| A6    | Part-Peak Summer         | 0.16388            | 0.17562            | 0.01158                  | 0.17546                  | 0.18720                  | 0.18470                        | kWh  |
| A6    | Part-Peak Winter         | 0.12291            | 0.13249            | 0.01158                  | 0.13449                  | 0.14407                  | 0.14157                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| A6   | Peak Summer                 | 0.16388            | 0.17562            | 0.01158                  | 0.17546                  | 0.18720                  | 0.18470                        | kWh  |
| AG1A | Connected Load Summer       | 3.32000            | 3.49000            | 0.00000                  | 3.32000                  | 3.49000                  | 3.49000                        | kW   |
| AG1A | Summer                      | 0.11410            | 0.12318            | 0.01082                  | 0.12492                  | 0.13400                  | 0.13150                        | kWh  |
| AG1A | Winter                      | 0.10117            | 0.10956            | 0.01082                  | 0.11199                  | 0.12038                  | 0.11788                        | kWh  |
| AG1B | Max Demand Summer           | 4.52000            | 4.76000            | 0.00000                  | 4.52000                  | 4.76000                  | 4.76000                        | kW   |
| AG1B | Summer                      | 0.11855            | 0.12786            | 0.01082                  | 0.12937                  | 0.13868                  | 0.13618                        | kWh  |
| AG1B | Winter                      | 0.08662            | 0.09425            | 0.01082                  | 0.09744                  | 0.10507                  | 0.10257                        | kWh  |
| AG4A | Connected Load Summer       | 2.44000            | 2.57000            | 0.00000                  | 2.44000                  | 2.57000                  | 2.57000                        | kW   |
| AG4A | Off-Peak Summer             | 0.11158            | 0.12052            | 0.01082                  | 0.12240                  | 0.13134                  | 0.12884                        | kWh  |
| AG4A | Off-Peak Winter             | 0.09735            | 0.10554            | 0.01082                  | 0.10817                  | 0.11636                  | 0.11386                        | kWh  |
| AG4A | Part-Peak Winter            | 0.09802            | 0.10625            | 0.01082                  | 0.10884                  | 0.11707                  | 0.11457                        | kWh  |
| AG4A | Peak Summer                 | 0.11158            | 0.12052            | 0.01082                  | 0.12240                  | 0.13134                  | 0.12884                        | kWh  |
| AG4B | Max Demand Summer           | 4.14000            | 4.36000            | 0.00000                  | 4.14000                  | 4.36000                  | 4.36000                        | kW   |
| AG4B | Max Peak Demand Summer      | 0.00000            | 0.00000            | 0.00000                  | 0.00000                  | 0.00000                  | 0.00000                        | kW   |
| AG4B | Off-Peak Summer             | 0.11862            | 0.12793            | 0.01082                  | 0.12944                  | 0.13875                  | 0.13625                        | kWh  |
| AG4B | Off-Peak Winter             | 0.10467            | 0.11325            | 0.01082                  | 0.11549                  | 0.12407                  | 0.12157                        | kWh  |
| AG4B | Part-Peak Winter            | 0.10533            | 0.11394            | 0.01082                  | 0.11615                  | 0.12476                  | 0.12226                        | kWh  |
| AG4B | Peak Summer                 | 0.11862            | 0.12793            | 0.01082                  | 0.12944                  | 0.13875                  | 0.13625                        | kWh  |
| AG4C | Max Part-Peak Demand Summer | 4.37000            | 4.60000            | 0.00000                  | 4.37000                  | 4.60000                  | 4.60000                        | kW   |
| AG4C | Max Peak Demand Summer      | 4.37000            | 4.60000            | 0.00000                  | 4.37000                  | 4.60000                  | 4.60000                        | kW   |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| AG4C | Off-Peak Summer             | 0.08593            | 0.09352            | 0.01082                  | 0.09675                  | 0.10434                  | 0.10184                        | kWh  |
| AG4C | Off-Peak Winter             | 0.08279            | 0.09022            | 0.01082                  | 0.09361                  | 0.10104                  | 0.09854                        | kWh  |
| AG4C | Part-Peak Summer            | 0.09657            | 0.10472            | 0.01082                  | 0.10739                  | 0.11554                  | 0.11304                        | kWh  |
| AG4C | Part-Peak Winter            | 0.08347            | 0.09093            | 0.01082                  | 0.09429                  | 0.10175                  | 0.09925                        | kWh  |
| AG4C | Peak Summer                 | 0.09657            | 0.10472            | 0.01082                  | 0.10739                  | 0.11554                  | 0.11304                        | kWh  |
| AG5A | Connected Load Summer       | 6.76000            | 7.12000            | 0.00000                  | 6.76000                  | 7.12000                  | 7.12000                        | kW   |
| AG5A | Off-Peak Summer             | 0.11904            | 0.12838            | 0.01082                  | 0.12986                  | 0.13920                  | 0.13670                        | kWh  |
| AG5A | Off-Peak Winter             | 0.10670            | 0.11539            | 0.01082                  | 0.11752                  | 0.12621                  | 0.12371                        | kWh  |
| AG5A | Part-Peak Winter            | 0.10738            | 0.11610            | 0.01082                  | 0.11820                  | 0.12692                  | 0.12442                        | kWh  |
| AG5A | Peak Summer                 | 0.11904            | 0.12838            | 0.01082                  | 0.12986                  | 0.13920                  | 0.13670                        | kWh  |
| AG5B | Max Demand Summer           | 8.03000            | 8.45000            | 0.00000                  | 8.03000                  | 8.45000                  | 8.45000                        | kW   |
| AG5B | Max Peak Demand Summer      | 0.00000            | 0.00000            | 0.00000                  | 0.00000                  | 0.00000                  | 0.00000                        | kW   |
| AG5B | Off-Peak Summer             | 0.12092            | 0.13035            | 0.01082                  | 0.13174                  | 0.14117                  | 0.13867                        | kWh  |
| AG5B | Off-Peak Winter             | 0.10846            | 0.11724            | 0.01082                  | 0.11928                  | 0.12806                  | 0.12556                        | kWh  |
| AG5B | Part-Peak Winter            | 0.10911            | 0.11792            | 0.01082                  | 0.11993                  | 0.12874                  | 0.12624                        | kWh  |
| AG5B | Peak Summer                 | 0.12092            | 0.13035            | 0.01082                  | 0.13174                  | 0.14117                  | 0.13867                        | kWh  |
| AG5C | Max Part-Peak Demand Summer | 9.02000            | 9.49000            | 0.00000                  | 9.02000                  | 9.49000                  | 9.49000                        | kW   |
| AG5C | Max Peak Demand Summer      | 9.02000            | 9.49000            | 0.00000                  | 9.02000                  | 9.49000                  | 9.49000                        | kW   |
| AG5C | Off-Peak Summer             | 0.08040            | 0.08770            | 0.01082                  | 0.09122                  | 0.09852                  | 0.09602                        | kWh  |
| AG5C | Off-Peak Winter             | 0.07726            | 0.08440            | 0.01082                  | 0.08808                  | 0.09522                  | 0.09272                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| AG5C | Part-Peak Summer         | 0.08617            | 0.09377            | 0.01082                  | 0.09699                  | 0.10459                  | 0.10209                        | kWh  |
| AG5C | Part-Peak Winter         | 0.07794            | 0.08511            | 0.01082                  | 0.08876                  | 0.09593                  | 0.09343                        | kWh  |
| AG5C | Peak Summer              | 0.08617            | 0.09377            | 0.01082                  | 0.09699                  | 0.10459                  | 0.10209                        | kWh  |
| AGA1 | Off-Peak Summer          | 0.12901            | 0.13887            | 0.01082                  | 0.13983                  | 0.14969                  | 0.14719                        | kWh  |
| AGA1 | Off-Peak Winter          | 0.10073            | 0.10910            | 0.01082                  | 0.11155                  | 0.11992                  | 0.11742                        | kWh  |
| AGA1 | Peak Summer              | 0.24271            | 0.25855            | 0.01082                  | 0.25353                  | 0.26937                  | 0.26687                        | kWh  |
| AGA1 | Peak Winter              | 0.12586            | 0.13555            | 0.01082                  | 0.13668                  | 0.14637                  | 0.14387                        | kWh  |
| AGA2 | Off-Peak Summer          | 0.12901            | 0.13887            | 0.01082                  | 0.13983                  | 0.14969                  | 0.14719                        | kWh  |
| AGA2 | Off-Peak Winter          | 0.10073            | 0.10910            | 0.01082                  | 0.11155                  | 0.11992                  | 0.11742                        | kWh  |
| AGA2 | Peak Summer              | 0.24271            | 0.25855            | 0.01082                  | 0.25353                  | 0.26937                  | 0.26687                        | kWh  |
| AGA2 | Peak Winter              | 0.12586            | 0.13555            | 0.01082                  | 0.13668                  | 0.14637                  | 0.14387                        | kWh  |
| AGB  | Off-Peak Summer          | 0.14283            | 0.15342            | 0.01082                  | 0.15365                  | 0.16424                  | 0.16174                        | kWh  |
| AGB  | Off-Peak Winter          | 0.11287            | 0.12188            | 0.01082                  | 0.12369                  | 0.13270                  | 0.13020                        | kWh  |
| AGB  | Peak Summer              | 0.25975            | 0.27649            | 0.01082                  | 0.27057                  | 0.28731                  | 0.28481                        | kWh  |
| AGB  | Peak Winter              | 0.13776            | 0.14808            | 0.01082                  | 0.14858                  | 0.15890                  | 0.15640                        | kWh  |
| AGC  | Max Peak Demand Summer   | 17.74000           | 18.67000           | 0.00000                  | 17.74000                 | 18.67000                 | 18.67000                       | kW   |
| AGC  | Off-Peak Summer          | 0.09162            | 0.09951            | 0.01082                  | 0.10244                  | 0.11033                  | 0.10783                        | kWh  |
| AGC  | Off-Peak Winter          | 0.08147            | 0.08883            | 0.01082                  | 0.09229                  | 0.09965                  | 0.09715                        | kWh  |
| AGC  | Peak Summer              | 0.11962            | 0.12899            | 0.01082                  | 0.13044                  | 0.13981                  | 0.13731                        | kWh  |
| AGC  | Peak Winter              | 0.10572            | 0.11435            | 0.01082                  | 0.11654                  | 0.12517                  | 0.12267                        | kWh  |
| AGFA | Off-Peak Summer          | 0.13645            | 0.14670            | 0.01082                  | 0.14727                  | 0.15752                  | 0.15502                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| AGFA | Off-Peak Winter          | 0.10163            | 0.11005            | 0.01082                  | 0.11245                  | 0.12087                  | 0.11837                        | kWh  |
| AGFA | Peak Summer              | 0.20973            | 0.22384            | 0.01082                  | 0.22055                  | 0.23466                  | 0.23216                        | kWh  |
| AGFA | Peak Winter              | 0.12676            | 0.13650            | 0.01082                  | 0.13758                  | 0.14732                  | 0.14482                        | kWh  |
| AGFB | Off-Peak Summer          | 0.15154            | 0.16259            | 0.01082                  | 0.16236                  | 0.17341                  | 0.17091                        | kWh  |
| AGFB | Off-Peak Winter          | 0.11496            | 0.12408            | 0.01082                  | 0.12578                  | 0.13490                  | 0.13240                        | kWh  |
| AGFB | Peak Summer              | 0.22879            | 0.24390            | 0.01082                  | 0.23961                  | 0.25472                  | 0.25222                        | kWh  |
| AGFB | Peak Winter              | 0.14009            | 0.15053            | 0.01082                  | 0.15091                  | 0.16135                  | 0.15885                        | kWh  |
| AGFC | Max Peak Demand Summer   | 17.74000           | 18.67000           | 0.00000                  | 17.74000                 | 18.67000                 | 18.67000                       | kW   |
| AGFC | Off-Peak Summer          | 0.09881            | 0.10708            | 0.01082                  | 0.10963                  | 0.11790                  | 0.11540                        | kWh  |
| AGFC | Off-Peak Winter          | 0.08849            | 0.09622            | 0.01082                  | 0.09931                  | 0.10704                  | 0.10454                        | kWh  |
| AGFC | Peak Summer              | 0.12732            | 0.13709            | 0.01082                  | 0.13814                  | 0.14791                  | 0.14541                        | kWh  |
| AGFC | Peak Winter              | 0.11362            | 0.12267            | 0.01082                  | 0.12444                  | 0.13349                  | 0.13099                        | kWh  |
| AGRA | Connected Load Summer    | 2.38000            | 2.50000            | 0.00000                  | 2.38000                  | 2.50000                  | 2.50000                        | kW   |
| AGRA | Off-Peak Summer          | 0.11392            | 0.12299            | 0.01082                  | 0.12474                  | 0.13381                  | 0.13131                        | kWh  |
| AGRA | Off-Peak Winter          | 0.09747            | 0.10567            | 0.01082                  | 0.10829                  | 0.11649                  | 0.11399                        | kWh  |
| AGRA | Part-Peak Winter         | 0.09814            | 0.10638            | 0.01082                  | 0.10896                  | 0.11720                  | 0.11470                        | kWh  |
| AGRA | Peak Summer              | 0.11392            | 0.12299            | 0.01082                  | 0.12474                  | 0.13381                  | 0.13131                        | kWh  |
| AGRB | Max Demand Summer        | 3.27000            | 3.44000            | 0.00000                  | 3.27000                  | 3.44000                  | 3.44000                        | kW   |
| AGRB | Max Peak Demand Summer   | 0.00000            | 0.00000            | 0.00000                  | 0.00000                  | 0.00000                  | 0.00000                        | kW   |
| AGRB | Off-Peak Summer          | 0.09926            | 0.10755            | 0.01082                  | 0.11008                  | 0.11837                  | 0.11587                        | kWh  |
| AGRB | Off-Peak Winter          | 0.08775            | 0.09544            | 0.01082                  | 0.09857                  | 0.10626                  | 0.10376                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| AGRB  | Part-Peak Winter         | 0.08843            | 0.09615            | 0.01082                  | 0.09925                  | 0.10697                  | 0.10447                        | kWh  |
| AGRB  | Peak Summer              | 0.09926            | 0.10755            | 0.01082                  | 0.11008                  | 0.11837                  | 0.11587                        | kWh  |
| AGVA  | Connected Load Summer    | 2.50000            | 2.63000            | 0.00000                  | 2.50000                  | 2.63000                  | 2.63000                        | kW   |
| AGVA  | Off-Peak Summer          | 0.10989            | 0.11874            | 0.01082                  | 0.12071                  | 0.12956                  | 0.12706                        | kWh  |
| AGVA  | Off-Peak Winter          | 0.09474            | 0.10280            | 0.01082                  | 0.10556                  | 0.11362                  | 0.11112                        | kWh  |
| AGVA  | Part-Peak Winter         | 0.09542            | 0.10351            | 0.01082                  | 0.10624                  | 0.11433                  | 0.11183                        | kWh  |
| AGVA  | Peak Summer              | 0.10989            | 0.11874            | 0.01082                  | 0.12071                  | 0.12956                  | 0.12706                        | kWh  |
| AGVB  | Max Demand Summer        | 3.09000            | 3.25000            | 0.00000                  | 3.09000                  | 3.25000                  | 3.25000                        | kW   |
| AGVB  | Max Peak Demand Summer   | 0.00000            | 0.00000            | 0.00000                  | 0.00000                  | 0.00000                  | 0.00000                        | kW   |
| AGVB  | Off-Peak Summer          | 0.09580            | 0.10391            | 0.01082                  | 0.10662                  | 0.11473                  | 0.11223                        | kWh  |
| AGVB  | Off-Peak Winter          | 0.08333            | 0.09079            | 0.01082                  | 0.09415                  | 0.10161                  | 0.09911                        | kWh  |
| AGVB  | Part-Peak Winter         | 0.08401            | 0.09150            | 0.01082                  | 0.09483                  | 0.10232                  | 0.09982                        | kWh  |
| AGVB  | Peak Summer              | 0.09580            | 0.10391            | 0.01082                  | 0.10662                  | 0.11473                  | 0.11223                        | kWh  |
| B1    | Off-Peak Summer          | 0.12314            | 0.13273            | 0.01158                  | 0.13472                  | 0.14431                  | 0.14181                        | kWh  |
| B1    | Off-Peak Winter          | 0.12188            | 0.13140            | 0.01158                  | 0.13346                  | 0.14298                  | 0.14048                        | kWh  |
| B1    | Part-Peak Summer         | 0.14291            | 0.15354            | 0.01158                  | 0.15449                  | 0.16512                  | 0.16262                        | kWh  |
| B1    | Peak Summer              | 0.18968            | 0.20277            | 0.01158                  | 0.20126                  | 0.21435                  | 0.21185                        | kWh  |
| B1    | Peak Winter              | 0.13719            | 0.14752            | 0.01158                  | 0.14877                  | 0.15910                  | 0.15660                        | kWh  |
| B1    | Super-Off-Peak Winter    | 0.10628            | 0.11498            | 0.01158                  | 0.11786                  | 0.12656                  | 0.12406                        | kWh  |
| B1-ST | Off-Peak Summer          | 0.12003            | 0.12946            | 0.01158                  | 0.13161                  | 0.14104                  | 0.13854                        | kWh  |
| B1-ST | Off-Peak Winter          | 0.11366            | 0.12275            | 0.01158                  | 0.12524                  | 0.13433                  | 0.13183                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B1-ST | Part-Peak Summer         | 0.15400            | 0.16521            | 0.01158                  | 0.16558                  | 0.17679                  | 0.17429                        | kWh  |
| B1-ST | Part-Peak Winter         | 0.13456            | 0.14475            | 0.01158                  | 0.14614                  | 0.15633                  | 0.15383                        | kWh  |
| B1-ST | Peak Summer              | 0.19433            | 0.20767            | 0.01158                  | 0.20591                  | 0.21925                  | 0.21675                        | kWh  |
| B1-ST | Peak Winter              | 0.14628            | 0.15709            | 0.01158                  | 0.15786                  | 0.16867                  | 0.16617                        | kWh  |
| B1-ST | Super-Off-Peak Winter    | 0.09806            | 0.10633            | 0.01158                  | 0.10964                  | 0.11791                  | 0.11541                        | kWh  |
| B10P  | Off-Peak Summer          | 0.11260            | 0.12167            | 0.01222                  | 0.12482                  | 0.13389                  | 0.13139                        | kWh  |
| B10P  | Off-Peak Winter          | 0.11343            | 0.12254            | 0.01222                  | 0.12565                  | 0.13476                  | 0.13226                        | kWh  |
| B10P  | Part-Peak Summer         | 0.14189            | 0.15250            | 0.01222                  | 0.15411                  | 0.16472                  | 0.16222                        | kWh  |
| B10P  | Peak Summer              | 0.19727            | 0.21080            | 0.01222                  | 0.20949                  | 0.22302                  | 0.22052                        | kWh  |
| B10P  | Peak Winter              | 0.14538            | 0.15617            | 0.01222                  | 0.15760                  | 0.16839                  | 0.16589                        | kWh  |
| B10P  | Super-Off-Peak Winter    | 0.07890            | 0.08620            | 0.01222                  | 0.09112                  | 0.09842                  | 0.09592                        | kWh  |
| B10S  | Off-Peak Summer          | 0.12539            | 0.13513            | 0.01222                  | 0.13761                  | 0.14735                  | 0.14485                        | kWh  |
| B10S  | Off-Peak Winter          | 0.12608            | 0.13586            | 0.01222                  | 0.13830                  | 0.14808                  | 0.14558                        | kWh  |
| B10S  | Part-Peak Summer         | 0.15633            | 0.16770            | 0.01222                  | 0.16855                  | 0.17992                  | 0.17742                        | kWh  |
| B10S  | Peak Summer              | 0.21492            | 0.22938            | 0.01222                  | 0.22714                  | 0.24160                  | 0.23910                        | kWh  |
| B10S  | Peak Winter              | 0.15979            | 0.17134            | 0.01222                  | 0.17201                  | 0.18356                  | 0.18106                        | kWh  |
| B10S  | Super-Off-Peak Winter    | 0.09156            | 0.09952            | 0.01222                  | 0.10378                  | 0.11174                  | 0.10924                        | kWh  |
| B10T  | Off-Peak Summer          | 0.09296            | 0.10100            | 0.01222                  | 0.10518                  | 0.11322                  | 0.11072                        | kWh  |
| B10T  | Off-Peak Winter          | 0.09385            | 0.10193            | 0.01222                  | 0.10607                  | 0.11415                  | 0.11165                        | kWh  |
| B10T  | Part-Peak Summer         | 0.12153            | 0.13107            | 0.01222                  | 0.13375                  | 0.14329                  | 0.14079                        | kWh  |
| B10T  | Peak Summer              | 0.17543            | 0.18781            | 0.01222                  | 0.18765                  | 0.20003                  | 0.19753                        | kWh  |
| B10T  | Peak Winter              | 0.12504            | 0.13476            | 0.01222                  | 0.13726                  | 0.14698                  | 0.14448                        | kWh  |





This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B10T  | Super-Off-Peak Winter       | 0.05932            | 0.06559            | 0.01222                  | 0.07154                  | 0.07781                  | 0.07531                        | kWh  |
| B19P  | Max Part-Peak Demand Summer | 2.61000            | 2.75000            | 0.00000                  | 2.61000                  | 2.75000                  | 2.75000                        | kW   |
| B19P  | Max Peak Demand Summer      | 17.84000           | 18.78000           | 0.00000                  | 17.84000                 | 18.78000                 | 18.78000                       | kW   |
| B19P  | Max Peak Demand Winter      | 1.83000            | 1.93000            | 0.00000                  | 1.83000                  | 1.93000                  | 1.93000                        | kW   |
| B19P  | Off-Peak Summer             | 0.08255            | 0.09000            | 0.01146                  | 0.09401                  | 0.10146                  | 0.09896                        | kWh  |
| B19P  | Off-Peak Winter             | 0.08289            | 0.09036            | 0.01146                  | 0.09435                  | 0.10182                  | 0.09932                        | kWh  |
| B19P  | Part-Peak Summer            | 0.11045            | 0.11937            | 0.01146                  | 0.12191                  | 0.13083                  | 0.12833                        | kWh  |
| B19P  | Peak Summer                 | 0.14253            | 0.15313            | 0.01146                  | 0.15399                  | 0.16459                  | 0.16209                        | kWh  |
| B19P  | Peak Winter                 | 0.12388            | 0.13350            | 0.01146                  | 0.13534                  | 0.14496                  | 0.14246                        | kWh  |
| B19P  | Super-Off-Peak Winter       | 0.02459            | 0.02899            | 0.01146                  | 0.03605                  | 0.04045                  | 0.03795                        | kWh  |
| B19PR | Off-Peak Summer             | 0.09747            | 0.10570            | 0.01146                  | 0.10893                  | 0.11716                  | 0.11466                        | kWh  |
| B19PR | Off-Peak Winter             | 0.09757            | 0.10581            | 0.01146                  | 0.10903                  | 0.11727                  | 0.11477                        | kWh  |
| B19PR | Part-Peak Summer            | 0.13109            | 0.14109            | 0.01146                  | 0.14255                  | 0.15255                  | 0.15005                        | kWh  |
| B19PR | Peak Summer                 | 0.24845            | 0.26463            | 0.01146                  | 0.25991                  | 0.27609                  | 0.27359                        | kWh  |
| B19PR | Peak Winter                 | 0.13334            | 0.14346            | 0.01146                  | 0.14480                  | 0.15492                  | 0.15242                        | kWh  |
| B19PR | Super-Off-Peak Winter       | 0.06354            | 0.06999            | 0.01146                  | 0.07500                  | 0.08145                  | 0.07895                        | kWh  |
| B19PS | Off-Peak Summer             | 0.09747            | 0.10570            | 0.01146                  | 0.10893                  | 0.11716                  | 0.11466                        | kWh  |
| B19PS | Off-Peak Winter             | 0.09757            | 0.10581            | 0.01146                  | 0.10903                  | 0.11727                  | 0.11477                        | kWh  |
| B19PS | Part-Peak Summer            | 0.13109            | 0.14109            | 0.01146                  | 0.14255                  | 0.15255                  | 0.15005                        | kWh  |
| B19PS | Peak Summer                 | 0.24845            | 0.26463            | 0.01146                  | 0.25991                  | 0.27609                  | 0.27359                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B19PS | Peak Winter                 | 0.13334            | 0.14346            | 0.01146                  | 0.14480                  | 0.15492                  | 0.15242                        | kWh  |
| B19PS | Super-Off-Peak Winter       | 0.06354            | 0.06999            | 0.01146                  | 0.07500                  | 0.08145                  | 0.07895                        | kWh  |
| B19S  | Max Part-Peak Demand Summer | 3.09000            | 3.25000            | 0.00000                  | 3.09000                  | 3.25000                  | 3.25000                        | kW   |
| B19S  | Max Peak Demand Summer      | 21.24000           | 22.36000           | 0.00000                  | 21.24000                 | 22.36000                 | 22.36000                       | kW   |
| B19S  | Max Peak Demand Winter      | 2.52000            | 2.65000            | 0.00000                  | 2.52000                  | 2.65000                  | 2.65000                        | kW   |
| B19S  | Off-Peak Summer             | 0.09267            | 0.10065            | 0.01146                  | 0.10413                  | 0.11211                  | 0.10961                        | kWh  |
| B19S  | Off-Peak Winter             | 0.09256            | 0.10053            | 0.01146                  | 0.10402                  | 0.11199                  | 0.10949                        | kWh  |
| B19S  | Part-Peak Summer            | 0.12256            | 0.13211            | 0.01146                  | 0.13402                  | 0.14357                  | 0.14107                        | kWh  |
| B19S  | Peak Summer                 | 0.16481            | 0.17659            | 0.01146                  | 0.17627                  | 0.18805                  | 0.18555                        | kWh  |
| B19S  | Peak Winter                 | 0.13797            | 0.14834            | 0.01146                  | 0.14943                  | 0.15980                  | 0.15730                        | kWh  |
| B19S  | Super-Off-Peak Winter       | 0.03162            | 0.03639            | 0.01146                  | 0.04308                  | 0.04785                  | 0.04535                        | kWh  |
| B19SR | Off-Peak Summer             | 0.11256            | 0.12159            | 0.01146                  | 0.12402                  | 0.13305                  | 0.13055                        | kWh  |
| B19SR | Off-Peak Winter             | 0.11250            | 0.12152            | 0.01146                  | 0.12396                  | 0.13298                  | 0.13048                        | kWh  |
| B19SR | Part-Peak Summer            | 0.14915            | 0.16010            | 0.01146                  | 0.16061                  | 0.17156                  | 0.16906                        | kWh  |
| B19SR | Peak Summer                 | 0.27794            | 0.29567            | 0.01146                  | 0.28940                  | 0.30713                  | 0.30463                        | kWh  |
| B19SR | Peak Winter                 | 0.15270            | 0.16384            | 0.01146                  | 0.16416                  | 0.17530                  | 0.17280                        | kWh  |
| B19SR | Super-Off-Peak Winter       | 0.07847            | 0.08570            | 0.01146                  | 0.08993                  | 0.09716                  | 0.09466                        | kWh  |
| B19SS | Off-Peak Summer             | 0.11256            | 0.12159            | 0.01146                  | 0.12402                  | 0.13305                  | 0.13055                        | kWh  |
| B19SS | Off-Peak Winter             | 0.11250            | 0.12152            | 0.01146                  | 0.12396                  | 0.13298                  | 0.13048                        | kWh  |
| B19SS | Part-Peak Summer            | 0.14915            | 0.16010            | 0.01146                  | 0.16061                  | 0.17156                  | 0.16906                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B19SS | Peak Summer                 | 0.27794            | 0.29567            | 0.01146                  | 0.28940                  | 0.30713                  | 0.30463                        | kWh  |
| B19SS | Peak Winter                 | 0.15270            | 0.16384            | 0.01146                  | 0.16416                  | 0.17530                  | 0.17280                        | kWh  |
| B19SS | Super-Off-Peak Winter       | 0.07847            | 0.08570            | 0.01146                  | 0.08993                  | 0.09716                  | 0.09466                        | kWh  |
| B19T  | Max Part-Peak Demand Summer | 4.01000            | 4.22000            | 0.00000                  | 4.01000                  | 4.22000                  | 4.22000                        | kW   |
| B19T  | Max Peak Demand Summer      | 16.02000           | 16.86000           | 0.00000                  | 16.02000                 | 16.86000                 | 16.86000                       | kW   |
| B19T  | Max Peak Demand Winter      | 1.54000            | 1.62000            | 0.00000                  | 1.54000                  | 1.62000                  | 1.62000                        | kW   |
| B19T  | Off-Peak Summer             | 0.08652            | 0.09418            | 0.01146                  | 0.09798                  | 0.10564                  | 0.10314                        | kWh  |
| B19T  | Off-Peak Winter             | 0.08716            | 0.09485            | 0.01146                  | 0.09862                  | 0.10631                  | 0.10381                        | kWh  |
| B19T  | Part-Peak Summer            | 0.11550            | 0.12468            | 0.01146                  | 0.12696                  | 0.13614                  | 0.13364                        | kWh  |
| B19T  | Peak Summer                 | 0.12911            | 0.13901            | 0.01146                  | 0.14057                  | 0.15047                  | 0.14797                        | kWh  |
| B19T  | Peak Winter                 | 0.12819            | 0.13804            | 0.01146                  | 0.13965                  | 0.14950                  | 0.14700                        | kWh  |
| B19T  | Super-Off-Peak Winter       | 0.02682            | 0.03133            | 0.01146                  | 0.03828                  | 0.04279                  | 0.04029                        | kWh  |
| B19TR | Off-Peak Summer             | 0.09955            | 0.10789            | 0.01146                  | 0.11101                  | 0.11935                  | 0.11685                        | kWh  |
| B19TR | Off-Peak Winter             | 0.09975            | 0.10810            | 0.01146                  | 0.11121                  | 0.11956                  | 0.11706                        | kWh  |
| B19TR | Part-Peak Summer            | 0.13959            | 0.15004            | 0.01146                  | 0.15105                  | 0.16150                  | 0.15900                        | kWh  |
| B19TR | Peak Summer                 | 0.21702            | 0.23154            | 0.01146                  | 0.22848                  | 0.24300                  | 0.24050                        | kWh  |
| B19TR | Peak Winter                 | 0.13174            | 0.14178            | 0.01146                  | 0.14320                  | 0.15324                  | 0.15074                        | kWh  |
| B19TR | Super-Off-Peak Winter       | 0.06572            | 0.07228            | 0.01146                  | 0.07718                  | 0.08374                  | 0.08124                        | kWh  |
| B19TS | Off-Peak Summer             | 0.09955            | 0.10789            | 0.01146                  | 0.11101                  | 0.11935                  | 0.11685                        | kWh  |
| B19TS | Off-Peak Winter             | 0.09975            | 0.10810            | 0.01146                  | 0.11121                  | 0.11956                  | 0.11706                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B19TS | Part-Peak Summer            | 0.13959            | 0.15004            | 0.01146                  | 0.15105                  | 0.16150                  | 0.15900                        | kWh  |
| B19TS | Peak Summer                 | 0.21702            | 0.23154            | 0.01146                  | 0.22848                  | 0.24300                  | 0.24050                        | kWh  |
| B19TS | Peak Winter                 | 0.13174            | 0.14178            | 0.01146                  | 0.14320                  | 0.15324                  | 0.15074                        | kWh  |
| B19TS | Super-Off-Peak Winter       | 0.06572            | 0.07228            | 0.01146                  | 0.07718                  | 0.08374                  | 0.08124                        | kWh  |
| B20P  | Max Part-Peak Demand Summer | 3.06000            | 3.22000            | 0.00000                  | 3.06000                  | 3.22000                  | 3.22000                        | kW   |
| B20P  | Max Peak Demand Summer      | 22.25000           | 23.42000           | 0.00000                  | 22.25000                 | 23.42000                 | 23.42000                       | kW   |
| B20P  | Max Peak Demand Winter      | 2.56000            | 2.70000            | 0.00000                  | 2.56000                  | 2.70000                  | 2.70000                        | kW   |
| B20P  | Off-Peak Summer             | 0.08487            | 0.09239            | 0.01051                  | 0.09538                  | 0.10290                  | 0.10040                        | kWh  |
| B20P  | Off-Peak Winter             | 0.08494            | 0.09246            | 0.01051                  | 0.09545                  | 0.10297                  | 0.10047                        | kWh  |
| B20P  | Part-Peak Summer            | 0.11327            | 0.12229            | 0.01051                  | 0.12378                  | 0.13280                  | 0.13030                        | kWh  |
| B20P  | Peak Summer                 | 0.15399            | 0.16515            | 0.01051                  | 0.16450                  | 0.17566                  | 0.17316                        | kWh  |
| B20P  | Peak Winter                 | 0.12808            | 0.13787            | 0.01051                  | 0.13859                  | 0.14838                  | 0.14588                        | kWh  |
| B20P  | Super-Off-Peak Winter       | 0.02375            | 0.02805            | 0.01051                  | 0.03426                  | 0.03856                  | 0.03606                        | kWh  |
| B20PR | Off-Peak Summer             | 0.10125            | 0.10963            | 0.01051                  | 0.11176                  | 0.12014                  | 0.11764                        | kWh  |
| B20PR | Off-Peak Winter             | 0.10130            | 0.10968            | 0.01051                  | 0.11181                  | 0.12019                  | 0.11769                        | kWh  |
| B20PR | Part-Peak Summer            | 0.13421            | 0.14433            | 0.01051                  | 0.14472                  | 0.15484                  | 0.15234                        | kWh  |
| B20PR | Peak Summer                 | 0.25667            | 0.27323            | 0.01051                  | 0.26718                  | 0.28374                  | 0.28124                        | kWh  |
| B20PR | Peak Winter                 | 0.13936            | 0.14975            | 0.01051                  | 0.14987                  | 0.16026                  | 0.15776                        | kWh  |
| B20PR | Super-Off-Peak Winter       | 0.06733            | 0.07393            | 0.01051                  | 0.07784                  | 0.08444                  | 0.08194                        | kWh  |
| B20PS | Off-Peak Summer             | 0.10125            | 0.10963            | 0.01051                  | 0.11176                  | 0.12014                  | 0.11764                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B20PS | Off-Peak Winter             | 0.10130            | 0.10968            | 0.01051                  | 0.11181                  | 0.12019                  | 0.11769                        | kWh  |
| B20PS | Part-Peak Summer            | 0.13421            | 0.14433            | 0.01051                  | 0.14472                  | 0.15484                  | 0.15234                        | kWh  |
| B20PS | Peak Summer                 | 0.25667            | 0.27323            | 0.01051                  | 0.26718                  | 0.28374                  | 0.28124                        | kWh  |
| B20PS | Peak Winter                 | 0.13936            | 0.14975            | 0.01051                  | 0.14987                  | 0.16026                  | 0.15776                        | kWh  |
| B20PS | Super-Off-Peak Winter       | 0.06733            | 0.07393            | 0.01051                  | 0.07784                  | 0.08444                  | 0.08194                        | kWh  |
| B20S  | Max Part-Peak Demand Summer | 2.89000            | 3.04000            | 0.00000                  | 2.89000                  | 3.04000                  | 3.04000                        | kW   |
| B20S  | Max Peak Demand Summer      | 19.88000           | 20.93000           | 0.00000                  | 19.88000                 | 20.93000                 | 20.93000                       | kW   |
| B20S  | Max Peak Demand Winter      | 2.53000            | 2.66000            | 0.00000                  | 2.53000                  | 2.66000                  | 2.66000                        | kW   |
| B20S  | Off-Peak Summer             | 0.08938            | 0.09717            | 0.01107                  | 0.10045                  | 0.10824                  | 0.10574                        | kWh  |
| B20S  | Off-Peak Winter             | 0.08915            | 0.09692            | 0.01107                  | 0.10022                  | 0.10799                  | 0.10549                        | kWh  |
| B20S  | Part-Peak Summer            | 0.11928            | 0.12864            | 0.01107                  | 0.13035                  | 0.13971                  | 0.13721                        | kWh  |
| B20S  | Peak Summer                 | 0.15713            | 0.16848            | 0.01107                  | 0.16820                  | 0.17955                  | 0.17705                        | kWh  |
| B20S  | Peak Winter                 | 0.13458            | 0.14475            | 0.01107                  | 0.14565                  | 0.15582                  | 0.15332                        | kWh  |
| B20S  | Super-Off-Peak Winter       | 0.02827            | 0.03284            | 0.01107                  | 0.03934                  | 0.04391                  | 0.04141                        | kWh  |
| B20SR | Off-Peak Summer             | 0.10750            | 0.11624            | 0.01107                  | 0.11857                  | 0.12731                  | 0.12481                        | kWh  |
| B20SR | Off-Peak Winter             | 0.10738            | 0.11611            | 0.01107                  | 0.11845                  | 0.12718                  | 0.12468                        | kWh  |
| B20SR | Part-Peak Summer            | 0.14309            | 0.15370            | 0.01107                  | 0.15416                  | 0.16477                  | 0.16227                        | kWh  |
| B20SR | Peak Summer                 | 0.26920            | 0.28645            | 0.01107                  | 0.28027                  | 0.29752                  | 0.29502                        | kWh  |
| B20SR | Peak Winter                 | 0.14892            | 0.15984            | 0.01107                  | 0.15999                  | 0.17091                  | 0.16841                        | kWh  |
| B20SR | Super-Off-Peak Winter       | 0.07341            | 0.08036            | 0.01107                  | 0.08448                  | 0.09143                  | 0.08893                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B20SS | Off-Peak Summer             | 0.10750            | 0.11624            | 0.01107                  | 0.11857                  | 0.12731                  | 0.12481                        | kWh  |
| B20SS | Off-Peak Winter             | 0.10738            | 0.11611            | 0.01107                  | 0.11845                  | 0.12718                  | 0.12468                        | kWh  |
| B20SS | Part-Peak Summer            | 0.14309            | 0.15370            | 0.01107                  | 0.15416                  | 0.16477                  | 0.16227                        | kWh  |
| B20SS | Peak Summer                 | 0.26920            | 0.28645            | 0.01107                  | 0.28027                  | 0.29752                  | 0.29502                        | kWh  |
| B20SS | Peak Winter                 | 0.14892            | 0.15984            | 0.01107                  | 0.15999                  | 0.17091                  | 0.16841                        | kWh  |
| B20SS | Super-Off-Peak Winter       | 0.07341            | 0.08036            | 0.01107                  | 0.08448                  | 0.09143                  | 0.08893                        | kWh  |
| B20T  | Max Part-Peak Demand Summer | 5.59000            | 5.88000            | 0.00000                  | 5.59000                  | 5.88000                  | 5.88000                        | kW   |
| B20T  | Max Peak Demand Summer      | 23.45000           | 24.68000           | 0.00000                  | 23.45000                 | 24.68000                 | 24.68000                       | kW   |
| B20T  | Max Peak Demand Winter      | 3.13000            | 3.29000            | 0.00000                  | 3.13000                  | 3.29000                  | 3.29000                        | kW   |
| B20T  | Off-Peak Summer             | 0.07880            | 0.08596            | 0.00975                  | 0.08855                  | 0.09571                  | 0.09321                        | kWh  |
| B20T  | Off-Peak Winter             | 0.07439            | 0.08132            | 0.00975                  | 0.08414                  | 0.09107                  | 0.08857                        | kWh  |
| B20T  | Part-Peak Summer            | 0.10765            | 0.11633            | 0.00975                  | 0.11740                  | 0.12608                  | 0.12358                        | kWh  |
| B20T  | Peak Summer                 | 0.13350            | 0.14354            | 0.00975                  | 0.14325                  | 0.15329                  | 0.15079                        | kWh  |
| B20T  | Peak Winter                 | 0.12656            | 0.13623            | 0.00975                  | 0.13631                  | 0.14598                  | 0.14348                        | kWh  |
| B20T  | Super-Off-Peak Winter       | 0.02229            | 0.02648            | 0.00975                  | 0.03204                  | 0.03623                  | 0.03373                        | kWh  |
| B20TR | Off-Peak Summer             | 0.09204            | 0.09990            | 0.00975                  | 0.10179                  | 0.10965                  | 0.10715                        | kWh  |
| B20TR | Off-Peak Winter             | 0.08927            | 0.09698            | 0.00975                  | 0.09902                  | 0.10673                  | 0.10423                        | kWh  |
| B20TR | Part-Peak Summer            | 0.13978            | 0.15015            | 0.00975                  | 0.14953                  | 0.15990                  | 0.15740                        | kWh  |
| B20TR | Peak Summer                 | 0.25247            | 0.26877            | 0.00975                  | 0.26222                  | 0.27852                  | 0.27602                        | kWh  |
| B20TR | Peak Winter                 | 0.13963            | 0.14999            | 0.00975                  | 0.14938                  | 0.15974                  | 0.15724                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B20TR | Super-Off-Peak Winter    | 0.05811            | 0.06418            | 0.00975                  | 0.06786                  | 0.07393                  | 0.07143                        | kWh  |
| B20TS | Off-Peak Summer          | 0.09204            | 0.09990            | 0.00975                  | 0.10179                  | 0.10965                  | 0.10715                        | kWh  |
| B20TS | Off-Peak Winter          | 0.08927            | 0.09698            | 0.00975                  | 0.09902                  | 0.10673                  | 0.10423                        | kWh  |
| B20TS | Part-Peak Summer         | 0.13978            | 0.15015            | 0.00975                  | 0.14953                  | 0.15990                  | 0.15740                        | kWh  |
| B20TS | Peak Summer              | 0.25247            | 0.26877            | 0.00975                  | 0.26222                  | 0.27852                  | 0.27602                        | kWh  |
| B20TS | Peak Winter              | 0.13963            | 0.14999            | 0.00975                  | 0.14938                  | 0.15974                  | 0.15724                        | kWh  |
| B20TS | Super-Off-Peak Winter    | 0.05811            | 0.06418            | 0.00975                  | 0.06786                  | 0.07393                  | 0.07143                        | kWh  |
| B6    | Off-Peak Summer          | 0.11779            | 0.12710            | 0.01158                  | 0.12937                  | 0.13868                  | 0.13618                        | kWh  |
| B6    | Off-Peak Winter          | 0.10825            | 0.11706            | 0.01158                  | 0.11983                  | 0.12864                  | 0.12614                        | kWh  |
| B6    | Peak Summer              | 0.27922            | 0.29703            | 0.01158                  | 0.29080                  | 0.30861                  | 0.30611                        | kWh  |
| B6    | Peak Winter              | 0.14583            | 0.15661            | 0.01158                  | 0.15741                  | 0.16819                  | 0.16569                        | kWh  |
| B6    | Super-Off-Peak Winter    | 0.07398            | 0.08098            | 0.01158                  | 0.08556                  | 0.09256                  | 0.09006                        | kWh  |
| BEV1  | Off-Peak                 | 0.09883            | 0.10708            | 0.01033                  | 0.10916                  | 0.11741                  | 0.11491                        | kWh  |
| BEV1  | Peak                     | 0.27227            | 0.28964            | 0.01033                  | 0.28260                  | 0.29997                  | 0.29747                        | kWh  |
| BEV1  | Super-Off-Peak           | 0.07471            | 0.08169            | 0.01033                  | 0.08504                  | 0.09202                  | 0.08952                        | kWh  |
| BEV2P | Off-Peak                 | 0.09345            | 0.10147            | 0.01141                  | 0.10486                  | 0.11288                  | 0.11038                        | kWh  |
| BEV2P | Peak                     | 0.27963            | 0.29745            | 0.01141                  | 0.29104                  | 0.30886                  | 0.30636                        | kWh  |
| BEV2P | Super-Off-Peak           | 0.07046            | 0.07727            | 0.01141                  | 0.08187                  | 0.08868                  | 0.08618                        | kWh  |
| BEV2S | Off-Peak                 | 0.09630            | 0.10447            | 0.01141                  | 0.10771                  | 0.11588                  | 0.11338                        | kWh  |
| BEV2S | Peak                     | 0.28949            | 0.30783            | 0.01141                  | 0.30090                  | 0.31924                  | 0.31674                        | kWh  |
| BEV2S | Super-Off-Peak           | 0.07217            | 0.07907            | 0.01141                  | 0.08358                  | 0.09048                  | 0.08798                        | kWh  |
| E1    | Flat                     | 0.13660            | 0.14692            | 0.01208                  | 0.14868                  | 0.15900                  | 0.15650                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| E19P  | Max Part-Peak Demand Summer | 12.06000           | 12.69000           | 0.00000                  | 12.06000                 | 12.69000                 | 12.69000                       | kW   |
| E19P  | Max Peak Demand Summer      | 12.06000           | 12.69000           | 0.00000                  | 12.06000                 | 12.69000                 | 12.69000                       | kW   |
| E19P  | Off-Peak Summer             | 0.08193            | 0.08935            | 0.01146                  | 0.09339                  | 0.10081                  | 0.09831                        | kWh  |
| E19P  | Off-Peak Winter             | 0.07882            | 0.08607            | 0.01146                  | 0.09028                  | 0.09753                  | 0.09503                        | kWh  |
| E19P  | Part-Peak Summer            | 0.08762            | 0.09533            | 0.01146                  | 0.09908                  | 0.10679                  | 0.10429                        | kWh  |
| E19P  | Part-Peak Winter            | 0.07948            | 0.08677            | 0.01146                  | 0.09094                  | 0.09823                  | 0.09573                        | kWh  |
| E19P  | Peak Summer                 | 0.08762            | 0.09533            | 0.01146                  | 0.09908                  | 0.10679                  | 0.10429                        | kWh  |
| E19PR | Off-Peak Summer             | 0.10992            | 0.11881            | 0.01146                  | 0.12138                  | 0.13027                  | 0.12777                        | kWh  |
| E19PR | Off-Peak Winter             | 0.10694            | 0.11567            | 0.01146                  | 0.11840                  | 0.12713                  | 0.12463                        | kWh  |
| E19PR | Part-Peak Summer            | 0.13780            | 0.14816            | 0.01146                  | 0.14926                  | 0.15962                  | 0.15712                        | kWh  |
| E19PR | Part-Peak Winter            | 0.10757            | 0.11634            | 0.01146                  | 0.11903                  | 0.12780                  | 0.12530                        | kWh  |
| E19PR | Peak Summer                 | 0.13780            | 0.14816            | 0.01146                  | 0.14926                  | 0.15962                  | 0.15712                        | kWh  |
| E19S  | Max Part-Peak Demand Summer | 13.58000           | 14.29000           | 0.00000                  | 13.58000                 | 14.29000                 | 14.29000                       | kW   |
| E19S  | Max Peak Demand Summer      | 13.58000           | 14.29000           | 0.00000                  | 13.58000                 | 14.29000                 | 14.29000                       | kW   |
| E19S  | Off-Peak Summer             | 0.09289            | 0.10088            | 0.01146                  | 0.10435                  | 0.11234                  | 0.10984                        | kWh  |
| E19S  | Off-Peak Winter             | 0.08965            | 0.09747            | 0.01146                  | 0.10111                  | 0.10893                  | 0.10643                        | kWh  |
| E19S  | Part-Peak Summer            | 0.09876            | 0.10706            | 0.01146                  | 0.11022                  | 0.11852                  | 0.11602                        | kWh  |
| E19S  | Part-Peak Winter            | 0.09034            | 0.09820            | 0.01146                  | 0.10180                  | 0.10966                  | 0.10716                        | kWh  |
| E19S  | Peak Summer                 | 0.09876            | 0.10706            | 0.01146                  | 0.11022                  | 0.11852                  | 0.11602                        | kWh  |
| E19SR | Off-Peak Summer             | 0.12699            | 0.13678            | 0.01146                  | 0.13845                  | 0.14824                  | 0.14574                        | kWh  |





This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| E19SR | Off-Peak Winter             | 0.12386            | 0.13348            | 0.01146                  | 0.13532                  | 0.14494                  | 0.14244                        | kWh  |
| E19SR | Part-Peak Summer            | 0.15849            | 0.16993            | 0.01146                  | 0.16995                  | 0.18139                  | 0.17889                        | kWh  |
| E19SR | Part-Peak Winter            | 0.12453            | 0.13419            | 0.01146                  | 0.13599                  | 0.14565                  | 0.14315                        | kWh  |
| E19SR | Peak Summer                 | 0.15849            | 0.16993            | 0.01146                  | 0.16995                  | 0.18139                  | 0.17889                        | kWh  |
| E19T  | Max Part-Peak Demand Summer | 13.20000           | 13.90000           | 0.00000                  | 13.20000                 | 13.90000                 | 13.90000                       | kW   |
| E19T  | Max Peak Demand Summer      | 13.20000           | 13.90000           | 0.00000                  | 13.20000                 | 13.90000                 | 13.90000                       | kW   |
| E19T  | Off-Peak Summer             | 0.07086            | 0.07769            | 0.01146                  | 0.08232                  | 0.08915                  | 0.08665                        | kWh  |
| E19T  | Off-Peak Winter             | 0.06782            | 0.07449            | 0.01146                  | 0.07928                  | 0.08595                  | 0.08345                        | kWh  |
| E19T  | Part-Peak Summer            | 0.07642            | 0.08355            | 0.01146                  | 0.08788                  | 0.09501                  | 0.09251                        | kWh  |
| E19T  | Part-Peak Winter            | 0.06847            | 0.07518            | 0.01146                  | 0.07993                  | 0.08664                  | 0.08414                        | kWh  |
| E19T  | Peak Summer                 | 0.07642            | 0.08355            | 0.01146                  | 0.08788                  | 0.09501                  | 0.09251                        | kWh  |
| E19TR | Off-Peak Summer             | 0.10691            | 0.11564            | 0.01146                  | 0.11837                  | 0.12710                  | 0.12460                        | kWh  |
| E19TR | Off-Peak Winter             | 0.10397            | 0.11255            | 0.01146                  | 0.11543                  | 0.12401                  | 0.12151                        | kWh  |
| E19TR | Part-Peak Summer            | 0.13129            | 0.14130            | 0.01146                  | 0.14275                  | 0.15276                  | 0.15026                        | kWh  |
| E19TR | Part-Peak Winter            | 0.10460            | 0.11321            | 0.01146                  | 0.11606                  | 0.12467                  | 0.12217                        | kWh  |
| E19TR | Peak Summer                 | 0.13129            | 0.14130            | 0.01146                  | 0.14275                  | 0.15276                  | 0.15026                        | kWh  |
| E20P  | Max Part-Peak Demand Summer | 14.02000           | 14.76000           | 0.00000                  | 14.02000                 | 14.76000                 | 14.76000                       | kW   |
| E20P  | Max Peak Demand Summer      | 14.02000           | 14.76000           | 0.00000                  | 14.02000                 | 14.76000                 | 14.76000                       | kW   |
| E20P  | Off-Peak Summer             | 0.08591            | 0.09349            | 0.01051                  | 0.09642                  | 0.10400                  | 0.10150                        | kWh  |
| E20P  | Off-Peak Winter             | 0.08282            | 0.09023            | 0.01051                  | 0.09333                  | 0.10074                  | 0.09824                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| E20P  | Part-Peak Summer            | 0.09159            | 0.09946            | 0.01051                  | 0.10210                  | 0.10997                  | 0.10747                        | kWh  |
| E20P  | Part-Peak Winter            | 0.08347            | 0.09092            | 0.01051                  | 0.09398                  | 0.10143                  | 0.09893                        | kWh  |
| E20P  | Peak Summer                 | 0.09159            | 0.09946            | 0.01051                  | 0.10210                  | 0.10997                  | 0.10747                        | kWh  |
| E20PR | Off-Peak Summer             | 0.11381            | 0.12285            | 0.01051                  | 0.12432                  | 0.13336                  | 0.13086                        | kWh  |
| E20PR | Off-Peak Winter             | 0.11082            | 0.11971            | 0.01051                  | 0.12133                  | 0.13022                  | 0.12772                        | kWh  |
| E20PR | Part-Peak Summer            | 0.14378            | 0.15440            | 0.01051                  | 0.15429                  | 0.16491                  | 0.16241                        | kWh  |
| E20PR | Part-Peak Winter            | 0.11146            | 0.12038            | 0.01051                  | 0.12197                  | 0.13089                  | 0.12839                        | kWh  |
| E20PR | Peak Summer                 | 0.14378            | 0.15440            | 0.01051                  | 0.15429                  | 0.16491                  | 0.16241                        | kWh  |
| E20S  | Max Part-Peak Demand Summer | 12.85000           | 13.53000           | 0.00000                  | 12.85000                 | 13.53000                 | 13.53000                       | kW   |
| E20S  | Max Peak Demand Summer      | 12.85000           | 13.53000           | 0.00000                  | 12.85000                 | 13.53000                 | 13.53000                       | kW   |
| E20S  | Off-Peak Summer             | 0.08719            | 0.09486            | 0.01107                  | 0.09826                  | 0.10593                  | 0.10343                        | kWh  |
| E20S  | Off-Peak Winter             | 0.08399            | 0.09149            | 0.01107                  | 0.09506                  | 0.10256                  | 0.10006                        | kWh  |
| E20S  | Part-Peak Summer            | 0.09293            | 0.10090            | 0.01107                  | 0.10400                  | 0.11197                  | 0.10947                        | kWh  |
| E20S  | Part-Peak Winter            | 0.08468            | 0.09222            | 0.01107                  | 0.09575                  | 0.10329                  | 0.10079                        | kWh  |
| E20S  | Peak Summer                 | 0.09293            | 0.10090            | 0.01107                  | 0.10400                  | 0.11197                  | 0.10947                        | kWh  |
| E20SR | Off-Peak Summer             | 0.12030            | 0.12971            | 0.01107                  | 0.13137                  | 0.14078                  | 0.13828                        | kWh  |
| E20SR | Off-Peak Winter             | 0.11716            | 0.12641            | 0.01107                  | 0.12823                  | 0.13748                  | 0.13498                        | kWh  |
| E20SR | Part-Peak Summer            | 0.14915            | 0.16008            | 0.01107                  | 0.16022                  | 0.17115                  | 0.16865                        | kWh  |
| E20SR | Part-Peak Winter            | 0.11784            | 0.12712            | 0.01107                  | 0.12891                  | 0.13819                  | 0.13569                        | kWh  |
| E20SR | Peak Summer                 | 0.14915            | 0.16008            | 0.01107                  | 0.16022                  | 0.17115                  | 0.16865                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name    | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| E20T  | Max Part-Peak Demand Summer | 17.48000           | 18.40000           | 0.00000                  | 17.48000                 | 18.40000                 | 18.40000                       | kW   |
| E20T  | Max Peak Demand Summer      | 17.48000           | 18.40000           | 0.00000                  | 17.48000                 | 18.40000                 | 18.40000                       | kW   |
| E20T  | Off-Peak Summer             | 0.07576            | 0.08276            | 0.00975                  | 0.08551                  | 0.09251                  | 0.09001                        | kWh  |
| E20T  | Off-Peak Winter             | 0.07263            | 0.07947            | 0.00975                  | 0.08238                  | 0.08922                  | 0.08672                        | kWh  |
| E20T  | Part-Peak Summer            | 0.08150            | 0.08880            | 0.00975                  | 0.09125                  | 0.09855                  | 0.09605                        | kWh  |
| E20T  | Part-Peak Winter            | 0.07330            | 0.08017            | 0.00975                  | 0.08305                  | 0.08992                  | 0.08742                        | kWh  |
| E20T  | Peak Summer                 | 0.08150            | 0.08880            | 0.00975                  | 0.09125                  | 0.09855                  | 0.09605                        | kWh  |
| E20TR | Off-Peak Summer             | 0.10587            | 0.11445            | 0.00975                  | 0.11562                  | 0.12420                  | 0.12170                        | kWh  |
| E20TR | Off-Peak Winter             | 0.10293            | 0.11136            | 0.00975                  | 0.11268                  | 0.12111                  | 0.11861                        | kWh  |
| E20TR | Part-Peak Summer            | 0.13551            | 0.14566            | 0.00975                  | 0.14526                  | 0.15541                  | 0.15291                        | kWh  |
| E20TR | Part-Peak Winter            | 0.10356            | 0.11202            | 0.00975                  | 0.11331                  | 0.12177                  | 0.11927                        | kWh  |
| E20TR | Peak Summer                 | 0.13551            | 0.14566            | 0.00975                  | 0.14526                  | 0.15541                  | 0.15291                        | kWh  |
| EELEC | Off-Peak Summer             | 0.12943            | 0.13938            | 0.01208                  | 0.14151                  | 0.15146                  | 0.14896                        | kWh  |
| EELEC | Off-Peak Winter             | 0.08076            | 0.08815            | 0.01208                  | 0.09284                  | 0.10023                  | 0.09773                        | kWh  |
| EELEC | Part-Peak Summer            | 0.17228            | 0.18448            | 0.01208                  | 0.18436                  | 0.19656                  | 0.19406                        | kWh  |
| EELEC | Part-Peak Winter            | 0.09345            | 0.10150            | 0.01208                  | 0.10553                  | 0.11358                  | 0.11108                        | kWh  |
| EELEC | Peak Summer                 | 0.26643            | 0.28359            | 0.01208                  | 0.27851                  | 0.29567                  | 0.29317                        | kWh  |
| EELEC | Peak Winter                 | 0.11242            | 0.12147            | 0.01208                  | 0.12450                  | 0.13355                  | 0.13105                        | kWh  |
| EMTOU | Off-Peak Summer             | 0.12142            | 0.13095            | 0.01208                  | 0.13350                  | 0.14303                  | 0.14053                        | kWh  |
| EMTOU | Off-Peak Winter             | 0.11787            | 0.12721            | 0.01208                  | 0.12995                  | 0.13929                  | 0.13679                        | kWh  |
| EMTOU | Peak Summer                 | 0.20027            | 0.21395            | 0.01208                  | 0.21235                  | 0.22603                  | 0.22353                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate  | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| EMTOU | Peak Winter              | 0.14322            | 0.15389            | 0.01208                  | 0.15530                  | 0.16597                  | 0.16347                        | kWh  |
| ETOUB | Off-Peak Summer          | 0.12917            | 0.13910            | 0.01208                  | 0.14125                  | 0.15118                  | 0.14868                        | kWh  |
| ETOUB | Off-Peak Winter          | 0.10851            | 0.11736            | 0.01208                  | 0.12059                  | 0.12944                  | 0.12694                        | kWh  |
| ETOUB | Peak Summer              | 0.24607            | 0.26216            | 0.01208                  | 0.25815                  | 0.27424                  | 0.27174                        | kWh  |
| ETOUB | Peak Winter              | 0.14537            | 0.15616            | 0.01208                  | 0.15745                  | 0.16824                  | 0.16574                        | kWh  |
| ETOUC | Off-Peak Summer          | 0.12142            | 0.13095            | 0.01208                  | 0.13350                  | 0.14303                  | 0.14053                        | kWh  |
| ETOUC | Off-Peak Winter          | 0.11787            | 0.12721            | 0.01208                  | 0.12995                  | 0.13929                  | 0.13679                        | kWh  |
| ETOUC | Peak Summer              | 0.20027            | 0.21395            | 0.01208                  | 0.21235                  | 0.22603                  | 0.22353                        | kWh  |
| ETOUC | Peak Winter              | 0.14322            | 0.15389            | 0.01208                  | 0.15530                  | 0.16597                  | 0.16347                        | kWh  |
| ETOUD | Off-Peak Summer          | 0.11121            | 0.12020            | 0.01208                  | 0.12329                  | 0.13228                  | 0.12978                        | kWh  |
| ETOUD | Off-Peak Winter          | 0.13877            | 0.14921            | 0.01208                  | 0.15085                  | 0.16129                  | 0.15879                        | kWh  |
| ETOUD | Peak Summer              | 0.21092            | 0.22516            | 0.01208                  | 0.22300                  | 0.23724                  | 0.23474                        | kWh  |
| ETOUD | Peak Winter              | 0.17210            | 0.18429            | 0.01208                  | 0.18418                  | 0.19637                  | 0.19387                        | kWh  |
| EV2   | Off-Peak Summer          | 0.11398            | 0.12311            | 0.01208                  | 0.12606                  | 0.13519                  | 0.13269                        | kWh  |
| EV2   | Off-Peak Winter          | 0.10734            | 0.11612            | 0.01208                  | 0.11942                  | 0.12820                  | 0.12570                        | kWh  |
| EV2   | Part-Peak Summer         | 0.15306            | 0.16425            | 0.01208                  | 0.16514                  | 0.17633                  | 0.17383                        | kWh  |
| EV2   | Part-Peak Winter         | 0.12964            | 0.13960            | 0.01208                  | 0.14172                  | 0.15168                  | 0.14918                        | kWh  |
| EV2   | Peak Summer              | 0.19553            | 0.20896            | 0.01208                  | 0.20761                  | 0.22104                  | 0.21854                        | kWh  |
| EV2   | Peak Winter              | 0.14150            | 0.15208            | 0.01208                  | 0.15358                  | 0.16416                  | 0.16166                        | kWh  |
| EVA   | Off-Peak Summer          | 0.11449            | 0.12365            | 0.01208                  | 0.12657                  | 0.13573                  | 0.13323                        | kWh  |
| EVA   | Off-Peak Winter          | 0.08650            | 0.09419            | 0.01208                  | 0.09858                  | 0.10627                  | 0.10377                        | kWh  |
| EVA   | Part-Peak Summer         | 0.15855            | 0.17003            | 0.01208                  | 0.17063                  | 0.18211                  | 0.17961                        | kWh  |



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [avaenergy.org/rates](http://avaenergy.org/rates) to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2017 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| EVA  | Part-Peak Winter         | 0.08650            | 0.09419            | 0.01208                  | 0.09858                  | 0.10627                  | 0.10377                        | kWh  |
| EVA  | Peak Summer              | 0.29485            | 0.31350            | 0.01208                  | 0.30693                  | 0.32558                  | 0.32308                        | kWh  |
| EVA  | Peak Winter              | 0.11011            | 0.11904            | 0.01208                  | 0.12219                  | 0.13112                  | 0.12862                        | kWh  |
| EVB  | Off-Peak Summer          | 0.11449            | 0.12365            | 0.01208                  | 0.12657                  | 0.13573                  | 0.13323                        | kWh  |
| EVB  | Off-Peak Winter          | 0.08650            | 0.09419            | 0.01208                  | 0.09858                  | 0.10627                  | 0.10377                        | kWh  |
| EVB  | Part-Peak Summer         | 0.15855            | 0.17003            | 0.01208                  | 0.17063                  | 0.18211                  | 0.17961                        | kWh  |
| EVB  | Part-Peak Winter         | 0.08650            | 0.09419            | 0.01208                  | 0.09858                  | 0.10627                  | 0.10377                        | kWh  |
| EVB  | Peak Summer              | 0.29485            | 0.31350            | 0.01208                  | 0.30693                  | 0.32558                  | 0.32308                        | kWh  |
| EVB  | Peak Winter              | 0.11011            | 0.11904            | 0.01208                  | 0.12219                  | 0.13112                  | 0.12862                        | kWh  |
| LS   | Flat                     | 0.11133            | 0.12021            | 0.00981                  | 0.12114                  | 0.13002                  | 0.12752                        | kWh  |
| TC1  | Flat                     | 0.11949            | 0.12889            | 0.01158                  | 0.13107                  | 0.14047                  | 0.13797                        | kWh  |