



Ava Community Energy Rate Sheets

Rates effective as of July 1, 2024

This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| A1 | Summer | 0.15186 | 0.16277 | 0.00791 | 0.15977 | 0.17068 | 0.16818 | kWh |
| A1 | Winter | 0.11373 | 0.12263 | 0.00791 | 0.12164 | 0.13054 | 0.12804 | kWh |
| A10P | Max Demand Summer | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | kW |
| A10P | Summer | 0.13609 | 0.14619 | 0.00835 | 0.14444 | 0.15454 | 0.15204 | kWh |
| A10P | Winter | 0.11821 | 0.12737 | 0.00835 | 0.12656 | 0.13572 | 0.13322 | kWh |
| A10PX | Max Demand Summer | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | kW |
| A10PX | Off-Peak Summer | 0.12551 | 0.13505 | 0.00835 | 0.13386 | 0.14340 | 0.14090 | kWh |
| A10PX | Off-Peak Winter | 0.11782 | 0.12696 | 0.00835 | 0.12617 | 0.13531 | 0.13281 | kWh |
| A10PX | Part-Peak Summer | 0.14956 | 0.16037 | 0.00835 | 0.15791 | 0.16872 | 0.16622 | kWh |
| A10PX | Part-Peak Winter | 0.11846 | 0.12763 | 0.00835 | 0.12681 | 0.13598 | 0.13348 | kWh |
| A10PX | Peak Summer | 0.14956 | 0.16037 | 0.00835 | 0.15791 | 0.16872 | 0.16622 | kWh |
| A10S | Max Demand Summer | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | kW |
| A10S | Summer | 0.15249 | 0.16345 | 0.00835 | 0.16084 | 0.17180 | 0.16930 | kWh |
| A10S | Winter | 0.13181 | 0.14169 | 0.00835 | 0.14016 | 0.15004 | 0.14754 | kWh |
| A10SX | Max Demand Summer | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | kW |
| A10SX | Off-Peak Summer | 0.13990 | 0.15020 | 0.00835 | 0.14825 | 0.15855 | 0.15605 | kWh |
| A10SX | Off-Peak Winter | 0.13178 | 0.14166 | 0.00835 | 0.14013 | 0.15001 | 0.14751 | kWh |
| A10SX | Part-Peak Summer | 0.16535 | 0.17699 | 0.00835 | 0.17370 | 0.18534 | 0.18284 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| A10SX | Part-Peak Winter | 0.13246 | 0.14237 | 0.00835 | 0.14081 | 0.15072 | 0.14822 | kWh |
| A10SX | Peak Summer | 0.16535 | 0.17699 | 0.00835 | 0.17370 | 0.18534 | 0.18284 | kWh |
| A10T | Max Demand Summer | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | kW |
| A10T | Summer | 0.11527 | 0.12428 | 0.00835 | 0.12362 | 0.13263 | 0.13013 | kWh |
| A10T | Winter | 0.09901 | 0.10716 | 0.00835 | 0.10736 | 0.11551 | 0.11301 | kWh |
| A10TX | Max Demand Summer | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | kW |
| A10TX | Off-Peak Summer | 0.10559 | 0.11409 | 0.00835 | 0.11394 | 0.12244 | 0.11994 | kWh |
| A10TX | Off-Peak Winter | 0.09809 | 0.10619 | 0.00835 | 0.10644 | 0.11454 | 0.11204 | kWh |
| A10TX | Part-Peak Summer | 0.12901 | 0.13874 | 0.00835 | 0.13736 | 0.14709 | 0.14459 | kWh |
| A10TX | Part-Peak Winter | 0.09871 | 0.10685 | 0.00835 | 0.10706 | 0.11520 | 0.11270 | kWh |
| A10TX | Peak Summer | 0.12901 | 0.13874 | 0.00835 | 0.13736 | 0.14709 | 0.14459 | kWh |
| A15 | Summer | 0.14696 | 0.15761 | 0.00791 | 0.15487 | 0.16552 | 0.16302 | kWh |
| A15 | Winter | 0.12747 | 0.13709 | 0.00791 | 0.13538 | 0.14500 | 0.14250 | kWh |
| A1X | Off-Peak Summer | 0.13109 | 0.14091 | 0.00791 | 0.13900 | 0.14882 | 0.14632 | kWh |
| A1X | Off-Peak Winter | 0.12480 | 0.13429 | 0.00791 | 0.13271 | 0.14220 | 0.13970 | kWh |
| A1X | Part-Peak Summer | 0.15456 | 0.16561 | 0.00791 | 0.16247 | 0.17352 | 0.17102 | kWh |
| A1X | Part-Peak Winter | 0.12536 | 0.13487 | 0.00791 | 0.13327 | 0.14278 | 0.14028 | kWh |
| A1X | Peak Summer | 0.15456 | 0.16561 | 0.00791 | 0.16247 | 0.17352 | 0.17102 | kWh |
| A6 | Off-Peak Summer | 0.13549 | 0.14554 | 0.00791 | 0.14340 | 0.15345 | 0.15095 | kWh |
| A6 | Off-Peak Winter | 0.12591 | 0.13545 | 0.00791 | 0.13382 | 0.14336 | 0.14086 | kWh |
| A6 | Part-Peak Summer | 0.16755 | 0.17929 | 0.00791 | 0.17546 | 0.18720 | 0.18470 | kWh |
| A6 | Part-Peak Winter | 0.12658 | 0.13616 | 0.00791 | 0.13449 | 0.14407 | 0.14157 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| A6 | Peak Summer | 0.16755 | 0.17929 | 0.00791 | 0.17546 | 0.18720 | 0.18470 | kWh |
| AG1A | Connected Load Summer | 3.32000 | 3.49000 | 0.00000 | 3.32000 | 3.49000 | 3.49000 | kW |
| AG1A | Summer | 0.11753 | 0.12661 | 0.00739 | 0.12492 | 0.13400 | 0.13150 | kWh |
| AG1A | Winter | 0.10460 | 0.11299 | 0.00739 | 0.11199 | 0.12038 | 0.11788 | kWh |
| AG1B | Max Demand Summer | 4.52000 | 4.76000 | 0.00000 | 4.52000 | 4.76000 | 4.76000 | kW |
| AG1B | Summer | 0.12198 | 0.13129 | 0.00739 | 0.12937 | 0.13868 | 0.13618 | kWh |
| AG1B | Winter | 0.09005 | 0.09768 | 0.00739 | 0.09744 | 0.10507 | 0.10257 | kWh |
| AG4A | Connected Load Summer | 2.44000 | 2.57000 | 0.00000 | 2.44000 | 2.57000 | 2.57000 | kW |
| AG4A | Off-Peak Summer | 0.11501 | 0.12395 | 0.00739 | 0.12240 | 0.13134 | 0.12884 | kWh |
| AG4A | Off-Peak Winter | 0.10078 | 0.10897 | 0.00739 | 0.10817 | 0.11636 | 0.11386 | kWh |
| AG4A | Part-Peak Winter | 0.10145 | 0.10968 | 0.00739 | 0.10884 | 0.11707 | 0.11457 | kWh |
| AG4A | Peak Summer | 0.11501 | 0.12395 | 0.00739 | 0.12240 | 0.13134 | 0.12884 | kWh |
| AG4B | Max Demand Summer | 4.14000 | 4.36000 | 0.00000 | 4.14000 | 4.36000 | 4.36000 | kW |
| AG4B | Max Peak Demand Summer | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | kW |
| AG4B | Off-Peak Summer | 0.12205 | 0.13136 | 0.00739 | 0.12944 | 0.13875 | 0.13625 | kWh |
| AG4B | Off-Peak Winter | 0.10810 | 0.11668 | 0.00739 | 0.11549 | 0.12407 | 0.12157 | kWh |
| AG4B | Part-Peak Winter | 0.10876 | 0.11737 | 0.00739 | 0.11615 | 0.12476 | 0.12226 | kWh |
| AG4B | Peak Summer | 0.12205 | 0.13136 | 0.00739 | 0.12944 | 0.13875 | 0.13625 | kWh |
| AG4C | Max Part-Peak Demand Summer | 4.37000 | 4.60000 | 0.00000 | 4.37000 | 4.60000 | 4.60000 | kW |
| AG4C | Max Peak Demand Summer | 4.37000 | 4.60000 | 0.00000 | 4.37000 | 4.60000 | 4.60000 | kW |
| AG4C | Off-Peak Summer | 0.08936 | 0.09695 | 0.00739 | 0.09675 | 0.10434 | 0.10184 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| AG4C | Off-Peak Winter | 0.08622 | 0.09365 | 0.00739 | 0.09361 | 0.10104 | 0.09854 | kWh |
| AG4C | Part-Peak Summer | 0.10000 | 0.10815 | 0.00739 | 0.10739 | 0.11554 | 0.11304 | kWh |
| AG4C | Part-Peak Winter | 0.08690 | 0.09436 | 0.00739 | 0.09429 | 0.10175 | 0.09925 | kWh |
| AG4C | Peak Summer | 0.10000 | 0.10815 | 0.00739 | 0.10739 | 0.11554 | 0.11304 | kWh |
| AG5A | Connected Load Summer | 6.76000 | 7.12000 | 0.00000 | 6.76000 | 7.12000 | 7.12000 | kW |
| AG5A | Off-Peak Summer | 0.12247 | 0.13181 | 0.00739 | 0.12986 | 0.13920 | 0.13670 | kWh |
| AG5A | Off-Peak Winter | 0.11013 | 0.11882 | 0.00739 | 0.11752 | 0.12621 | 0.12371 | kWh |
| AG5A | Part-Peak Winter | 0.11081 | 0.11953 | 0.00739 | 0.11820 | 0.12692 | 0.12442 | kWh |
| AG5A | Peak Summer | 0.12247 | 0.13181 | 0.00739 | 0.12986 | 0.13920 | 0.13670 | kWh |
| AG5B | Max Demand Summer | 8.03000 | 8.45000 | 0.00000 | 8.03000 | 8.45000 | 8.45000 | kW |
| AG5B | Max Peak Demand Summer | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | kW |
| AG5B | Off-Peak Summer | 0.12435 | 0.13378 | 0.00739 | 0.13174 | 0.14117 | 0.13867 | kWh |
| AG5B | Off-Peak Winter | 0.11189 | 0.12067 | 0.00739 | 0.11928 | 0.12806 | 0.12556 | kWh |
| AG5B | Part-Peak Winter | 0.11254 | 0.12135 | 0.00739 | 0.11993 | 0.12874 | 0.12624 | kWh |
| AG5B | Peak Summer | 0.12435 | 0.13378 | 0.00739 | 0.13174 | 0.14117 | 0.13867 | kWh |
| AG5C | Max Part-Peak Demand Summer | 9.02000 | 9.49000 | 0.00000 | 9.02000 | 9.49000 | 9.49000 | kW |
| AG5C | Max Peak Demand Summer | 9.02000 | 9.49000 | 0.00000 | 9.02000 | 9.49000 | 9.49000 | kW |
| AG5C | Off-Peak Summer | 0.08383 | 0.09113 | 0.00739 | 0.09122 | 0.09852 | 0.09602 | kWh |
| AG5C | Off-Peak Winter | 0.08069 | 0.08783 | 0.00739 | 0.08808 | 0.09522 | 0.09272 | kWh |
| AG5C | Part-Peak Summer | 0.08960 | 0.09720 | 0.00739 | 0.09699 | 0.10459 | 0.10209 | kWh |
| AG5C | Part-Peak Winter | 0.08137 | 0.08854 | 0.00739 | 0.08876 | 0.09593 | 0.09343 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| AG5C | Peak Summer | 0.08960 | 0.09720 | 0.00739 | 0.09699 | 0.10459 | 0.10209 | kWh |
| AGA1 | Off-Peak Summer | 0.13244 | 0.14230 | 0.00739 | 0.13983 | 0.14969 | 0.14719 | kWh |
| AGA1 | Off-Peak Winter | 0.10416 | 0.11253 | 0.00739 | 0.11155 | 0.11992 | 0.11742 | kWh |
| AGA1 | Peak Summer | 0.24614 | 0.26198 | 0.00739 | 0.25353 | 0.26937 | 0.26687 | kWh |
| AGA1 | Peak Winter | 0.12929 | 0.13898 | 0.00739 | 0.13668 | 0.14637 | 0.14387 | kWh |
| AGA2 | Off-Peak Summer | 0.13244 | 0.14230 | 0.00739 | 0.13983 | 0.14969 | 0.14719 | kWh |
| AGA2 | Off-Peak Winter | 0.10416 | 0.11253 | 0.00739 | 0.11155 | 0.11992 | 0.11742 | kWh |
| AGA2 | Peak Summer | 0.24614 | 0.26198 | 0.00739 | 0.25353 | 0.26937 | 0.26687 | kWh |
| AGA2 | Peak Winter | 0.12929 | 0.13898 | 0.00739 | 0.13668 | 0.14637 | 0.14387 | kWh |
| AGB | Off-Peak Summer | 0.14626 | 0.15685 | 0.00739 | 0.15365 | 0.16424 | 0.16174 | kWh |
| AGB | Off-Peak Winter | 0.11630 | 0.12531 | 0.00739 | 0.12369 | 0.13270 | 0.13020 | kWh |
| AGB | Peak Summer | 0.26318 | 0.27992 | 0.00739 | 0.27057 | 0.28731 | 0.28481 | kWh |
| AGB | Peak Winter | 0.14119 | 0.15151 | 0.00739 | 0.14858 | 0.15890 | 0.15640 | kWh |
| AGC | Max Peak Demand Summer | 17.74000 | 18.67000 | 0.00000 | 17.74000 | 18.67000 | 18.67000 | kW |
| AGC | Off-Peak Summer | 0.09505 | 0.10294 | 0.00739 | 0.10244 | 0.11033 | 0.10783 | kWh |
| AGC | Off-Peak Winter | 0.08490 | 0.09226 | 0.00739 | 0.09229 | 0.09965 | 0.09715 | kWh |
| AGC | Peak Summer | 0.12305 | 0.13242 | 0.00739 | 0.13044 | 0.13981 | 0.13731 | kWh |
| AGC | Peak Winter | 0.10915 | 0.11778 | 0.00739 | 0.11654 | 0.12517 | 0.12267 | kWh |
| AGFA | Off-Peak Summer | 0.13988 | 0.15013 | 0.00739 | 0.14727 | 0.15752 | 0.15502 | kWh |
| AGFA | Off-Peak Winter | 0.10506 | 0.11348 | 0.00739 | 0.11245 | 0.12087 | 0.11837 | kWh |
| AGFA | Peak Summer | 0.21316 | 0.22727 | 0.00739 | 0.22055 | 0.23466 | 0.23216 | kWh |
| AGFA | Peak Winter | 0.13019 | 0.13993 | 0.00739 | 0.13758 | 0.14732 | 0.14482 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| AGFB | Off-Peak Summer | 0.15497 | 0.16602 | 0.00739 | 0.16236 | 0.17341 | 0.17091 | kWh |
| AGFB | Off-Peak Winter | 0.11839 | 0.12751 | 0.00739 | 0.12578 | 0.13490 | 0.13240 | kWh |
| AGFB | Peak Summer | 0.23222 | 0.24733 | 0.00739 | 0.23961 | 0.25472 | 0.25222 | kWh |
| AGFB | Peak Winter | 0.14352 | 0.15396 | 0.00739 | 0.15091 | 0.16135 | 0.15885 | kWh |
| AGFC | Max Peak Demand Summer | 17.74000 | 18.67000 | 0.00000 | 17.74000 | 18.67000 | 18.67000 | kW |
| AGFC | Off-Peak Summer | 0.10224 | 0.11051 | 0.00739 | 0.10963 | 0.11790 | 0.11540 | kWh |
| AGFC | Off-Peak Winter | 0.09192 | 0.09965 | 0.00739 | 0.09931 | 0.10704 | 0.10454 | kWh |
| AGFC | Peak Summer | 0.13075 | 0.14052 | 0.00739 | 0.13814 | 0.14791 | 0.14541 | kWh |
| AGFC | Peak Winter | 0.11705 | 0.12610 | 0.00739 | 0.12444 | 0.13349 | 0.13099 | kWh |
| AGRA | Connected Load Summer | 2.38000 | 2.50000 | 0.00000 | 2.38000 | 2.50000 | 2.50000 | kW |
| AGRA | Off-Peak Summer | 0.11735 | 0.12642 | 0.00739 | 0.12474 | 0.13381 | 0.13131 | kWh |
| AGRA | Off-Peak Winter | 0.10090 | 0.10910 | 0.00739 | 0.10829 | 0.11649 | 0.11399 | kWh |
| AGRA | Part-Peak Winter | 0.10157 | 0.10981 | 0.00739 | 0.10896 | 0.11720 | 0.11470 | kWh |
| AGRA | Peak Summer | 0.11735 | 0.12642 | 0.00739 | 0.12474 | 0.13381 | 0.13131 | kWh |
| AGRB | Max Demand Summer | 3.27000 | 3.44000 | 0.00000 | 3.27000 | 3.44000 | 3.44000 | kW |
| AGRB | Max Peak Demand Summer | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | kW |
| AGRB | Off-Peak Summer | 0.10269 | 0.11098 | 0.00739 | 0.11008 | 0.11837 | 0.11587 | kWh |
| AGRB | Off-Peak Winter | 0.09118 | 0.09887 | 0.00739 | 0.09857 | 0.10626 | 0.10376 | kWh |
| AGRB | Part-Peak Winter | 0.09186 | 0.09958 | 0.00739 | 0.09925 | 0.10697 | 0.10447 | kWh |
| AGRB | Peak Summer | 0.10269 | 0.11098 | 0.00739 | 0.11008 | 0.11837 | 0.11587 | kWh |
| AGVA | Connected Load Summer | 2.50000 | 2.63000 | 0.00000 | 2.50000 | 2.63000 | 2.63000 | kW |
| AGVA | Off-Peak Summer | 0.11332 | 0.12217 | 0.00739 | 0.12071 | 0.12956 | 0.12706 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| AGVA | Off-Peak Winter | 0.09817 | 0.10623 | 0.00739 | 0.10556 | 0.11362 | 0.11112 | kWh |
| AGVA | Part-Peak Winter | 0.09885 | 0.10694 | 0.00739 | 0.10624 | 0.11433 | 0.11183 | kWh |
| AGVA | Peak Summer | 0.11332 | 0.12217 | 0.00739 | 0.12071 | 0.12956 | 0.12706 | kWh |
| AGVB | Max Demand Summer | 3.09000 | 3.25000 | 0.00000 | 3.09000 | 3.25000 | 3.25000 | kW |
| AGVB | Max Peak Demand Summer | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | kW |
| AGVB | Off-Peak Summer | 0.09923 | 0.10734 | 0.00739 | 0.10662 | 0.11473 | 0.11223 | kWh |
| AGVB | Off-Peak Winter | 0.08676 | 0.09422 | 0.00739 | 0.09415 | 0.10161 | 0.09911 | kWh |
| AGVB | Part-Peak Winter | 0.08744 | 0.09493 | 0.00739 | 0.09483 | 0.10232 | 0.09982 | kWh |
| AGVB | Peak Summer | 0.09923 | 0.10734 | 0.00739 | 0.10662 | 0.11473 | 0.11223 | kWh |
| B1 | Off-Peak Summer | 0.12681 | 0.13640 | 0.00791 | 0.13472 | 0.14431 | 0.14181 | kWh |
| B1 | Off-Peak Winter | 0.12555 | 0.13507 | 0.00791 | 0.13346 | 0.14298 | 0.14048 | kWh |
| B1 | Part-Peak Summer | 0.14658 | 0.15721 | 0.00791 | 0.15449 | 0.16512 | 0.16262 | kWh |
| B1 | Peak Summer | 0.19335 | 0.20644 | 0.00791 | 0.20126 | 0.21435 | 0.21185 | kWh |
| B1 | Peak Winter | 0.14086 | 0.15119 | 0.00791 | 0.14877 | 0.15910 | 0.15660 | kWh |
| B1 | Super-Off-Peak Winter | 0.10995 | 0.11865 | 0.00791 | 0.11786 | 0.12656 | 0.12406 | kWh |
| B1-ST | Off-Peak Summer | 0.12370 | 0.13313 | 0.00791 | 0.13161 | 0.14104 | 0.13854 | kWh |
| B1-ST | Off-Peak Winter | 0.11733 | 0.12642 | 0.00791 | 0.12524 | 0.13433 | 0.13183 | kWh |
| B1-ST | Part-Peak Summer | 0.15767 | 0.16888 | 0.00791 | 0.16558 | 0.17679 | 0.17429 | kWh |
| B1-ST | Part-Peak Winter | 0.13823 | 0.14842 | 0.00791 | 0.14614 | 0.15633 | 0.15383 | kWh |
| B1-ST | Peak Summer | 0.19800 | 0.21134 | 0.00791 | 0.20591 | 0.21925 | 0.21675 | kWh |
| B1-ST | Peak Winter | 0.14995 | 0.16076 | 0.00791 | 0.15786 | 0.16867 | 0.16617 | kWh |
| B1-ST | Super-Off-Peak Winter | 0.10173 | 0.11000 | 0.00791 | 0.10964 | 0.11791 | 0.11541 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B10P | Off-Peak Summer | 0.11647 | 0.12554 | 0.00835 | 0.12482 | 0.13389 | 0.13139 | kWh |
| B10P | Off-Peak Winter | 0.11730 | 0.12641 | 0.00835 | 0.12565 | 0.13476 | 0.13226 | kWh |
| B10P | Part-Peak Summer | 0.14576 | 0.15637 | 0.00835 | 0.15411 | 0.16472 | 0.16222 | kWh |
| B10P | Peak Summer | 0.20114 | 0.21467 | 0.00835 | 0.20949 | 0.22302 | 0.22052 | kWh |
| B10P | Peak Winter | 0.14925 | 0.16004 | 0.00835 | 0.15760 | 0.16839 | 0.16589 | kWh |
| B10P | Super-Off-Peak Winter | 0.08277 | 0.09007 | 0.00835 | 0.09112 | 0.09842 | 0.09592 | kWh |
| B10S | Off-Peak Summer | 0.12926 | 0.13900 | 0.00835 | 0.13761 | 0.14735 | 0.14485 | kWh |
| B10S | Off-Peak Winter | 0.12995 | 0.13973 | 0.00835 | 0.13830 | 0.14808 | 0.14558 | kWh |
| B10S | Part-Peak Summer | 0.16020 | 0.17157 | 0.00835 | 0.16855 | 0.17992 | 0.17742 | kWh |
| B10S | Peak Summer | 0.21879 | 0.23325 | 0.00835 | 0.22714 | 0.24160 | 0.23910 | kWh |
| B10S | Peak Winter | 0.16366 | 0.17521 | 0.00835 | 0.17201 | 0.18356 | 0.18106 | kWh |
| B10S | Super-Off-Peak Winter | 0.09543 | 0.10339 | 0.00835 | 0.10378 | 0.11174 | 0.10924 | kWh |
| B10T | Off-Peak Summer | 0.09683 | 0.10487 | 0.00835 | 0.10518 | 0.11322 | 0.11072 | kWh |
| B10T | Off-Peak Winter | 0.09772 | 0.10580 | 0.00835 | 0.10607 | 0.11415 | 0.11165 | kWh |
| B10T | Part-Peak Summer | 0.12540 | 0.13494 | 0.00835 | 0.13375 | 0.14329 | 0.14079 | kWh |
| B10T | Peak Summer | 0.17930 | 0.19168 | 0.00835 | 0.18765 | 0.20003 | 0.19753 | kWh |
| B10T | Peak Winter | 0.12891 | 0.13863 | 0.00835 | 0.13726 | 0.14698 | 0.14448 | kWh |
| B10T | Super-Off-Peak Winter | 0.06319 | 0.06946 | 0.00835 | 0.07154 | 0.07781 | 0.07531 | kWh |
| B19P | Max Part-Peak Demand Summer | 2.61000 | 2.75000 | 0.00000 | 2.61000 | 2.75000 | 2.75000 | kW |
| B19P | Max Peak Demand Summer | 17.84000 | 18.78000 | 0.00000 | 17.84000 | 18.78000 | 18.78000 | kW |
| B19P | Max Peak Demand Winter | 1.83000 | 1.93000 | 0.00000 | 1.83000 | 1.93000 | 1.93000 | kW |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B19P | Off-Peak Summer | 0.08618 | 0.09363 | 0.00783 | 0.09401 | 0.10146 | 0.09896 | kWh |
| B19P | Off-Peak Winter | 0.08652 | 0.09399 | 0.00783 | 0.09435 | 0.10182 | 0.09932 | kWh |
| B19P | Part-Peak Summer | 0.11408 | 0.12300 | 0.00783 | 0.12191 | 0.13083 | 0.12833 | kWh |
| B19P | Peak Summer | 0.14616 | 0.15676 | 0.00783 | 0.15399 | 0.16459 | 0.16209 | kWh |
| B19P | Peak Winter | 0.12751 | 0.13713 | 0.00783 | 0.13534 | 0.14496 | 0.14246 | kWh |
| B19P | Super-Off-Peak Winter | 0.02822 | 0.03262 | 0.00783 | 0.03605 | 0.04045 | 0.03795 | kWh |
| B19PR | Off-Peak Summer | 0.10110 | 0.10933 | 0.00783 | 0.10893 | 0.11716 | 0.11466 | kWh |
| B19PR | Off-Peak Winter | 0.10120 | 0.10944 | 0.00783 | 0.10903 | 0.11727 | 0.11477 | kWh |
| B19PR | Part-Peak Summer | 0.13472 | 0.14472 | 0.00783 | 0.14255 | 0.15255 | 0.15005 | kWh |
| B19PR | Peak Summer | 0.25208 | 0.26826 | 0.00783 | 0.25991 | 0.27609 | 0.27359 | kWh |
| B19PR | Peak Winter | 0.13697 | 0.14709 | 0.00783 | 0.14480 | 0.15492 | 0.15242 | kWh |
| B19PR | Super-Off-Peak Winter | 0.06717 | 0.07362 | 0.00783 | 0.07500 | 0.08145 | 0.07895 | kWh |
| B19PS | Off-Peak Summer | 0.10110 | 0.10933 | 0.00783 | 0.10893 | 0.11716 | 0.11466 | kWh |
| B19PS | Off-Peak Winter | 0.10120 | 0.10944 | 0.00783 | 0.10903 | 0.11727 | 0.11477 | kWh |
| B19PS | Part-Peak Summer | 0.13472 | 0.14472 | 0.00783 | 0.14255 | 0.15255 | 0.15005 | kWh |
| B19PS | Peak Summer | 0.25208 | 0.26826 | 0.00783 | 0.25991 | 0.27609 | 0.27359 | kWh |
| B19PS | Peak Winter | 0.13697 | 0.14709 | 0.00783 | 0.14480 | 0.15492 | 0.15242 | kWh |
| B19PS | Super-Off-Peak Winter | 0.06717 | 0.07362 | 0.00783 | 0.07500 | 0.08145 | 0.07895 | kWh |
| B19S | Max Part-Peak Demand Summer | 3.09000 | 3.25000 | 0.00000 | 3.09000 | 3.25000 | 3.25000 | kW |
| B19S | Max Peak Demand Summer | 21.24000 | 22.36000 | 0.00000 | 21.24000 | 22.36000 | 22.36000 | kW |
| B19S | Max Peak Demand Winter | 2.52000 | 2.65000 | 0.00000 | 2.52000 | 2.65000 | 2.65000 | kW |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B19S | Off-Peak Summer | 0.09630 | 0.10428 | 0.00783 | 0.10413 | 0.11211 | 0.10961 | kWh |
| B19S | Off-Peak Winter | 0.09619 | 0.10416 | 0.00783 | 0.10402 | 0.11199 | 0.10949 | kWh |
| B19S | Part-Peak Summer | 0.12619 | 0.13574 | 0.00783 | 0.13402 | 0.14357 | 0.14107 | kWh |
| B19S | Peak Summer | 0.16844 | 0.18022 | 0.00783 | 0.17627 | 0.18805 | 0.18555 | kWh |
| B19S | Peak Winter | 0.14160 | 0.15197 | 0.00783 | 0.14943 | 0.15980 | 0.15730 | kWh |
| B19S | Super-Off-Peak Winter | 0.03525 | 0.04002 | 0.00783 | 0.04308 | 0.04785 | 0.04535 | kWh |
| B19SR | Off-Peak Summer | 0.11619 | 0.12522 | 0.00783 | 0.12402 | 0.13305 | 0.13055 | kWh |
| B19SR | Off-Peak Winter | 0.11613 | 0.12515 | 0.00783 | 0.12396 | 0.13298 | 0.13048 | kWh |
| B19SR | Part-Peak Summer | 0.15278 | 0.16373 | 0.00783 | 0.16061 | 0.17156 | 0.16906 | kWh |
| B19SR | Peak Summer | 0.28157 | 0.29930 | 0.00783 | 0.28940 | 0.30713 | 0.30463 | kWh |
| B19SR | Peak Winter | 0.15633 | 0.16747 | 0.00783 | 0.16416 | 0.17530 | 0.17280 | kWh |
| B19SR | Super-Off-Peak Winter | 0.08210 | 0.08933 | 0.00783 | 0.08993 | 0.09716 | 0.09466 | kWh |
| B19SS | Off-Peak Summer | 0.11619 | 0.12522 | 0.00783 | 0.12402 | 0.13305 | 0.13055 | kWh |
| B19SS | Off-Peak Winter | 0.11613 | 0.12515 | 0.00783 | 0.12396 | 0.13298 | 0.13048 | kWh |
| B19SS | Part-Peak Summer | 0.15278 | 0.16373 | 0.00783 | 0.16061 | 0.17156 | 0.16906 | kWh |
| B19SS | Peak Summer | 0.28157 | 0.29930 | 0.00783 | 0.28940 | 0.30713 | 0.30463 | kWh |
| B19SS | Peak Winter | 0.15633 | 0.16747 | 0.00783 | 0.16416 | 0.17530 | 0.17280 | kWh |
| B19SS | Super-Off-Peak Winter | 0.08210 | 0.08933 | 0.00783 | 0.08993 | 0.09716 | 0.09466 | kWh |
| B19T | Max Part-Peak Demand Summer | 4.01000 | 4.22000 | 0.00000 | 4.01000 | 4.22000 | 4.22000 | kW |
| B19T | Max Peak Demand Summer | 16.02000 | 16.86000 | 0.00000 | 16.02000 | 16.86000 | 16.86000 | kW |
| B19T | Max Peak Demand Winter | 1.54000 | 1.62000 | 0.00000 | 1.54000 | 1.62000 | 1.62000 | kW |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B19T | Off-Peak Summer | 0.09015 | 0.09781 | 0.00783 | 0.09798 | 0.10564 | 0.10314 | kWh |
| B19T | Off-Peak Winter | 0.09079 | 0.09848 | 0.00783 | 0.09862 | 0.10631 | 0.10381 | kWh |
| B19T | Part-Peak Summer | 0.11913 | 0.12831 | 0.00783 | 0.12696 | 0.13614 | 0.13364 | kWh |
| B19T | Peak Summer | 0.13274 | 0.14264 | 0.00783 | 0.14057 | 0.15047 | 0.14797 | kWh |
| B19T | Peak Winter | 0.13182 | 0.14167 | 0.00783 | 0.13965 | 0.14950 | 0.14700 | kWh |
| B19T | Super-Off-Peak Winter | 0.03045 | 0.03496 | 0.00783 | 0.03828 | 0.04279 | 0.04029 | kWh |
| B19TR | Off-Peak Summer | 0.10318 | 0.11152 | 0.00783 | 0.11101 | 0.11935 | 0.11685 | kWh |
| B19TR | Off-Peak Winter | 0.10338 | 0.11173 | 0.00783 | 0.11121 | 0.11956 | 0.11706 | kWh |
| B19TR | Part-Peak Summer | 0.14322 | 0.15367 | 0.00783 | 0.15105 | 0.16150 | 0.15900 | kWh |
| B19TR | Peak Summer | 0.22065 | 0.23517 | 0.00783 | 0.22848 | 0.24300 | 0.24050 | kWh |
| B19TR | Peak Winter | 0.13537 | 0.14541 | 0.00783 | 0.14320 | 0.15324 | 0.15074 | kWh |
| B19TR | Super-Off-Peak Winter | 0.06935 | 0.07591 | 0.00783 | 0.07718 | 0.08374 | 0.08124 | kWh |
| B19TS | Off-Peak Summer | 0.10318 | 0.11152 | 0.00783 | 0.11101 | 0.11935 | 0.11685 | kWh |
| B19TS | Off-Peak Winter | 0.10338 | 0.11173 | 0.00783 | 0.11121 | 0.11956 | 0.11706 | kWh |
| B19TS | Part-Peak Summer | 0.14322 | 0.15367 | 0.00783 | 0.15105 | 0.16150 | 0.15900 | kWh |
| B19TS | Peak Summer | 0.22065 | 0.23517 | 0.00783 | 0.22848 | 0.24300 | 0.24050 | kWh |
| B19TS | Peak Winter | 0.13537 | 0.14541 | 0.00783 | 0.14320 | 0.15324 | 0.15074 | kWh |
| B19TS | Super-Off-Peak Winter | 0.06935 | 0.07591 | 0.00783 | 0.07718 | 0.08374 | 0.08124 | kWh |
| B20P | Max Part-Peak Demand Summer | 3.06000 | 3.22000 | 0.00000 | 3.06000 | 3.22000 | 3.22000 | kW |
| B20P | Max Peak Demand Summer | 22.25000 | 23.42000 | 0.00000 | 22.25000 | 23.42000 | 23.42000 | kW |
| B20P | Max Peak Demand Winter | 2.56000 | 2.70000 | 0.00000 | 2.56000 | 2.70000 | 2.70000 | kW |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B20P | Off-Peak Summer | 0.08820 | 0.09572 | 0.00718 | 0.09538 | 0.10290 | 0.10040 | kWh |
| B20P | Off-Peak Winter | 0.08827 | 0.09579 | 0.00718 | 0.09545 | 0.10297 | 0.10047 | kWh |
| B20P | Part-Peak Summer | 0.11660 | 0.12562 | 0.00718 | 0.12378 | 0.13280 | 0.13030 | kWh |
| B20P | Peak Summer | 0.15732 | 0.16848 | 0.00718 | 0.16450 | 0.17566 | 0.17316 | kWh |
| B20P | Peak Winter | 0.13141 | 0.14120 | 0.00718 | 0.13859 | 0.14838 | 0.14588 | kWh |
| B20P | Super-Off-Peak Winter | 0.02708 | 0.03138 | 0.00718 | 0.03426 | 0.03856 | 0.03606 | kWh |
| B20PR | Off-Peak Summer | 0.10458 | 0.11296 | 0.00718 | 0.11176 | 0.12014 | 0.11764 | kWh |
| B20PR | Off-Peak Winter | 0.10463 | 0.11301 | 0.00718 | 0.11181 | 0.12019 | 0.11769 | kWh |
| B20PR | Part-Peak Summer | 0.13754 | 0.14766 | 0.00718 | 0.14472 | 0.15484 | 0.15234 | kWh |
| B20PR | Peak Summer | 0.26000 | 0.27656 | 0.00718 | 0.26718 | 0.28374 | 0.28124 | kWh |
| B20PR | Peak Winter | 0.14269 | 0.15308 | 0.00718 | 0.14987 | 0.16026 | 0.15776 | kWh |
| B20PR | Super-Off-Peak Winter | 0.07066 | 0.07726 | 0.00718 | 0.07784 | 0.08444 | 0.08194 | kWh |
| B20PS | Off-Peak Summer | 0.10458 | 0.11296 | 0.00718 | 0.11176 | 0.12014 | 0.11764 | kWh |
| B20PS | Off-Peak Winter | 0.10463 | 0.11301 | 0.00718 | 0.11181 | 0.12019 | 0.11769 | kWh |
| B20PS | Part-Peak Summer | 0.13754 | 0.14766 | 0.00718 | 0.14472 | 0.15484 | 0.15234 | kWh |
| B20PS | Peak Summer | 0.26000 | 0.27656 | 0.00718 | 0.26718 | 0.28374 | 0.28124 | kWh |
| B20PS | Peak Winter | 0.14269 | 0.15308 | 0.00718 | 0.14987 | 0.16026 | 0.15776 | kWh |
| B20PS | Super-Off-Peak Winter | 0.07066 | 0.07726 | 0.00718 | 0.07784 | 0.08444 | 0.08194 | kWh |
| B20S | Max Part-Peak Demand Summer | 2.89000 | 3.04000 | 0.00000 | 2.89000 | 3.04000 | 3.04000 | kW |
| B20S | Max Peak Demand Summer | 19.88000 | 20.93000 | 0.00000 | 19.88000 | 20.93000 | 20.93000 | kW |
| B20S | Max Peak Demand Winter | 2.53000 | 2.66000 | 0.00000 | 2.53000 | 2.66000 | 2.66000 | kW |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B20S | Off-Peak Summer | 0.09290 | 0.10069 | 0.00755 | 0.10045 | 0.10824 | 0.10574 | kWh |
| B20S | Off-Peak Winter | 0.09267 | 0.10044 | 0.00755 | 0.10022 | 0.10799 | 0.10549 | kWh |
| B20S | Part-Peak Summer | 0.12280 | 0.13216 | 0.00755 | 0.13035 | 0.13971 | 0.13721 | kWh |
| B20S | Peak Summer | 0.16065 | 0.17200 | 0.00755 | 0.16820 | 0.17955 | 0.17705 | kWh |
| B20S | Peak Winter | 0.13810 | 0.14827 | 0.00755 | 0.14565 | 0.15582 | 0.15332 | kWh |
| B20S | Super-Off-Peak Winter | 0.03179 | 0.03636 | 0.00755 | 0.03934 | 0.04391 | 0.04141 | kWh |
| B20SR | Off-Peak Summer | 0.11102 | 0.11976 | 0.00755 | 0.11857 | 0.12731 | 0.12481 | kWh |
| B20SR | Off-Peak Winter | 0.11090 | 0.11963 | 0.00755 | 0.11845 | 0.12718 | 0.12468 | kWh |
| B20SR | Part-Peak Summer | 0.14661 | 0.15722 | 0.00755 | 0.15416 | 0.16477 | 0.16227 | kWh |
| B20SR | Peak Summer | 0.27272 | 0.28997 | 0.00755 | 0.28027 | 0.29752 | 0.29502 | kWh |
| B20SR | Peak Winter | 0.15244 | 0.16336 | 0.00755 | 0.15999 | 0.17091 | 0.16841 | kWh |
| B20SR | Super-Off-Peak Winter | 0.07693 | 0.08388 | 0.00755 | 0.08448 | 0.09143 | 0.08893 | kWh |
| B20SS | Off-Peak Summer | 0.11102 | 0.11976 | 0.00755 | 0.11857 | 0.12731 | 0.12481 | kWh |
| B20SS | Off-Peak Winter | 0.11090 | 0.11963 | 0.00755 | 0.11845 | 0.12718 | 0.12468 | kWh |
| B20SS | Part-Peak Summer | 0.14661 | 0.15722 | 0.00755 | 0.15416 | 0.16477 | 0.16227 | kWh |
| B20SS | Peak Summer | 0.27272 | 0.28997 | 0.00755 | 0.28027 | 0.29752 | 0.29502 | kWh |
| B20SS | Peak Winter | 0.15244 | 0.16336 | 0.00755 | 0.15999 | 0.17091 | 0.16841 | kWh |
| B20SS | Super-Off-Peak Winter | 0.07693 | 0.08388 | 0.00755 | 0.08448 | 0.09143 | 0.08893 | kWh |
| B20T | Max Part-Peak Demand Summer | 5.59000 | 5.88000 | 0.00000 | 5.59000 | 5.88000 | 5.88000 | kW |
| B20T | Max Peak Demand Summer | 23.45000 | 24.68000 | 0.00000 | 23.45000 | 24.68000 | 24.68000 | kW |
| B20T | Max Peak Demand Winter | 3.13000 | 3.29000 | 0.00000 | 3.13000 | 3.29000 | 3.29000 | kW |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B20T | Off-Peak Summer | 0.08189 | 0.08905 | 0.00666 | 0.08855 | 0.09571 | 0.09321 | kWh |
| B20T | Off-Peak Winter | 0.07748 | 0.08441 | 0.00666 | 0.08414 | 0.09107 | 0.08857 | kWh |
| B20T | Part-Peak Summer | 0.11074 | 0.11942 | 0.00666 | 0.11740 | 0.12608 | 0.12358 | kWh |
| B20T | Peak Summer | 0.13659 | 0.14663 | 0.00666 | 0.14325 | 0.15329 | 0.15079 | kWh |
| B20T | Peak Winter | 0.12965 | 0.13932 | 0.00666 | 0.13631 | 0.14598 | 0.14348 | kWh |
| B20T | Super-Off-Peak Winter | 0.02538 | 0.02957 | 0.00666 | 0.03204 | 0.03623 | 0.03373 | kWh |
| B20TR | Off-Peak Summer | 0.09513 | 0.10299 | 0.00666 | 0.10179 | 0.10965 | 0.10715 | kWh |
| B20TR | Off-Peak Winter | 0.09236 | 0.10007 | 0.00666 | 0.09902 | 0.10673 | 0.10423 | kWh |
| B20TR | Part-Peak Summer | 0.14287 | 0.15324 | 0.00666 | 0.14953 | 0.15990 | 0.15740 | kWh |
| B20TR | Peak Summer | 0.25556 | 0.27186 | 0.00666 | 0.26222 | 0.27852 | 0.27602 | kWh |
| B20TR | Peak Winter | 0.14272 | 0.15308 | 0.00666 | 0.14938 | 0.15974 | 0.15724 | kWh |
| B20TR | Super-Off-Peak Winter | 0.06120 | 0.06727 | 0.00666 | 0.06786 | 0.07393 | 0.07143 | kWh |
| B20TS | Off-Peak Summer | 0.09513 | 0.10299 | 0.00666 | 0.10179 | 0.10965 | 0.10715 | kWh |
| B20TS | Off-Peak Winter | 0.09236 | 0.10007 | 0.00666 | 0.09902 | 0.10673 | 0.10423 | kWh |
| B20TS | Part-Peak Summer | 0.14287 | 0.15324 | 0.00666 | 0.14953 | 0.15990 | 0.15740 | kWh |
| B20TS | Peak Summer | 0.25556 | 0.27186 | 0.00666 | 0.26222 | 0.27852 | 0.27602 | kWh |
| B20TS | Peak Winter | 0.14272 | 0.15308 | 0.00666 | 0.14938 | 0.15974 | 0.15724 | kWh |
| B20TS | Super-Off-Peak Winter | 0.06120 | 0.06727 | 0.00666 | 0.06786 | 0.07393 | 0.07143 | kWh |
| B6 | Off-Peak Summer | 0.12146 | 0.13077 | 0.00791 | 0.12937 | 0.13868 | 0.13618 | kWh |
| B6 | Off-Peak Winter | 0.11192 | 0.12073 | 0.00791 | 0.11983 | 0.12864 | 0.12614 | kWh |
| B6 | Peak Summer | 0.28289 | 0.30070 | 0.00791 | 0.29080 | 0.30861 | 0.30611 | kWh |
| B6 | Peak Winter | 0.14950 | 0.16028 | 0.00791 | 0.15741 | 0.16819 | 0.16569 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| B6 | Super-Off-Peak Winter | 0.07765 | 0.08465 | 0.00791 | 0.08556 | 0.09256 | 0.09006 | kWh |
| BEV1 | Off-Peak | 0.10206 | 0.11031 | 0.00710 | 0.10916 | 0.11741 | 0.11491 | kWh |
| BEV1 | Peak | 0.27550 | 0.29287 | 0.00710 | 0.28260 | 0.29997 | 0.29747 | kWh |
| BEV1 | Super-Off-Peak | 0.07794 | 0.08492 | 0.00710 | 0.08504 | 0.09202 | 0.08952 | kWh |
| BEV2P | Off-Peak | 0.09706 | 0.10508 | 0.00780 | 0.10486 | 0.11288 | 0.11038 | kWh |
| BEV2P | Peak | 0.28324 | 0.30106 | 0.00780 | 0.29104 | 0.30886 | 0.30636 | kWh |
| BEV2P | Super-Off-Peak | 0.07407 | 0.08088 | 0.00780 | 0.08187 | 0.08868 | 0.08618 | kWh |
| BEV2S | Off-Peak | 0.09991 | 0.10808 | 0.00780 | 0.10771 | 0.11588 | 0.11338 | kWh |
| BEV2S | Peak | 0.29310 | 0.31144 | 0.00780 | 0.30090 | 0.31924 | 0.31674 | kWh |
| BEV2S | Super-Off-Peak | 0.07578 | 0.08268 | 0.00780 | 0.08358 | 0.09048 | 0.08798 | kWh |
| E1 | Flat | 0.14043 | 0.15075 | 0.00825 | 0.14868 | 0.15900 | 0.15650 | kWh |
| E19P | Max Part-Peak Demand Summer | 12.06000 | 12.69000 | 0.00000 | 12.06000 | 12.69000 | 12.69000 | kW |
| E19P | Max Peak Demand Summer | 12.06000 | 12.69000 | 0.00000 | 12.06000 | 12.69000 | 12.69000 | kW |
| E19P | Off-Peak Summer | 0.08556 | 0.09298 | 0.00783 | 0.09339 | 0.10081 | 0.09831 | kWh |
| E19P | Off-Peak Winter | 0.08245 | 0.08970 | 0.00783 | 0.09028 | 0.09753 | 0.09503 | kWh |
| E19P | Part-Peak Summer | 0.09125 | 0.09896 | 0.00783 | 0.09908 | 0.10679 | 0.10429 | kWh |
| E19P | Part-Peak Winter | 0.08311 | 0.09040 | 0.00783 | 0.09094 | 0.09823 | 0.09573 | kWh |
| E19P | Peak Summer | 0.09125 | 0.09896 | 0.00783 | 0.09908 | 0.10679 | 0.10429 | kWh |
| E19PR | Off-Peak Summer | 0.11355 | 0.12244 | 0.00783 | 0.12138 | 0.13027 | 0.12777 | kWh |
| E19PR | Off-Peak Winter | 0.11057 | 0.11930 | 0.00783 | 0.11840 | 0.12713 | 0.12463 | kWh |
| E19PR | Part-Peak Summer | 0.14143 | 0.15179 | 0.00783 | 0.14926 | 0.15962 | 0.15712 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| E19PR | Part-Peak Winter | 0.11120 | 0.11997 | 0.00783 | 0.11903 | 0.12780 | 0.12530 | kWh |
| E19PR | Peak Summer | 0.14143 | 0.15179 | 0.00783 | 0.14926 | 0.15962 | 0.15712 | kWh |
| E19S | Max Part-Peak Demand Summer | 13.58000 | 14.29000 | 0.00000 | 13.58000 | 14.29000 | 14.29000 | kW |
| E19S | Max Peak Demand Summer | 13.58000 | 14.29000 | 0.00000 | 13.58000 | 14.29000 | 14.29000 | kW |
| E19S | Off-Peak Summer | 0.09652 | 0.10451 | 0.00783 | 0.10435 | 0.11234 | 0.10984 | kWh |
| E19S | Off-Peak Winter | 0.09328 | 0.10110 | 0.00783 | 0.10111 | 0.10893 | 0.10643 | kWh |
| E19S | Part-Peak Summer | 0.10239 | 0.11069 | 0.00783 | 0.11022 | 0.11852 | 0.11602 | kWh |
| E19S | Part-Peak Winter | 0.09397 | 0.10183 | 0.00783 | 0.10180 | 0.10966 | 0.10716 | kWh |
| E19S | Peak Summer | 0.10239 | 0.11069 | 0.00783 | 0.11022 | 0.11852 | 0.11602 | kWh |
| E19SR | Off-Peak Summer | 0.13062 | 0.14041 | 0.00783 | 0.13845 | 0.14824 | 0.14574 | kWh |
| E19SR | Off-Peak Winter | 0.12749 | 0.13711 | 0.00783 | 0.13532 | 0.14494 | 0.14244 | kWh |
| E19SR | Part-Peak Summer | 0.16212 | 0.17356 | 0.00783 | 0.16995 | 0.18139 | 0.17889 | kWh |
| E19SR | Part-Peak Winter | 0.12816 | 0.13782 | 0.00783 | 0.13599 | 0.14565 | 0.14315 | kWh |
| E19SR | Peak Summer | 0.16212 | 0.17356 | 0.00783 | 0.16995 | 0.18139 | 0.17889 | kWh |
| E19T | Max Part-Peak Demand Summer | 13.20000 | 13.90000 | 0.00000 | 13.20000 | 13.90000 | 13.90000 | kW |
| E19T | Max Peak Demand Summer | 13.20000 | 13.90000 | 0.00000 | 13.20000 | 13.90000 | 13.90000 | kW |
| E19T | Off-Peak Summer | 0.07449 | 0.08132 | 0.00783 | 0.08232 | 0.08915 | 0.08665 | kWh |
| E19T | Off-Peak Winter | 0.07145 | 0.07812 | 0.00783 | 0.07928 | 0.08595 | 0.08345 | kWh |
| E19T | Part-Peak Summer | 0.08005 | 0.08718 | 0.00783 | 0.08788 | 0.09501 | 0.09251 | kWh |
| E19T | Part-Peak Winter | 0.07210 | 0.07881 | 0.00783 | 0.07993 | 0.08664 | 0.08414 | kWh |
| E19T | Peak Summer | 0.08005 | 0.08718 | 0.00783 | 0.08788 | 0.09501 | 0.09251 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| E19TR | Off-Peak Summer | 0.11054 | 0.11927 | 0.00783 | 0.11837 | 0.12710 | 0.12460 | kWh |
| E19TR | Off-Peak Winter | 0.10760 | 0.11618 | 0.00783 | 0.11543 | 0.12401 | 0.12151 | kWh |
| E19TR | Part-Peak Summer | 0.13492 | 0.14493 | 0.00783 | 0.14275 | 0.15276 | 0.15026 | kWh |
| E19TR | Part-Peak Winter | 0.10823 | 0.11684 | 0.00783 | 0.11606 | 0.12467 | 0.12217 | kWh |
| E19TR | Peak Summer | 0.13492 | 0.14493 | 0.00783 | 0.14275 | 0.15276 | 0.15026 | kWh |
| E20P | Max Part-Peak Demand Summer | 14.02000 | 14.76000 | 0.00000 | 14.02000 | 14.76000 | 14.76000 | kW |
| E20P | Max Peak Demand Summer | 14.02000 | 14.76000 | 0.00000 | 14.02000 | 14.76000 | 14.76000 | kW |
| E20P | Off-Peak Summer | 0.08924 | 0.09682 | 0.00718 | 0.09642 | 0.10400 | 0.10150 | kWh |
| E20P | Off-Peak Winter | 0.08615 | 0.09356 | 0.00718 | 0.09333 | 0.10074 | 0.09824 | kWh |
| E20P | Part-Peak Summer | 0.09492 | 0.10279 | 0.00718 | 0.10210 | 0.10997 | 0.10747 | kWh |
| E20P | Part-Peak Winter | 0.08680 | 0.09425 | 0.00718 | 0.09398 | 0.10143 | 0.09893 | kWh |
| E20P | Peak Summer | 0.09492 | 0.10279 | 0.00718 | 0.10210 | 0.10997 | 0.10747 | kWh |
| E20PR | Off-Peak Summer | 0.11714 | 0.12618 | 0.00718 | 0.12432 | 0.13336 | 0.13086 | kWh |
| E20PR | Off-Peak Winter | 0.11415 | 0.12304 | 0.00718 | 0.12133 | 0.13022 | 0.12772 | kWh |
| E20PR | Part-Peak Summer | 0.14711 | 0.15773 | 0.00718 | 0.15429 | 0.16491 | 0.16241 | kWh |
| E20PR | Part-Peak Winter | 0.11479 | 0.12371 | 0.00718 | 0.12197 | 0.13089 | 0.12839 | kWh |
| E20PR | Peak Summer | 0.14711 | 0.15773 | 0.00718 | 0.15429 | 0.16491 | 0.16241 | kWh |
| E20S | Max Part-Peak Demand Summer | 12.85000 | 13.53000 | 0.00000 | 12.85000 | 13.53000 | 13.53000 | kW |
| E20S | Max Peak Demand Summer | 12.85000 | 13.53000 | 0.00000 | 12.85000 | 13.53000 | 13.53000 | kW |
| E20S | Off-Peak Summer | 0.09071 | 0.09838 | 0.00755 | 0.09826 | 0.10593 | 0.10343 | kWh |
| E20S | Off-Peak Winter | 0.08751 | 0.09501 | 0.00755 | 0.09506 | 0.10256 | 0.10006 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|-----------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| E20S | Part-Peak Summer | 0.09645 | 0.10442 | 0.00755 | 0.10400 | 0.11197 | 0.10947 | kWh |
| E20S | Part-Peak Winter | 0.08820 | 0.09574 | 0.00755 | 0.09575 | 0.10329 | 0.10079 | kWh |
| E20S | Peak Summer | 0.09645 | 0.10442 | 0.00755 | 0.10400 | 0.11197 | 0.10947 | kWh |
| E20SR | Off-Peak Summer | 0.12382 | 0.13323 | 0.00755 | 0.13137 | 0.14078 | 0.13828 | kWh |
| E20SR | Off-Peak Winter | 0.12068 | 0.12993 | 0.00755 | 0.12823 | 0.13748 | 0.13498 | kWh |
| E20SR | Part-Peak Summer | 0.15267 | 0.16360 | 0.00755 | 0.16022 | 0.17115 | 0.16865 | kWh |
| E20SR | Part-Peak Winter | 0.12136 | 0.13064 | 0.00755 | 0.12891 | 0.13819 | 0.13569 | kWh |
| E20SR | Peak Summer | 0.15267 | 0.16360 | 0.00755 | 0.16022 | 0.17115 | 0.16865 | kWh |
| E20T | Max Part-Peak Demand Summer | 17.48000 | 18.40000 | 0.00000 | 17.48000 | 18.40000 | 18.40000 | kW |
| E20T | Max Peak Demand Summer | 17.48000 | 18.40000 | 0.00000 | 17.48000 | 18.40000 | 18.40000 | kW |
| E20T | Off-Peak Summer | 0.07885 | 0.08585 | 0.00666 | 0.08551 | 0.09251 | 0.09001 | kWh |
| E20T | Off-Peak Winter | 0.07572 | 0.08256 | 0.00666 | 0.08238 | 0.08922 | 0.08672 | kWh |
| E20T | Part-Peak Summer | 0.08459 | 0.09189 | 0.00666 | 0.09125 | 0.09855 | 0.09605 | kWh |
| E20T | Part-Peak Winter | 0.07639 | 0.08326 | 0.00666 | 0.08305 | 0.08992 | 0.08742 | kWh |
| E20T | Peak Summer | 0.08459 | 0.09189 | 0.00666 | 0.09125 | 0.09855 | 0.09605 | kWh |
| E20TR | Off-Peak Summer | 0.10896 | 0.11754 | 0.00666 | 0.11562 | 0.12420 | 0.12170 | kWh |
| E20TR | Off-Peak Winter | 0.10602 | 0.11445 | 0.00666 | 0.11268 | 0.12111 | 0.11861 | kWh |
| E20TR | Part-Peak Summer | 0.13860 | 0.14875 | 0.00666 | 0.14526 | 0.15541 | 0.15291 | kWh |
| E20TR | Part-Peak Winter | 0.10665 | 0.11511 | 0.00666 | 0.11331 | 0.12177 | 0.11927 | kWh |
| E20TR | Peak Summer | 0.13860 | 0.14875 | 0.00666 | 0.14526 | 0.15541 | 0.15291 | kWh |
| EELEC | Off-Peak Summer | 0.13326 | 0.14321 | 0.00825 | 0.14151 | 0.15146 | 0.14896 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|-------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| EELEC | Off-Peak Winter | 0.08459 | 0.09198 | 0.00825 | 0.09284 | 0.10023 | 0.09773 | kWh |
| EELEC | Part-Peak Summer | 0.17611 | 0.18831 | 0.00825 | 0.18436 | 0.19656 | 0.19406 | kWh |
| EELEC | Part-Peak Winter | 0.09728 | 0.10533 | 0.00825 | 0.10553 | 0.11358 | 0.11108 | kWh |
| EELEC | Peak Summer | 0.27026 | 0.28742 | 0.00825 | 0.27851 | 0.29567 | 0.29317 | kWh |
| EELEC | Peak Winter | 0.11625 | 0.12530 | 0.00825 | 0.12450 | 0.13355 | 0.13105 | kWh |
| EMTOU | Off-Peak Summer | 0.12525 | 0.13478 | 0.00825 | 0.13350 | 0.14303 | 0.14053 | kWh |
| EMTOU | Off-Peak Winter | 0.12170 | 0.13104 | 0.00825 | 0.12995 | 0.13929 | 0.13679 | kWh |
| EMTOU | Peak Summer | 0.20410 | 0.21778 | 0.00825 | 0.21235 | 0.22603 | 0.22353 | kWh |
| EMTOU | Peak Winter | 0.14705 | 0.15772 | 0.00825 | 0.15530 | 0.16597 | 0.16347 | kWh |
| ETOUB | Off-Peak Summer | 0.13300 | 0.14293 | 0.00825 | 0.14125 | 0.15118 | 0.14868 | kWh |
| ETOUB | Off-Peak Winter | 0.11234 | 0.12119 | 0.00825 | 0.12059 | 0.12944 | 0.12694 | kWh |
| ETOUB | Peak Summer | 0.24990 | 0.26599 | 0.00825 | 0.25815 | 0.27424 | 0.27174 | kWh |
| ETOUB | Peak Winter | 0.14920 | 0.15999 | 0.00825 | 0.15745 | 0.16824 | 0.16574 | kWh |
| ETOUC | Off-Peak Summer | 0.12525 | 0.13478 | 0.00825 | 0.13350 | 0.14303 | 0.14053 | kWh |
| ETOUC | Off-Peak Winter | 0.12170 | 0.13104 | 0.00825 | 0.12995 | 0.13929 | 0.13679 | kWh |
| ETOUC | Peak Summer | 0.20410 | 0.21778 | 0.00825 | 0.21235 | 0.22603 | 0.22353 | kWh |
| ETOUC | Peak Winter | 0.14705 | 0.15772 | 0.00825 | 0.15530 | 0.16597 | 0.16347 | kWh |
| ETOUD | Off-Peak Summer | 0.11504 | 0.12403 | 0.00825 | 0.12329 | 0.13228 | 0.12978 | kWh |
| ETOUD | Off-Peak Winter | 0.14260 | 0.15304 | 0.00825 | 0.15085 | 0.16129 | 0.15879 | kWh |
| ETOUD | Peak Summer | 0.21475 | 0.22899 | 0.00825 | 0.22300 | 0.23724 | 0.23474 | kWh |
| ETOUD | Peak Winter | 0.17593 | 0.18812 | 0.00825 | 0.18418 | 0.19637 | 0.19387 | kWh |
| EV2 | Off-Peak Summer | 0.11781 | 0.12694 | 0.00825 | 0.12606 | 0.13519 | 0.13269 | kWh |



This rate sheet is for **2020** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

| Rate | Billing Determinant Name | Bright Choice Rate | Renewable 100 Rate | 2020 Vintage System Fees | Total Bright Choice Rate | Total Renewable 100 Rate | July 2024 PG&E Generation Rate | Unit |
|------|--------------------------|--------------------|--------------------|--------------------------|--------------------------|--------------------------|--------------------------------|------|
| EV2 | Off-Peak Winter | 0.11117 | 0.11995 | 0.00825 | 0.11942 | 0.12820 | 0.12570 | kWh |
| EV2 | Part-Peak Summer | 0.15689 | 0.16808 | 0.00825 | 0.16514 | 0.17633 | 0.17383 | kWh |
| EV2 | Part-Peak Winter | 0.13347 | 0.14343 | 0.00825 | 0.14172 | 0.15168 | 0.14918 | kWh |
| EV2 | Peak Summer | 0.19936 | 0.21279 | 0.00825 | 0.20761 | 0.22104 | 0.21854 | kWh |
| EV2 | Peak Winter | 0.14533 | 0.15591 | 0.00825 | 0.15358 | 0.16416 | 0.16166 | kWh |
| EVA | Off-Peak Summer | 0.11832 | 0.12748 | 0.00825 | 0.12657 | 0.13573 | 0.13323 | kWh |
| EVA | Off-Peak Winter | 0.09033 | 0.09802 | 0.00825 | 0.09858 | 0.10627 | 0.10377 | kWh |
| EVA | Part-Peak Summer | 0.16238 | 0.17386 | 0.00825 | 0.17063 | 0.18211 | 0.17961 | kWh |
| EVA | Part-Peak Winter | 0.09033 | 0.09802 | 0.00825 | 0.09858 | 0.10627 | 0.10377 | kWh |
| EVA | Peak Summer | 0.29868 | 0.31733 | 0.00825 | 0.30693 | 0.32558 | 0.32308 | kWh |
| EVA | Peak Winter | 0.11394 | 0.12287 | 0.00825 | 0.12219 | 0.13112 | 0.12862 | kWh |
| EVB | Off-Peak Summer | 0.11832 | 0.12748 | 0.00825 | 0.12657 | 0.13573 | 0.13323 | kWh |
| EVB | Off-Peak Winter | 0.09033 | 0.09802 | 0.00825 | 0.09858 | 0.10627 | 0.10377 | kWh |
| EVB | Part-Peak Summer | 0.16238 | 0.17386 | 0.00825 | 0.17063 | 0.18211 | 0.17961 | kWh |
| EVB | Part-Peak Winter | 0.09033 | 0.09802 | 0.00825 | 0.09858 | 0.10627 | 0.10377 | kWh |
| EVB | Peak Summer | 0.29868 | 0.31733 | 0.00825 | 0.30693 | 0.32558 | 0.32308 | kWh |
| EVB | Peak Winter | 0.11394 | 0.12287 | 0.00825 | 0.12219 | 0.13112 | 0.12862 | kWh |
| LS | Flat | 0.11444 | 0.12332 | 0.00670 | 0.12114 | 0.13002 | 0.12752 | kWh |
| TC1 | Flat | 0.12316 | 0.13256 | 0.00791 | 0.13107 | 0.14047 | 0.13797 | kWh |