



Ava Community Energy Rate Sheets

Rates effective as of July 1, 2024

This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
A1	Summer	0.15109	0.16200	0.00868	0.15977	0.17068	0.16818	kWh
A1	Winter	0.11296	0.12186	0.00868	0.12164	0.13054	0.12804	kWh
A10P	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10P	Summer	0.13528	0.14538	0.00916	0.14444	0.15454	0.15204	kWh
A10P	Winter	0.11740	0.12656	0.00916	0.12656	0.13572	0.13322	kWh
A10PX	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10PX	Off-Peak Summer	0.12470	0.13424	0.00916	0.13386	0.14340	0.14090	kWh
A10PX	Off-Peak Winter	0.11701	0.12615	0.00916	0.12617	0.13531	0.13281	kWh
A10PX	Part-Peak Summer	0.14875	0.15956	0.00916	0.15791	0.16872	0.16622	kWh
A10PX	Part-Peak Winter	0.11765	0.12682	0.00916	0.12681	0.13598	0.13348	kWh
A10PX	Peak Summer	0.14875	0.15956	0.00916	0.15791	0.16872	0.16622	kWh
A10S	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10S	Summer	0.15168	0.16264	0.00916	0.16084	0.17180	0.16930	kWh
A10S	Winter	0.13100	0.14088	0.00916	0.14016	0.15004	0.14754	kWh
A10SX	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10SX	Off-Peak Summer	0.13909	0.14939	0.00916	0.14825	0.15855	0.15605	kWh
A10SX	Off-Peak Winter	0.13097	0.14085	0.00916	0.14013	0.15001	0.14751	kWh
A10SX	Part-Peak Summer	0.16454	0.17618	0.00916	0.17370	0.18534	0.18284	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
A10SX	Part-Peak Winter	0.13165	0.14156	0.00916	0.14081	0.15072	0.14822	kWh
A10SX	Peak Summer	0.16454	0.17618	0.00916	0.17370	0.18534	0.18284	kWh
A10T	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10T	Summer	0.11446	0.12347	0.00916	0.12362	0.13263	0.13013	kWh
A10T	Winter	0.09820	0.10635	0.00916	0.10736	0.11551	0.11301	kWh
A10TX	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10TX	Off-Peak Summer	0.10478	0.11328	0.00916	0.11394	0.12244	0.11994	kWh
A10TX	Off-Peak Winter	0.09728	0.10538	0.00916	0.10644	0.11454	0.11204	kWh
A10TX	Part-Peak Summer	0.12820	0.13793	0.00916	0.13736	0.14709	0.14459	kWh
A10TX	Part-Peak Winter	0.09790	0.10604	0.00916	0.10706	0.11520	0.11270	kWh
A10TX	Peak Summer	0.12820	0.13793	0.00916	0.13736	0.14709	0.14459	kWh
A15	Summer	0.14619	0.15684	0.00868	0.15487	0.16552	0.16302	kWh
A15	Winter	0.12670	0.13632	0.00868	0.13538	0.14500	0.14250	kWh
A1X	Off-Peak Summer	0.13032	0.14014	0.00868	0.13900	0.14882	0.14632	kWh
A1X	Off-Peak Winter	0.12403	0.13352	0.00868	0.13271	0.14220	0.13970	kWh
A1X	Part-Peak Summer	0.15379	0.16484	0.00868	0.16247	0.17352	0.17102	kWh
A1X	Part-Peak Winter	0.12459	0.13410	0.00868	0.13327	0.14278	0.14028	kWh
A1X	Peak Summer	0.15379	0.16484	0.00868	0.16247	0.17352	0.17102	kWh
A6	Off-Peak Summer	0.13472	0.14477	0.00868	0.14340	0.15345	0.15095	kWh
A6	Off-Peak Winter	0.12514	0.13468	0.00868	0.13382	0.14336	0.14086	kWh
A6	Part-Peak Summer	0.16678	0.17852	0.00868	0.17546	0.18720	0.18470	kWh
A6	Part-Peak Winter	0.12581	0.13539	0.00868	0.13449	0.14407	0.14157	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
A6	Peak Summer	0.16678	0.17852	0.00868	0.17546	0.18720	0.18470	kWh
AG1A	Connected Load Summer	3.32000	3.49000	0.00000	3.32000	3.49000	3.49000	kW
AG1A	Summer	0.11681	0.12589	0.00811	0.12492	0.13400	0.13150	kWh
AG1A	Winter	0.10388	0.11227	0.00811	0.11199	0.12038	0.11788	kWh
AG1B	Max Demand Summer	4.52000	4.76000	0.00000	4.52000	4.76000	4.76000	kW
AG1B	Summer	0.12126	0.13057	0.00811	0.12937	0.13868	0.13618	kWh
AG1B	Winter	0.08933	0.09696	0.00811	0.09744	0.10507	0.10257	kWh
AG4A	Connected Load Summer	2.44000	2.57000	0.00000	2.44000	2.57000	2.57000	kW
AG4A	Off-Peak Summer	0.11429	0.12323	0.00811	0.12240	0.13134	0.12884	kWh
AG4A	Off-Peak Winter	0.10006	0.10825	0.00811	0.10817	0.11636	0.11386	kWh
AG4A	Part-Peak Winter	0.10073	0.10896	0.00811	0.10884	0.11707	0.11457	kWh
AG4A	Peak Summer	0.11429	0.12323	0.00811	0.12240	0.13134	0.12884	kWh
AG4B	Max Demand Summer	4.14000	4.36000	0.00000	4.14000	4.36000	4.36000	kW
AG4B	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AG4B	Off-Peak Summer	0.12133	0.13064	0.00811	0.12944	0.13875	0.13625	kWh
AG4B	Off-Peak Winter	0.10738	0.11596	0.00811	0.11549	0.12407	0.12157	kWh
AG4B	Part-Peak Winter	0.10804	0.11665	0.00811	0.11615	0.12476	0.12226	kWh
AG4B	Peak Summer	0.12133	0.13064	0.00811	0.12944	0.13875	0.13625	kWh
AG4C	Max Part-Peak Demand Summer	4.37000	4.60000	0.00000	4.37000	4.60000	4.60000	kW
AG4C	Max Peak Demand Summer	4.37000	4.60000	0.00000	4.37000	4.60000	4.60000	kW
AG4C	Off-Peak Summer	0.08864	0.09623	0.00811	0.09675	0.10434	0.10184	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
AG4C	Off-Peak Winter	0.08550	0.09293	0.00811	0.09361	0.10104	0.09854	kWh
AG4C	Part-Peak Summer	0.09928	0.10743	0.00811	0.10739	0.11554	0.11304	kWh
AG4C	Part-Peak Winter	0.08618	0.09364	0.00811	0.09429	0.10175	0.09925	kWh
AG4C	Peak Summer	0.09928	0.10743	0.00811	0.10739	0.11554	0.11304	kWh
AG5A	Connected Load Summer	6.76000	7.12000	0.00000	6.76000	7.12000	7.12000	kW
AG5A	Off-Peak Summer	0.12175	0.13109	0.00811	0.12986	0.13920	0.13670	kWh
AG5A	Off-Peak Winter	0.10941	0.11810	0.00811	0.11752	0.12621	0.12371	kWh
AG5A	Part-Peak Winter	0.11009	0.11881	0.00811	0.11820	0.12692	0.12442	kWh
AG5A	Peak Summer	0.12175	0.13109	0.00811	0.12986	0.13920	0.13670	kWh
AG5B	Max Demand Summer	8.03000	8.45000	0.00000	8.03000	8.45000	8.45000	kW
AG5B	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AG5B	Off-Peak Summer	0.12363	0.13306	0.00811	0.13174	0.14117	0.13867	kWh
AG5B	Off-Peak Winter	0.11117	0.11995	0.00811	0.11928	0.12806	0.12556	kWh
AG5B	Part-Peak Winter	0.11182	0.12063	0.00811	0.11993	0.12874	0.12624	kWh
AG5B	Peak Summer	0.12363	0.13306	0.00811	0.13174	0.14117	0.13867	kWh
AG5C	Max Part-Peak Demand Summer	9.02000	9.49000	0.00000	9.02000	9.49000	9.49000	kW
AG5C	Max Peak Demand Summer	9.02000	9.49000	0.00000	9.02000	9.49000	9.49000	kW
AG5C	Off-Peak Summer	0.08311	0.09041	0.00811	0.09122	0.09852	0.09602	kWh
AG5C	Off-Peak Winter	0.07997	0.08711	0.00811	0.08808	0.09522	0.09272	kWh
AG5C	Part-Peak Summer	0.08888	0.09648	0.00811	0.09699	0.10459	0.10209	kWh
AG5C	Part-Peak Winter	0.08065	0.08782	0.00811	0.08876	0.09593	0.09343	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
AG5C	Peak Summer	0.08888	0.09648	0.00811	0.09699	0.10459	0.10209	kWh
AGA1	Off-Peak Summer	0.13172	0.14158	0.00811	0.13983	0.14969	0.14719	kWh
AGA1	Off-Peak Winter	0.10344	0.11181	0.00811	0.11155	0.11992	0.11742	kWh
AGA1	Peak Summer	0.24542	0.26126	0.00811	0.25353	0.26937	0.26687	kWh
AGA1	Peak Winter	0.12857	0.13826	0.00811	0.13668	0.14637	0.14387	kWh
AGA2	Off-Peak Summer	0.13172	0.14158	0.00811	0.13983	0.14969	0.14719	kWh
AGA2	Off-Peak Winter	0.10344	0.11181	0.00811	0.11155	0.11992	0.11742	kWh
AGA2	Peak Summer	0.24542	0.26126	0.00811	0.25353	0.26937	0.26687	kWh
AGA2	Peak Winter	0.12857	0.13826	0.00811	0.13668	0.14637	0.14387	kWh
AGB	Off-Peak Summer	0.14554	0.15613	0.00811	0.15365	0.16424	0.16174	kWh
AGB	Off-Peak Winter	0.11558	0.12459	0.00811	0.12369	0.13270	0.13020	kWh
AGB	Peak Summer	0.26246	0.27920	0.00811	0.27057	0.28731	0.28481	kWh
AGB	Peak Winter	0.14047	0.15079	0.00811	0.14858	0.15890	0.15640	kWh
AGC	Max Peak Demand Summer	17.74000	18.67000	0.00000	17.74000	18.67000	18.67000	kW
AGC	Off-Peak Summer	0.09433	0.10222	0.00811	0.10244	0.11033	0.10783	kWh
AGC	Off-Peak Winter	0.08418	0.09154	0.00811	0.09229	0.09965	0.09715	kWh
AGC	Peak Summer	0.12233	0.13170	0.00811	0.13044	0.13981	0.13731	kWh
AGC	Peak Winter	0.10843	0.11706	0.00811	0.11654	0.12517	0.12267	kWh
AGFA	Off-Peak Summer	0.13916	0.14941	0.00811	0.14727	0.15752	0.15502	kWh
AGFA	Off-Peak Winter	0.10434	0.11276	0.00811	0.11245	0.12087	0.11837	kWh
AGFA	Peak Summer	0.21244	0.22655	0.00811	0.22055	0.23466	0.23216	kWh
AGFA	Peak Winter	0.12947	0.13921	0.00811	0.13758	0.14732	0.14482	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
AGFB	Off-Peak Summer	0.15425	0.16530	0.00811	0.16236	0.17341	0.17091	kWh
AGFB	Off-Peak Winter	0.11767	0.12679	0.00811	0.12578	0.13490	0.13240	kWh
AGFB	Peak Summer	0.23150	0.24661	0.00811	0.23961	0.25472	0.25222	kWh
AGFB	Peak Winter	0.14280	0.15324	0.00811	0.15091	0.16135	0.15885	kWh
AGFC	Max Peak Demand Summer	17.74000	18.67000	0.00000	17.74000	18.67000	18.67000	kW
AGFC	Off-Peak Summer	0.10152	0.10979	0.00811	0.10963	0.11790	0.11540	kWh
AGFC	Off-Peak Winter	0.09120	0.09893	0.00811	0.09931	0.10704	0.10454	kWh
AGFC	Peak Summer	0.13003	0.13980	0.00811	0.13814	0.14791	0.14541	kWh
AGFC	Peak Winter	0.11633	0.12538	0.00811	0.12444	0.13349	0.13099	kWh
AGRA	Connected Load Summer	2.38000	2.50000	0.00000	2.38000	2.50000	2.50000	kW
AGRA	Off-Peak Summer	0.11663	0.12570	0.00811	0.12474	0.13381	0.13131	kWh
AGRA	Off-Peak Winter	0.10018	0.10838	0.00811	0.10829	0.11649	0.11399	kWh
AGRA	Part-Peak Winter	0.10085	0.10909	0.00811	0.10896	0.11720	0.11470	kWh
AGRA	Peak Summer	0.11663	0.12570	0.00811	0.12474	0.13381	0.13131	kWh
AGRB	Max Demand Summer	3.27000	3.44000	0.00000	3.27000	3.44000	3.44000	kW
AGRB	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AGRB	Off-Peak Summer	0.10197	0.11026	0.00811	0.11008	0.11837	0.11587	kWh
AGRB	Off-Peak Winter	0.09046	0.09815	0.00811	0.09857	0.10626	0.10376	kWh
AGRB	Part-Peak Winter	0.09114	0.09886	0.00811	0.09925	0.10697	0.10447	kWh
AGRB	Peak Summer	0.10197	0.11026	0.00811	0.11008	0.11837	0.11587	kWh
AGVA	Connected Load Summer	2.50000	2.63000	0.00000	2.50000	2.63000	2.63000	kW
AGVA	Off-Peak Summer	0.11260	0.12145	0.00811	0.12071	0.12956	0.12706	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
AGVA	Off-Peak Winter	0.09745	0.10551	0.00811	0.10556	0.11362	0.11112	kWh
AGVA	Part-Peak Winter	0.09813	0.10622	0.00811	0.10624	0.11433	0.11183	kWh
AGVA	Peak Summer	0.11260	0.12145	0.00811	0.12071	0.12956	0.12706	kWh
AGVB	Max Demand Summer	3.09000	3.25000	0.00000	3.09000	3.25000	3.25000	kW
AGVB	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AGVB	Off-Peak Summer	0.09851	0.10662	0.00811	0.10662	0.11473	0.11223	kWh
AGVB	Off-Peak Winter	0.08604	0.09350	0.00811	0.09415	0.10161	0.09911	kWh
AGVB	Part-Peak Winter	0.08672	0.09421	0.00811	0.09483	0.10232	0.09982	kWh
AGVB	Peak Summer	0.09851	0.10662	0.00811	0.10662	0.11473	0.11223	kWh
B1	Off-Peak Summer	0.12604	0.13563	0.00868	0.13472	0.14431	0.14181	kWh
B1	Off-Peak Winter	0.12478	0.13430	0.00868	0.13346	0.14298	0.14048	kWh
B1	Part-Peak Summer	0.14581	0.15644	0.00868	0.15449	0.16512	0.16262	kWh
B1	Peak Summer	0.19258	0.20567	0.00868	0.20126	0.21435	0.21185	kWh
B1	Peak Winter	0.14009	0.15042	0.00868	0.14877	0.15910	0.15660	kWh
B1	Super-Off-Peak Winter	0.10918	0.11788	0.00868	0.11786	0.12656	0.12406	kWh
B1-ST	Off-Peak Summer	0.12293	0.13236	0.00868	0.13161	0.14104	0.13854	kWh
B1-ST	Off-Peak Winter	0.11656	0.12565	0.00868	0.12524	0.13433	0.13183	kWh
B1-ST	Part-Peak Summer	0.15690	0.16811	0.00868	0.16558	0.17679	0.17429	kWh
B1-ST	Part-Peak Winter	0.13746	0.14765	0.00868	0.14614	0.15633	0.15383	kWh
B1-ST	Peak Summer	0.19723	0.21057	0.00868	0.20591	0.21925	0.21675	kWh
B1-ST	Peak Winter	0.14918	0.15999	0.00868	0.15786	0.16867	0.16617	kWh
B1-ST	Super-Off-Peak Winter	0.10096	0.10923	0.00868	0.10964	0.11791	0.11541	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
B10P	Off-Peak Summer	0.11566	0.12473	0.00916	0.12482	0.13389	0.13139	kWh
B10P	Off-Peak Winter	0.11649	0.12560	0.00916	0.12565	0.13476	0.13226	kWh
B10P	Part-Peak Summer	0.14495	0.15556	0.00916	0.15411	0.16472	0.16222	kWh
B10P	Peak Summer	0.20033	0.21386	0.00916	0.20949	0.22302	0.22052	kWh
B10P	Peak Winter	0.14844	0.15923	0.00916	0.15760	0.16839	0.16589	kWh
B10P	Super-Off-Peak Winter	0.08196	0.08926	0.00916	0.09112	0.09842	0.09592	kWh
B10S	Off-Peak Summer	0.12845	0.13819	0.00916	0.13761	0.14735	0.14485	kWh
B10S	Off-Peak Winter	0.12914	0.13892	0.00916	0.13830	0.14808	0.14558	kWh
B10S	Part-Peak Summer	0.15939	0.17076	0.00916	0.16855	0.17992	0.17742	kWh
B10S	Peak Summer	0.21798	0.23244	0.00916	0.22714	0.24160	0.23910	kWh
B10S	Peak Winter	0.16285	0.17440	0.00916	0.17201	0.18356	0.18106	kWh
B10S	Super-Off-Peak Winter	0.09462	0.10258	0.00916	0.10378	0.11174	0.10924	kWh
B10T	Off-Peak Summer	0.09602	0.10406	0.00916	0.10518	0.11322	0.11072	kWh
B10T	Off-Peak Winter	0.09691	0.10499	0.00916	0.10607	0.11415	0.11165	kWh
B10T	Part-Peak Summer	0.12459	0.13413	0.00916	0.13375	0.14329	0.14079	kWh
B10T	Peak Summer	0.17849	0.19087	0.00916	0.18765	0.20003	0.19753	kWh
B10T	Peak Winter	0.12810	0.13782	0.00916	0.13726	0.14698	0.14448	kWh
B10T	Super-Off-Peak Winter	0.06238	0.06865	0.00916	0.07154	0.07781	0.07531	kWh
B19P	Max Part-Peak Demand Summer	2.61000	2.75000	0.00000	2.61000	2.75000	2.75000	kW
B19P	Max Peak Demand Summer	17.84000	18.78000	0.00000	17.84000	18.78000	18.78000	kW
B19P	Max Peak Demand Winter	1.83000	1.93000	0.00000	1.83000	1.93000	1.93000	kW



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
B19P	Off-Peak Summer	0.08541	0.09286	0.00860	0.09401	0.10146	0.09896	kWh
B19P	Off-Peak Winter	0.08575	0.09322	0.00860	0.09435	0.10182	0.09932	kWh
B19P	Part-Peak Summer	0.11331	0.12223	0.00860	0.12191	0.13083	0.12833	kWh
B19P	Peak Summer	0.14539	0.15599	0.00860	0.15399	0.16459	0.16209	kWh
B19P	Peak Winter	0.12674	0.13636	0.00860	0.13534	0.14496	0.14246	kWh
B19P	Super-Off-Peak Winter	0.02745	0.03185	0.00860	0.03605	0.04045	0.03795	kWh
B19PR	Off-Peak Summer	0.10033	0.10856	0.00860	0.10893	0.11716	0.11466	kWh
B19PR	Off-Peak Winter	0.10043	0.10867	0.00860	0.10903	0.11727	0.11477	kWh
B19PR	Part-Peak Summer	0.13395	0.14395	0.00860	0.14255	0.15255	0.15005	kWh
B19PR	Peak Summer	0.25131	0.26749	0.00860	0.25991	0.27609	0.27359	kWh
B19PR	Peak Winter	0.13620	0.14632	0.00860	0.14480	0.15492	0.15242	kWh
B19PR	Super-Off-Peak Winter	0.06640	0.07285	0.00860	0.07500	0.08145	0.07895	kWh
B19PS	Off-Peak Summer	0.10033	0.10856	0.00860	0.10893	0.11716	0.11466	kWh
B19PS	Off-Peak Winter	0.10043	0.10867	0.00860	0.10903	0.11727	0.11477	kWh
B19PS	Part-Peak Summer	0.13395	0.14395	0.00860	0.14255	0.15255	0.15005	kWh
B19PS	Peak Summer	0.25131	0.26749	0.00860	0.25991	0.27609	0.27359	kWh
B19PS	Peak Winter	0.13620	0.14632	0.00860	0.14480	0.15492	0.15242	kWh
B19PS	Super-Off-Peak Winter	0.06640	0.07285	0.00860	0.07500	0.08145	0.07895	kWh
B19S	Max Part-Peak Demand Summer	3.09000	3.25000	0.00000	3.09000	3.25000	3.25000	kW
B19S	Max Peak Demand Summer	21.24000	22.36000	0.00000	21.24000	22.36000	22.36000	kW
B19S	Max Peak Demand Winter	2.52000	2.65000	0.00000	2.52000	2.65000	2.65000	kW



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
B19S	Off-Peak Summer	0.09553	0.10351	0.00860	0.10413	0.11211	0.10961	kWh
B19S	Off-Peak Winter	0.09542	0.10339	0.00860	0.10402	0.11199	0.10949	kWh
B19S	Part-Peak Summer	0.12542	0.13497	0.00860	0.13402	0.14357	0.14107	kWh
B19S	Peak Summer	0.16767	0.17945	0.00860	0.17627	0.18805	0.18555	kWh
B19S	Peak Winter	0.14083	0.15120	0.00860	0.14943	0.15980	0.15730	kWh
B19S	Super-Off-Peak Winter	0.03448	0.03925	0.00860	0.04308	0.04785	0.04535	kWh
B19SR	Off-Peak Summer	0.11542	0.12445	0.00860	0.12402	0.13305	0.13055	kWh
B19SR	Off-Peak Winter	0.11536	0.12438	0.00860	0.12396	0.13298	0.13048	kWh
B19SR	Part-Peak Summer	0.15201	0.16296	0.00860	0.16061	0.17156	0.16906	kWh
B19SR	Peak Summer	0.28080	0.29853	0.00860	0.28940	0.30713	0.30463	kWh
B19SR	Peak Winter	0.15556	0.16670	0.00860	0.16416	0.17530	0.17280	kWh
B19SR	Super-Off-Peak Winter	0.08133	0.08856	0.00860	0.08993	0.09716	0.09466	kWh
B19SS	Off-Peak Summer	0.11542	0.12445	0.00860	0.12402	0.13305	0.13055	kWh
B19SS	Off-Peak Winter	0.11536	0.12438	0.00860	0.12396	0.13298	0.13048	kWh
B19SS	Part-Peak Summer	0.15201	0.16296	0.00860	0.16061	0.17156	0.16906	kWh
B19SS	Peak Summer	0.28080	0.29853	0.00860	0.28940	0.30713	0.30463	kWh
B19SS	Peak Winter	0.15556	0.16670	0.00860	0.16416	0.17530	0.17280	kWh
B19SS	Super-Off-Peak Winter	0.08133	0.08856	0.00860	0.08993	0.09716	0.09466	kWh
B19T	Max Part-Peak Demand Summer	4.01000	4.22000	0.00000	4.01000	4.22000	4.22000	kW
B19T	Max Peak Demand Summer	16.02000	16.86000	0.00000	16.02000	16.86000	16.86000	kW
B19T	Max Peak Demand Winter	1.54000	1.62000	0.00000	1.54000	1.62000	1.62000	kW



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
B19T	Off-Peak Summer	0.08938	0.09704	0.00860	0.09798	0.10564	0.10314	kWh
B19T	Off-Peak Winter	0.09002	0.09771	0.00860	0.09862	0.10631	0.10381	kWh
B19T	Part-Peak Summer	0.11836	0.12754	0.00860	0.12696	0.13614	0.13364	kWh
B19T	Peak Summer	0.13197	0.14187	0.00860	0.14057	0.15047	0.14797	kWh
B19T	Peak Winter	0.13105	0.14090	0.00860	0.13965	0.14950	0.14700	kWh
B19T	Super-Off-Peak Winter	0.02968	0.03419	0.00860	0.03828	0.04279	0.04029	kWh
B19TR	Off-Peak Summer	0.10241	0.11075	0.00860	0.11101	0.11935	0.11685	kWh
B19TR	Off-Peak Winter	0.10261	0.11096	0.00860	0.11121	0.11956	0.11706	kWh
B19TR	Part-Peak Summer	0.14245	0.15290	0.00860	0.15105	0.16150	0.15900	kWh
B19TR	Peak Summer	0.21988	0.23440	0.00860	0.22848	0.24300	0.24050	kWh
B19TR	Peak Winter	0.13460	0.14464	0.00860	0.14320	0.15324	0.15074	kWh
B19TR	Super-Off-Peak Winter	0.06858	0.07514	0.00860	0.07718	0.08374	0.08124	kWh
B19TS	Off-Peak Summer	0.10241	0.11075	0.00860	0.11101	0.11935	0.11685	kWh
B19TS	Off-Peak Winter	0.10261	0.11096	0.00860	0.11121	0.11956	0.11706	kWh
B19TS	Part-Peak Summer	0.14245	0.15290	0.00860	0.15105	0.16150	0.15900	kWh
B19TS	Peak Summer	0.21988	0.23440	0.00860	0.22848	0.24300	0.24050	kWh
B19TS	Peak Winter	0.13460	0.14464	0.00860	0.14320	0.15324	0.15074	kWh
B19TS	Super-Off-Peak Winter	0.06858	0.07514	0.00860	0.07718	0.08374	0.08124	kWh
B20P	Max Part-Peak Demand Summer	3.06000	3.22000	0.00000	3.06000	3.22000	3.22000	kW
B20P	Max Peak Demand Summer	22.25000	23.42000	0.00000	22.25000	23.42000	23.42000	kW
B20P	Max Peak Demand Winter	2.56000	2.70000	0.00000	2.56000	2.70000	2.70000	kW



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
B20P	Off-Peak Summer	0.08750	0.09502	0.00788	0.09538	0.10290	0.10040	kWh
B20P	Off-Peak Winter	0.08757	0.09509	0.00788	0.09545	0.10297	0.10047	kWh
B20P	Part-Peak Summer	0.11590	0.12492	0.00788	0.12378	0.13280	0.13030	kWh
B20P	Peak Summer	0.15662	0.16778	0.00788	0.16450	0.17566	0.17316	kWh
B20P	Peak Winter	0.13071	0.14050	0.00788	0.13859	0.14838	0.14588	kWh
B20P	Super-Off-Peak Winter	0.02638	0.03068	0.00788	0.03426	0.03856	0.03606	kWh
B20PR	Off-Peak Summer	0.10388	0.11226	0.00788	0.11176	0.12014	0.11764	kWh
B20PR	Off-Peak Winter	0.10393	0.11231	0.00788	0.11181	0.12019	0.11769	kWh
B20PR	Part-Peak Summer	0.13684	0.14696	0.00788	0.14472	0.15484	0.15234	kWh
B20PR	Peak Summer	0.25930	0.27586	0.00788	0.26718	0.28374	0.28124	kWh
B20PR	Peak Winter	0.14199	0.15238	0.00788	0.14987	0.16026	0.15776	kWh
B20PR	Super-Off-Peak Winter	0.06996	0.07656	0.00788	0.07784	0.08444	0.08194	kWh
B20PS	Off-Peak Summer	0.10388	0.11226	0.00788	0.11176	0.12014	0.11764	kWh
B20PS	Off-Peak Winter	0.10393	0.11231	0.00788	0.11181	0.12019	0.11769	kWh
B20PS	Part-Peak Summer	0.13684	0.14696	0.00788	0.14472	0.15484	0.15234	kWh
B20PS	Peak Summer	0.25930	0.27586	0.00788	0.26718	0.28374	0.28124	kWh
B20PS	Peak Winter	0.14199	0.15238	0.00788	0.14987	0.16026	0.15776	kWh
B20PS	Super-Off-Peak Winter	0.06996	0.07656	0.00788	0.07784	0.08444	0.08194	kWh
B20S	Max Part-Peak Demand Summer	2.89000	3.04000	0.00000	2.89000	3.04000	3.04000	kW
B20S	Max Peak Demand Summer	19.88000	20.93000	0.00000	19.88000	20.93000	20.93000	kW
B20S	Max Peak Demand Winter	2.53000	2.66000	0.00000	2.53000	2.66000	2.66000	kW



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
B20S	Off-Peak Summer	0.09216	0.09995	0.00829	0.10045	0.10824	0.10574	kWh
B20S	Off-Peak Winter	0.09193	0.09970	0.00829	0.10022	0.10799	0.10549	kWh
B20S	Part-Peak Summer	0.12206	0.13142	0.00829	0.13035	0.13971	0.13721	kWh
B20S	Peak Summer	0.15991	0.17126	0.00829	0.16820	0.17955	0.17705	kWh
B20S	Peak Winter	0.13736	0.14753	0.00829	0.14565	0.15582	0.15332	kWh
B20S	Super-Off-Peak Winter	0.03105	0.03562	0.00829	0.03934	0.04391	0.04141	kWh
B20SR	Off-Peak Summer	0.11028	0.11902	0.00829	0.11857	0.12731	0.12481	kWh
B20SR	Off-Peak Winter	0.11016	0.11889	0.00829	0.11845	0.12718	0.12468	kWh
B20SR	Part-Peak Summer	0.14587	0.15648	0.00829	0.15416	0.16477	0.16227	kWh
B20SR	Peak Summer	0.27198	0.28923	0.00829	0.28027	0.29752	0.29502	kWh
B20SR	Peak Winter	0.15170	0.16262	0.00829	0.15999	0.17091	0.16841	kWh
B20SR	Super-Off-Peak Winter	0.07619	0.08314	0.00829	0.08448	0.09143	0.08893	kWh
B20SS	Off-Peak Summer	0.11028	0.11902	0.00829	0.11857	0.12731	0.12481	kWh
B20SS	Off-Peak Winter	0.11016	0.11889	0.00829	0.11845	0.12718	0.12468	kWh
B20SS	Part-Peak Summer	0.14587	0.15648	0.00829	0.15416	0.16477	0.16227	kWh
B20SS	Peak Summer	0.27198	0.28923	0.00829	0.28027	0.29752	0.29502	kWh
B20SS	Peak Winter	0.15170	0.16262	0.00829	0.15999	0.17091	0.16841	kWh
B20SS	Super-Off-Peak Winter	0.07619	0.08314	0.00829	0.08448	0.09143	0.08893	kWh
B20T	Max Part-Peak Demand Summer	5.59000	5.88000	0.00000	5.59000	5.88000	5.88000	kW
B20T	Max Peak Demand Summer	23.45000	24.68000	0.00000	23.45000	24.68000	24.68000	kW
B20T	Max Peak Demand Winter	3.13000	3.29000	0.00000	3.13000	3.29000	3.29000	kW



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
B20T	Off-Peak Summer	0.08124	0.08840	0.00731	0.08855	0.09571	0.09321	kWh
B20T	Off-Peak Winter	0.07683	0.08376	0.00731	0.08414	0.09107	0.08857	kWh
B20T	Part-Peak Summer	0.11009	0.11877	0.00731	0.11740	0.12608	0.12358	kWh
B20T	Peak Summer	0.13594	0.14598	0.00731	0.14325	0.15329	0.15079	kWh
B20T	Peak Winter	0.12900	0.13867	0.00731	0.13631	0.14598	0.14348	kWh
B20T	Super-Off-Peak Winter	0.02473	0.02892	0.00731	0.03204	0.03623	0.03373	kWh
B20TR	Off-Peak Summer	0.09448	0.10234	0.00731	0.10179	0.10965	0.10715	kWh
B20TR	Off-Peak Winter	0.09171	0.09942	0.00731	0.09902	0.10673	0.10423	kWh
B20TR	Part-Peak Summer	0.14222	0.15259	0.00731	0.14953	0.15990	0.15740	kWh
B20TR	Peak Summer	0.25491	0.27121	0.00731	0.26222	0.27852	0.27602	kWh
B20TR	Peak Winter	0.14207	0.15243	0.00731	0.14938	0.15974	0.15724	kWh
B20TR	Super-Off-Peak Winter	0.06055	0.06662	0.00731	0.06786	0.07393	0.07143	kWh
B20TS	Off-Peak Summer	0.09448	0.10234	0.00731	0.10179	0.10965	0.10715	kWh
B20TS	Off-Peak Winter	0.09171	0.09942	0.00731	0.09902	0.10673	0.10423	kWh
B20TS	Part-Peak Summer	0.14222	0.15259	0.00731	0.14953	0.15990	0.15740	kWh
B20TS	Peak Summer	0.25491	0.27121	0.00731	0.26222	0.27852	0.27602	kWh
B20TS	Peak Winter	0.14207	0.15243	0.00731	0.14938	0.15974	0.15724	kWh
B20TS	Super-Off-Peak Winter	0.06055	0.06662	0.00731	0.06786	0.07393	0.07143	kWh
B6	Off-Peak Summer	0.12069	0.13000	0.00868	0.12937	0.13868	0.13618	kWh
B6	Off-Peak Winter	0.11115	0.11996	0.00868	0.11983	0.12864	0.12614	kWh
B6	Peak Summer	0.28212	0.29993	0.00868	0.29080	0.30861	0.30611	kWh
B6	Peak Winter	0.14873	0.15951	0.00868	0.15741	0.16819	0.16569	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
B6	Super-Off-Peak Winter	0.07688	0.08388	0.00868	0.08556	0.09256	0.09006	kWh
BEV1	Off-Peak	0.10139	0.10964	0.00777	0.10916	0.11741	0.11491	kWh
BEV1	Peak	0.27483	0.29220	0.00777	0.28260	0.29997	0.29747	kWh
BEV1	Super-Off-Peak	0.07727	0.08425	0.00777	0.08504	0.09202	0.08952	kWh
BEV2P	Off-Peak	0.09629	0.10431	0.00857	0.10486	0.11288	0.11038	kWh
BEV2P	Peak	0.28247	0.30029	0.00857	0.29104	0.30886	0.30636	kWh
BEV2P	Super-Off-Peak	0.07330	0.08011	0.00857	0.08187	0.08868	0.08618	kWh
BEV2S	Off-Peak	0.09914	0.10731	0.00857	0.10771	0.11588	0.11338	kWh
BEV2S	Peak	0.29233	0.31067	0.00857	0.30090	0.31924	0.31674	kWh
BEV2S	Super-Off-Peak	0.07501	0.08191	0.00857	0.08358	0.09048	0.08798	kWh
E1	Flat	0.13962	0.14994	0.00906	0.14868	0.15900	0.15650	kWh
E19P	Max Part-Peak Demand Summer	12.06000	12.69000	0.00000	12.06000	12.69000	12.69000	kW
E19P	Max Peak Demand Summer	12.06000	12.69000	0.00000	12.06000	12.69000	12.69000	kW
E19P	Off-Peak Summer	0.08479	0.09221	0.00860	0.09339	0.10081	0.09831	kWh
E19P	Off-Peak Winter	0.08168	0.08893	0.00860	0.09028	0.09753	0.09503	kWh
E19P	Part-Peak Summer	0.09048	0.09819	0.00860	0.09908	0.10679	0.10429	kWh
E19P	Part-Peak Winter	0.08234	0.08963	0.00860	0.09094	0.09823	0.09573	kWh
E19P	Peak Summer	0.09048	0.09819	0.00860	0.09908	0.10679	0.10429	kWh
E19PR	Off-Peak Summer	0.11278	0.12167	0.00860	0.12138	0.13027	0.12777	kWh
E19PR	Off-Peak Winter	0.10980	0.11853	0.00860	0.11840	0.12713	0.12463	kWh
E19PR	Part-Peak Summer	0.14066	0.15102	0.00860	0.14926	0.15962	0.15712	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
E19PR	Part-Peak Winter	0.11043	0.11920	0.00860	0.11903	0.12780	0.12530	kWh
E19PR	Peak Summer	0.14066	0.15102	0.00860	0.14926	0.15962	0.15712	kWh
E19S	Max Part-Peak Demand Summer	13.58000	14.29000	0.00000	13.58000	14.29000	14.29000	kW
E19S	Max Peak Demand Summer	13.58000	14.29000	0.00000	13.58000	14.29000	14.29000	kW
E19S	Off-Peak Summer	0.09575	0.10374	0.00860	0.10435	0.11234	0.10984	kWh
E19S	Off-Peak Winter	0.09251	0.10033	0.00860	0.10111	0.10893	0.10643	kWh
E19S	Part-Peak Summer	0.10162	0.10992	0.00860	0.11022	0.11852	0.11602	kWh
E19S	Part-Peak Winter	0.09320	0.10106	0.00860	0.10180	0.10966	0.10716	kWh
E19S	Peak Summer	0.10162	0.10992	0.00860	0.11022	0.11852	0.11602	kWh
E19SR	Off-Peak Summer	0.12985	0.13964	0.00860	0.13845	0.14824	0.14574	kWh
E19SR	Off-Peak Winter	0.12672	0.13634	0.00860	0.13532	0.14494	0.14244	kWh
E19SR	Part-Peak Summer	0.16135	0.17279	0.00860	0.16995	0.18139	0.17889	kWh
E19SR	Part-Peak Winter	0.12739	0.13705	0.00860	0.13599	0.14565	0.14315	kWh
E19SR	Peak Summer	0.16135	0.17279	0.00860	0.16995	0.18139	0.17889	kWh
E19T	Max Part-Peak Demand Summer	13.20000	13.90000	0.00000	13.20000	13.90000	13.90000	kW
E19T	Max Peak Demand Summer	13.20000	13.90000	0.00000	13.20000	13.90000	13.90000	kW
E19T	Off-Peak Summer	0.07372	0.08055	0.00860	0.08232	0.08915	0.08665	kWh
E19T	Off-Peak Winter	0.07068	0.07735	0.00860	0.07928	0.08595	0.08345	kWh
E19T	Part-Peak Summer	0.07928	0.08641	0.00860	0.08788	0.09501	0.09251	kWh
E19T	Part-Peak Winter	0.07133	0.07804	0.00860	0.07993	0.08664	0.08414	kWh
E19T	Peak Summer	0.07928	0.08641	0.00860	0.08788	0.09501	0.09251	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
E19TR	Off-Peak Summer	0.10977	0.11850	0.00860	0.11837	0.12710	0.12460	kWh
E19TR	Off-Peak Winter	0.10683	0.11541	0.00860	0.11543	0.12401	0.12151	kWh
E19TR	Part-Peak Summer	0.13415	0.14416	0.00860	0.14275	0.15276	0.15026	kWh
E19TR	Part-Peak Winter	0.10746	0.11607	0.00860	0.11606	0.12467	0.12217	kWh
E19TR	Peak Summer	0.13415	0.14416	0.00860	0.14275	0.15276	0.15026	kWh
E20P	Max Part-Peak Demand Summer	14.02000	14.76000	0.00000	14.02000	14.76000	14.76000	kW
E20P	Max Peak Demand Summer	14.02000	14.76000	0.00000	14.02000	14.76000	14.76000	kW
E20P	Off-Peak Summer	0.08854	0.09612	0.00788	0.09642	0.10400	0.10150	kWh
E20P	Off-Peak Winter	0.08545	0.09286	0.00788	0.09333	0.10074	0.09824	kWh
E20P	Part-Peak Summer	0.09422	0.10209	0.00788	0.10210	0.10997	0.10747	kWh
E20P	Part-Peak Winter	0.08610	0.09355	0.00788	0.09398	0.10143	0.09893	kWh
E20P	Peak Summer	0.09422	0.10209	0.00788	0.10210	0.10997	0.10747	kWh
E20PR	Off-Peak Summer	0.11644	0.12548	0.00788	0.12432	0.13336	0.13086	kWh
E20PR	Off-Peak Winter	0.11345	0.12234	0.00788	0.12133	0.13022	0.12772	kWh
E20PR	Part-Peak Summer	0.14641	0.15703	0.00788	0.15429	0.16491	0.16241	kWh
E20PR	Part-Peak Winter	0.11409	0.12301	0.00788	0.12197	0.13089	0.12839	kWh
E20PR	Peak Summer	0.14641	0.15703	0.00788	0.15429	0.16491	0.16241	kWh
E20S	Max Part-Peak Demand Summer	12.85000	13.53000	0.00000	12.85000	13.53000	13.53000	kW
E20S	Max Peak Demand Summer	12.85000	13.53000	0.00000	12.85000	13.53000	13.53000	kW
E20S	Off-Peak Summer	0.08997	0.09764	0.00829	0.09826	0.10593	0.10343	kWh
E20S	Off-Peak Winter	0.08677	0.09427	0.00829	0.09506	0.10256	0.10006	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
E20S	Part-Peak Summer	0.09571	0.10368	0.00829	0.10400	0.11197	0.10947	kWh
E20S	Part-Peak Winter	0.08746	0.09500	0.00829	0.09575	0.10329	0.10079	kWh
E20S	Peak Summer	0.09571	0.10368	0.00829	0.10400	0.11197	0.10947	kWh
E20SR	Off-Peak Summer	0.12308	0.13249	0.00829	0.13137	0.14078	0.13828	kWh
E20SR	Off-Peak Winter	0.11994	0.12919	0.00829	0.12823	0.13748	0.13498	kWh
E20SR	Part-Peak Summer	0.15193	0.16286	0.00829	0.16022	0.17115	0.16865	kWh
E20SR	Part-Peak Winter	0.12062	0.12990	0.00829	0.12891	0.13819	0.13569	kWh
E20SR	Peak Summer	0.15193	0.16286	0.00829	0.16022	0.17115	0.16865	kWh
E20T	Max Part-Peak Demand Summer	17.48000	18.40000	0.00000	17.48000	18.40000	18.40000	kW
E20T	Max Peak Demand Summer	17.48000	18.40000	0.00000	17.48000	18.40000	18.40000	kW
E20T	Off-Peak Summer	0.07820	0.08520	0.00731	0.08551	0.09251	0.09001	kWh
E20T	Off-Peak Winter	0.07507	0.08191	0.00731	0.08238	0.08922	0.08672	kWh
E20T	Part-Peak Summer	0.08394	0.09124	0.00731	0.09125	0.09855	0.09605	kWh
E20T	Part-Peak Winter	0.07574	0.08261	0.00731	0.08305	0.08992	0.08742	kWh
E20T	Peak Summer	0.08394	0.09124	0.00731	0.09125	0.09855	0.09605	kWh
E20TR	Off-Peak Summer	0.10831	0.11689	0.00731	0.11562	0.12420	0.12170	kWh
E20TR	Off-Peak Winter	0.10537	0.11380	0.00731	0.11268	0.12111	0.11861	kWh
E20TR	Part-Peak Summer	0.13795	0.14810	0.00731	0.14526	0.15541	0.15291	kWh
E20TR	Part-Peak Winter	0.10600	0.11446	0.00731	0.11331	0.12177	0.11927	kWh
E20TR	Peak Summer	0.13795	0.14810	0.00731	0.14526	0.15541	0.15291	kWh
EELEC	Off-Peak Summer	0.13245	0.14240	0.00906	0.14151	0.15146	0.14896	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
EELEC	Off-Peak Winter	0.08378	0.09117	0.00906	0.09284	0.10023	0.09773	kWh
EELEC	Part-Peak Summer	0.17530	0.18750	0.00906	0.18436	0.19656	0.19406	kWh
EELEC	Part-Peak Winter	0.09647	0.10452	0.00906	0.10553	0.11358	0.11108	kWh
EELEC	Peak Summer	0.26945	0.28661	0.00906	0.27851	0.29567	0.29317	kWh
EELEC	Peak Winter	0.11544	0.12449	0.00906	0.12450	0.13355	0.13105	kWh
EMTOU	Off-Peak Summer	0.12444	0.13397	0.00906	0.13350	0.14303	0.14053	kWh
EMTOU	Off-Peak Winter	0.12089	0.13023	0.00906	0.12995	0.13929	0.13679	kWh
EMTOU	Peak Summer	0.20329	0.21697	0.00906	0.21235	0.22603	0.22353	kWh
EMTOU	Peak Winter	0.14624	0.15691	0.00906	0.15530	0.16597	0.16347	kWh
ETOUB	Off-Peak Summer	0.13219	0.14212	0.00906	0.14125	0.15118	0.14868	kWh
ETOUB	Off-Peak Winter	0.11153	0.12038	0.00906	0.12059	0.12944	0.12694	kWh
ETOUB	Peak Summer	0.24909	0.26518	0.00906	0.25815	0.27424	0.27174	kWh
ETOUB	Peak Winter	0.14839	0.15918	0.00906	0.15745	0.16824	0.16574	kWh
ETOUC	Off-Peak Summer	0.12444	0.13397	0.00906	0.13350	0.14303	0.14053	kWh
ETOUC	Off-Peak Winter	0.12089	0.13023	0.00906	0.12995	0.13929	0.13679	kWh
ETOUC	Peak Summer	0.20329	0.21697	0.00906	0.21235	0.22603	0.22353	kWh
ETOUC	Peak Winter	0.14624	0.15691	0.00906	0.15530	0.16597	0.16347	kWh
ETOUD	Off-Peak Summer	0.11423	0.12322	0.00906	0.12329	0.13228	0.12978	kWh
ETOUD	Off-Peak Winter	0.14179	0.15223	0.00906	0.15085	0.16129	0.15879	kWh
ETOUD	Peak Summer	0.21394	0.22818	0.00906	0.22300	0.23724	0.23474	kWh
ETOUD	Peak Winter	0.17512	0.18731	0.00906	0.18418	0.19637	0.19387	kWh
EV2	Off-Peak Summer	0.11700	0.12613	0.00906	0.12606	0.13519	0.13269	kWh



This rate sheet is for **2024** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2024 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2024 PG&E Generation Rate	Unit
EV2	Off-Peak Winter	0.11036	0.11914	0.00906	0.11942	0.12820	0.12570	kWh
EV2	Part-Peak Summer	0.15608	0.16727	0.00906	0.16514	0.17633	0.17383	kWh
EV2	Part-Peak Winter	0.13266	0.14262	0.00906	0.14172	0.15168	0.14918	kWh
EV2	Peak Summer	0.19855	0.21198	0.00906	0.20761	0.22104	0.21854	kWh
EV2	Peak Winter	0.14452	0.15510	0.00906	0.15358	0.16416	0.16166	kWh
EVA	Off-Peak Summer	0.11751	0.12667	0.00906	0.12657	0.13573	0.13323	kWh
EVA	Off-Peak Winter	0.08952	0.09721	0.00906	0.09858	0.10627	0.10377	kWh
EVA	Part-Peak Summer	0.16157	0.17305	0.00906	0.17063	0.18211	0.17961	kWh
EVA	Part-Peak Winter	0.08952	0.09721	0.00906	0.09858	0.10627	0.10377	kWh
EVA	Peak Summer	0.29787	0.31652	0.00906	0.30693	0.32558	0.32308	kWh
EVA	Peak Winter	0.11313	0.12206	0.00906	0.12219	0.13112	0.12862	kWh
EVB	Off-Peak Summer	0.11751	0.12667	0.00906	0.12657	0.13573	0.13323	kWh
EVB	Off-Peak Winter	0.08952	0.09721	0.00906	0.09858	0.10627	0.10377	kWh
EVB	Part-Peak Summer	0.16157	0.17305	0.00906	0.17063	0.18211	0.17961	kWh
EVB	Part-Peak Winter	0.08952	0.09721	0.00906	0.09858	0.10627	0.10377	kWh
EVB	Peak Summer	0.29787	0.31652	0.00906	0.30693	0.32558	0.32308	kWh
EVB	Peak Winter	0.11313	0.12206	0.00906	0.12219	0.13112	0.12862	kWh
LS	Flat	0.11378	0.12266	0.00736	0.12114	0.13002	0.12752	kWh
TC1	Flat	0.12239	0.13179	0.00868	0.13107	0.14047	0.13797	kWh