



Local Governments Empowering Our Communities

BayREN Heat Pump Water Heater Contractor Incentive Program

Qualified Products List

V 1.17.2025

Brand Name	Model Number	UEF	Tank Capacity (Gallons)	Input Voltage
A.O. SMITH	HP1050H45DVDR 130	3.45	50	240 V
A.O. SMITH	HP1080H45DVDR 130	3.45	80	240 V
A. O. Smith	HPS10-50H45DV 2**	3.8	50	240 V
A. O. Smith	HPS10-66H45DV 2**	3.7	66	240 V
A. O. Smith	HPS10-80H45DV 2**	3.88	80	240 V
A. O. Smith	HPTS-50 2**	3.8	50	240 V
A. O. Smith	HPTS-66 2**	3.7	66	240 V
A. O. Smith	HPTS-80 2**	3.88	80	240 V
A. O. Smith	HPTU-50DR 130	3.45	50	240 V
A. O. Smith	HPTU-66DR 130	3.45	66	240 V
A. O. Smith	HPTU-80DR 130	3.45	80	240 V
A. O. Smith	HPTV-66 2**	3.2	66	120 V
A. O. Smith	HPV10-66H01DV 2**	3.2	66	120 V
American Standard	ASHPWH-40-B	3.4	40	240 V
American Standard	ASHPWH-40 (serial # 4057000*)	3.58	40	240 V
American Standard	ASHPWH-50-B	3.49	50	240 V
American Standard	ASHPWH-50 (serial # 4057001*)	3.75	50	240 V
American Standard	ASHPWH-50-JA13	3.75	50	240 V
American Standard	ASHPWH-65-B	3.86	65	240 V
American Standard	ASHPWH-65 (serial # 4057002*)	3.85	65	240 V
American Standard	ASHPWH-65-JA13	3.85	65	240 V
American Standard	ASHPWH-80-B	3.81	80	240 V
American Standard	ASHPWH-80 (serial # 4057003*)	4.01	80	240 V
American Standard	ASHPWH-80-JA13	4.01	80	240 V
American	HPHE10250H045DVDR 130	3.45	50	240 V
American	HPHE10266H045DVDR 130	3.45	66	240 V
American	HPHE10280H045DVDR 130	3.45	80	240 V
American	HPS10250H045DV 2**	3.8	50	240 V
American	HPS10266H045DV 2**	3.7	66	240 V
American	HPS10280H045DV 2**	3.88	80	240 V

American	HPV10266H009DV 2**	3.2	66	120 V
Bradford White	RE2H50S10-1NCTT-CON	3.44	50	240 V
Bradford White	RE2H65T10-1NCTT-CON	3.64	65	240 V
Bradford White	RE2H80T10-1NCTT-CON	3.59	80	240 V
ENERCARE	ECEPH40 T2 RH400-15	3.45	40	240 V
ENERCARE	ECEPH40 T2 RH400-30	3.83	40	240 V
ENERCARE	ECEPH40 T2 RH400-SO	3.83	40	240 V
ENERCARE	ECEPH50 T2 RH400-15	3.75	50	240 V
ENERCARE	ECEPH50 T2 RH400-30	3.88	50	240 V
ENERCARE	ECEPH50 T2 RH400-SO	3.88	50	240 V
ENERCARE	ECEPH65 T2 RH400-30	4.05	65	240 V
ENERCARE	ECEPH65 T2 RH400-SO	4.05	65	240 V
ENERCARE	ECEPH80 T2 RH400-15	3.7	80	240 V
ENERCARE	ECEPH80 T2 RH400-30	4.07	80	240 V
ENERCARE	ECEPH80 T2 RH400-SO	4.07	80	240 V
FRIEDRICH	PROH40 T2 FD400-30	3.83	40	240 V
FRIEDRICH	PROH40 T2 FD400-SO	3.83	40	240 V
FRIEDRICH	PROH50 T2 FD400-15	3.45	50	240 V
FRIEDRICH	PROH50 T2 FD400-30	3.88	50	240 V
FRIEDRICH	PROH50 T2 FD400-SO	3.88	50	240 V
FRIEDRICH	PROH65 T2 FD400-15	3.55	65	240 V
FRIEDRICH	PROH65 T2 FD400-30	4.05	65	240 V
FRIEDRICH	PROH65 T2 FD400-SO	4.05	65	240 V
FRIEDRICH	PROH80 T2 FD400-15	3.7	80	240 V
FRIEDRICH	PROH80 T2 FD400-30	4.07	80	240 V
FRIEDRICH	PROH80 T2 FD400-SO	4.07	80	240 V
Harvest Thermal	PD2A-SB-10-119	3.4	119	230 V
Harvest Thermal	PD2A-SB-10-43	3.1	43	230 V
Harvest Thermal	PD2A-SB-10-83	3.75	83	230 V
Harvest Thermal	PD2B-10-119	3.4	119	230 V
Harvest Thermal	PD2B-10-43	3.1	43	230 V
Harvest Thermal	PD2B-10-83	3.75	83	230 V
LG	APHWC501D	3.93	58	240 V
LG	APHWC501L	3.93	58	240 V
LG	APHWC801D	3.9	80	240 V
LG	APHWC801L	3.9	80	240 V
Lochinvar	HPSA050KD 2**	3.8	50	240 V
Lochinvar	HPSA065KD 2**	3.7	66	240 V
Lochinvar	HPSA080KD 2**	3.88	80	240 V
Lochinvar	HPV065KD 2**	3.2	66	120 V
Reliance	10-50-DHPHTCTA 130	3.45	50	240 V
Reliance	10-50-DHPTS 2**	3.8	50	240 V
Reliance	10-66-DHPHTCTA 130	3.45	66	240 V
Reliance	10-66-DHPTS 2**	3.7	66	240 V

Reliance	10-80-DHPHTCTA 130	3.45	80	240 V
Reliance	10-80-DHPTS 2**	3.88	80	240 V
RHEEM CANADA	CPROPH40 T2 RH400-15	3.45	40	240 V
RHEEM CANADA	CPROPH40 T2 RH400-30	3.83	40	240 V
RHEEM CANADA	CPROPH40 T2 RH400-SO	3.83	40	240 V
RHEEM CANADA	CPROPH50 T2 RH400-15	3.75	50	240 V
RHEEM CANADA	CPROPH50 T2 RH400-30	3.88	50	240 V
RHEEM CANADA	CPROPH50 T2 RH400-SO	3.88	50	240 V
RHEEM CANADA	CPROPH65 T2 RH400-15	3.55	65	240 V
RHEEM CANADA	CPROPH65 T2 RH400-30	4.05	65	240 V
RHEEM CANADA	CPROPH65 T2 RH400-SO	4.05	65	240 V
RHEEM CANADA	CPROPH80 T2 RH400-15	3.7	80	240 V
RHEEM CANADA	CPROPH80 T2 RH400-30	4.07	80	240 V
RHEEM CANADA	CPROPH80 T2 RH400-SO	4.07	80	240 V
RHEEM CANADA	CXE40T10H22U1	3.45	40	240 V
RHEEM CANADA	CXE40T10H45U1	3.83	40	240 V
RHEEM CANADA	CXE40T10HS45U1	3.83	40	240 V
RHEEM CANADA	CXE50T10H22U1	3.75	50	240 V
RHEEM CANADA	CXE50T10H45U1	3.88	50	240 V
RHEEM CANADA	CXE50T10HS45U1	3.88	50	240 V
RHEEM CANADA	CXE65T10H22U1	3.55	65	240 V
RHEEM CANADA	CXE65T10H45U1	4.05	65	240 V
RHEEM CANADA	CXE65T10HS45U1	4.05	65	240 V
RHEEM CANADA	CXE80T10H22U1	3.7	80	240 V
RHEEM CANADA	CXE80T10H45U1	4.07	80	240 V
RHEEM CANADA	CXE80T10HS45U1	4.07	80	240 V
Rheem	PRO H40 T2 RH310BM	3.5	40	240 V
Rheem	PRO H40 T2 RH310UM	3.5	40	240 V
Rheem	PRO H50 T2 RH310BM	3.5	50	240 V
Rheem	PRO H50 T2 RH310UM	3.5	50	240 V
Rheem	PRO H65 T2 RH310BM	3.5	65	240 V
Rheem	PRO H65 T2 RH310UM	3.5	65	240 V
Rheem	PRO H80 T2 RH310BM	3.5	80	240 V
Rheem	PRO H80 T2 RH310UM	3.5	80	240 V
Rheem	PROPH40 T2 RH375-15	3.83	40	240 V
Rheem	PROPH40 T2 RH375-30	3.83	40	240 V
Rheem	PROPH40 T2 RH375-SO	3.83	40	240 V
RHEEM	PROPH40 T2 RH400-15	3.45	40	240 V
RHEEM	PROPH40 T2 RH400-30	3.83	40	240 V
RHEEM	PROPH40 T2 RH400-SO	3.83	40	240 V
Rheem	PROPH50 T2 RH375-15	3.88	50	240 V
Rheem	PROPH50 T2 RH375-30	3.88	50	240 V
Rheem	PROPH50 T2 RH375-SO	3.88	50	240 V
RHEEM	PROPH50 T2 RH400-15	3.75	50	240 V

RHEEM	PROPH50 T2 RH400-30	3.88	50	240 V
RHEEM	PROPH50 T2 RH400-SO	3.88	50	240 V
Rheem Prestige	PROPH65 T0 RH120-M	3.3	65	120 V
Rheem Prestige	PROPH65 T0 RH120-MSO	3.3	65	120 V
Rheem	PROPH65 T2 RH375-15	4.05	65	240 V
Rheem	PROPH65 T2 RH375-30	4.05	65	240 V
Rheem	PROPH65 T2 RH375-SO	4.05	65	240 V
RHEEM	PROPH65 T2 RH400-15	3.55	65	240 V
RHEEM	PROPH65 T2 RH400-30	4.05	65	240 V
RHEEM	PROPH65 T2 RH400-SO	4.05	65	240 V
Rheem Prestige	PROPH80 T0 RH120-M	3.5	80	120 V
Rheem Prestige	PROPH80 T0 RH120-MSO	3.5	80	120 V
Rheem	PROPH80 T2 RH375-15	4.07	80	240 V
Rheem	PROPH80 T2 RH375-30	4.07	80	240 V
Rheem	PROPH80 T2 RH375-SO	4.07	80	240 V
RHEEM	PROPH80 T2 RH400-15	3.7	80	240 V
RHEEM	PROPH80 T2 RH400-30	4.07	80	240 V
RHEEM	PROPH80 T2 RH400-SO	4.07	80	240 V
Rheem	XE40T10H22U0	3.83	40	240 V
RHEEM	XE40T10H22U1	3.45	40	240 V
Rheem	XE40T10H45U0	3.83	40	240 V
RHEEM	XE40T10H45U1	3.83	40	240 V
Rheem	XE40T10HS45U0	3.83	40	240 V
RHEEM	XE40T10HS45U1	3.83	40	240 V
Rheem	XE50T10H22U0	3.88	50	240 V
RHEEM	XE50T10H22U1	3.75	50	240 V
Rheem	XE50T10H45U0	3.88	50	240 V
RHEEM	XE50T10H45U1	3.88	50	240 V
Rheem	XE50T10HS45U0	3.88	50	240 V
RHEEM	XE50T10HS45U1	3.88	50	240 V
Rheem	XE65T10H22U0	4.05	65	240 V
RHEEM	XE65T10H22U1	3.55	65	240 V
Rheem	XE65T10H45U0	4.05	65	240 V
RHEEM	XE65T10H45U1	4.05	65	240 V
Rheem	XE65T10HM00U0	3.3	65	120 V
Rheem	XE65T10HMS00U0	3.3	65	120 V
Rheem	XE65T10HS45U0	4.05	65	240 V
RHEEM	XE65T10HS45U1	4.05	65	240 V
Rheem	XE80T10H22U0	4.07	80	240 V
RHEEM	XE80T10H22U1	3.7	80	240 V
Rheem	XE80T10H45U0	4.07	80	240 V
RHEEM	XE80T10H45U1	4.07	80	240 V
Rheem	XE80T10HM00U0	3.5	80	120 V
Rheem	XE80T10HMS00U0	3.5	80	120 V

Rheem	XE80T10HS45U0	4.07	80	240 V
RHEEM	XE80T10HS45U1	4.07	80	240 V
Richmond	10E40-HP515	3.83	40	240 V
Richmond	10E40-HP530	3.83	40	240 V
Richmond	10E40-HP5S30	3.83	40	240 V
RICHMOND	10E40-HP5U15	3.45	40	240 V
RICHMOND	10E40-HP5U30	3.83	40	240 V
RICHMOND	10E40-HP5US30	3.83	40	240 V
Richmond	10E50-HP515	3.88	50	240 V
Richmond	10E50-HP530	3.88	50	240 V
Richmond	10E50-HP5S30	3.88	50	240 V
RICHMOND	10E50-HP5U15	3.75	50	240 V
RICHMOND	10E50-HP5U30	3.88	50	240 V
RICHMOND	10E50-HP5US30	3.88	50	240 V
Richmond	10E65-HP120M	3.3	65	120 V
Richmond	10E65-HP120MS	3.3	65	120 V
Richmond	10E65-HP515	4.05	65	240 V
Richmond	10E65-HP530	4.05	65	240 V
Richmond	10E65-HP5S30	4.05	65	240 V
RICHMOND	10E65-HP5U15	3.55	65	240 V
RICHMOND	10E65-HP5U30	4.05	65	240 V
RICHMOND	10E65-HP5US30	4.05	65	240 V
Richmond	10E80-HP120M	3.5	80	120 V
Richmond	10E80-HP120MS	3.5	80	120 V
Richmond	10E80-HP515	4.07	80	240 V
Richmond	10E80-HP530	4.07	80	240 V
Richmond	10E80-HP5S30	4.07	80	240 V
RICHMOND	10E80-HP5U15	3.7	80	240 V
RICHMOND	10E80-HP5U30	4.07	80	240 V
RICHMOND	10E80-HP5US30	4.07	80	240 V
RUUD ULTRA	PROUH40 T2 RU375-SO	3.83	40	240 V
RUUD ULTRA	PROUH50 T2 RU375-SO	3.88	50	240 V
RUUD ULTRA	PROUH65 T2 RU375-SO	4.05	65	240 V
RUUD ULTRA	PROUH80 T2 RU375-SO	4.07	80	240 V
Ruud	PRO H40 T2 RU310BM	3.5	40	240 V
Ruud	PRO H40 T2 RU310UM	3.5	40	240 V
Ruud	PRO H50 T2 RU310BM	3.5	50	240 V
Ruud	PRO H50 T2 RU310UM	3.5	50	240 V
Ruud	PRO H65 T2 RU310BM	3.5	65	240 V
Ruud	PRO H65 T2 RU310UM	3.5	65	240 V
Ruud	PRO H80 T2 RU310BM	3.5	80	240 V
Ruud	PRO H80 T2 RU310UM	3.5	80	240 V
Ruud	PROUH40 T2 RU375-15	3.83	40	240 V
Ruud	PROUH40 T2 RU375-30	3.83	40	240 V

Ruud	PROUH40 T2 RU375-S0	3.83	40	240 V
RUUD	PROUH40 T2 RU375-S0	3.88	40	240 V
RUUD	PROUH40 T2 RU400-15	3.45	40	240 V
RUUD	PROUH40 T2 RU400-30	3.83	40	240 V
RUUD	PROUH40 T2 RU400-S0	3.83	40	240 V
Ruud	PROUH50 T2 RU375-15	3.88	50	240 V
Ruud	PROUH50 T2 RU375-30	3.88	50	240 V
Ruud	PROUH50 T2 RU375-S0	3.88	50	240 V
RUUD	PROUH50 T2 RU400-15	3.75	50	240 V
RUUD	PROUH50 T2 RU400-30	3.88	50	240 V
RUUD	PROUH50 T2 RU400-S0	3.88	50	240 V
Ruud	PROUH65 T0 RU120-M	3.3	65	120 V
Ruud	PROUH65 T0 RU120-MSO	3.3	65	120 V
Ruud	PROUH65 T2 RU375-15	4.05	65	240 V
Ruud	PROUH65 T2 RU375-30	4.05	65	240 V
Ruud	PROUH65 T2 RU375-S0	4.05	65	240 V
RUUD	PROUH65 T2 RU400-15	3.55	65	240 V
RUUD	PROUH65 T2 RU400-30	4.05	65	240 V
RUUD	PROUH65 T2 RU400-S0	4.05	65	240 V
Ruud	PROUH80 T0 RU120-M	3.5	80	120 V
Ruud	PROUH80 T0 RU120-MSO	3.5	80	120 V
Ruud	PROUH80 T2 RU375-15	4.07	80	240 V
Ruud	PROUH80 T2 RU375-30	4.07	80	240 V
Ruud	PROUH80 T2 RU375-S0	4.07	80	240 V
RUUD	PROUH80 T2 RU400-15	3.7	80	240 V
RUUD	PROUH80 T2 RU400-30	4.07	80	240 V
RUUD	PROUH80 T2 RU400-S0	4.07	80	240 V
State	HPSX-50 DHPT 2**	3.8	50	240 V
State	HPSX-66-DHPT 2**	3.7	66	240 V
State	HPSX-80-DHPT 2**	3.88	80	240 V
State	HPVX-66-DHPT 2**	3.2	66	120 V
State	HPX-66-DHPTDR 130	3.45	66	240 V
State	HPX-80-DHPTDR 130	3.45	80	240 V



Program Administrator



Program Implementer



Program Funders